



Ploties and Moors, by Wilfred L. Whiteen, 50c from your dealer or direct from TFH.

PLATIES AND MOONS is a new book devoted to a complete coverage of two of the most popular livebearers, Xiphophorus macularus and Xiphophorus variatus. Information is given on all phases of the successful keeping of Platies of all varieties, with special emphasis on the difference between assistics.

the differences between varieties. Intended as a practical guide to raising these colorful and prolific hobby favorites, author Wilfred L. Whitern's book gives concise, easy to understand treatment to such topics of vital importance as foods and feeding, plants and planting, hybridizing, and selective breeding. Under this last category the author discusses a point which has so far presented many problems for the livebearce enthusiast: how to detect and separate the sexes before they are old enough to breed indiscriminately.

The separate section on diseases and medicants lists the major fish ailments encountered and describes the most effective and simple treatments. Moreover, this section is of special benefit in showing not only how to diagnose and treat, but also how to avoid, these diseases. Diseases covered are white spot, fin and tail rot, mouth fungus, velvet, and others.

For hobbyists who have long wanted to develop and raise their own distinctive Platy variety, but who have no desire to wade through the complicated mechanics of the principles of genetics, PLATIES AND

TROPICALFISH

Dr. Nerbert R. Axelrod, Praxident William Varderwinker, Publisher Neel Process, Editor
Dr. Leonard P. Schultz, Advisory Editor Hass Peter, Overseon Editor Len Fiddle, Advertising Manager Dr. Acron Acelred, Business Manager Harold Schultz, Expedition Chief Fed Seoni, Art Director Helgo Massis, Art Assistant

Contents

Vol. XII, December, 1963 (594) N	10.4
Breeding the Black Helmet Variatus	- 5
The Pathological Origin of the Strutum Argenteum in the "Brass Tetra"	-11
A New Echinodores	20
Hydra-Phobia	. 26
Aphyochanax arythrurus	_ 33
Cteroperna acutivostre	39
Industries, A Pissine Paradox	- 63
Mail Call: p. 41: Guppy Corner: p. 53.	511
COVER	
	I the Philip

On the cover this month are two of the new involvement of p. Finite planets of p. Finite planets of the p. Finite planets of p. Finite planets of the p. Finite planets of

EXOTIC TROPICAL FISHES SUPPLEMENTS

Pages 33 and 34, 29 and 40. These pages are perforated for easy removal and penched to fit into the Lossesheaf Edition of EXOTIC TROPICAL FISHES.

RATES 15 c per copy in the U. S. 15c per copy in Canada or foreign. \$1.50 for \$2 ince subscription. All back issues available at 35c per copy. Index available in every 12th issue.

in Canada Tropical Fuh Hobbyist magazine and books are sold exclusively through Canadian Aquarium Suoply Co., 1725 Tablos Street, 8t Thomas, Oncario. All subscriptions and inquiries frem Canadiana should be directed to them.

In England and the western Starting area Tropical Fish Hobboin magazine and T.F.H. Books are distributed acquisively through T.F.H. Publications (London) (ad., 59 Station Road, Redhill, Serrey, England, All substryations and inquiries should be tent directly to them.

6 1963 T.F.H. Publications, Inc.
Second Class Postage Paid at Jersey City, New
Jerser, Published monthly by T.F.H. Publications,
Inc. st 185 Cerneliton Avenue, Jersey City 2.
N.J. Printed in U.S.A.

EDITORIALLY . . .

"You can't spawn Oscars in a 3-gallon tank; Try it and you'll only rue it!" But the reader so smart is of very stout heart And the fish go ahead - and they do it!

"Guppies and Mollies will not hybridize; Your ignorance is stupendous!" But the Guppy and Molly just laugh at my folly

But the Guppy and Molly just laugh at my foll; And the number of young is tremendous.

"If you put salt with Neons they surely will die."
Thus I, the oracle, speak.
But the reader will chime, "I use salt every time,

But the reader will chime, "I use salt every time, And my Neons spawned twice last week!"

If fish could but read, so they'd know what to do,
What a wonderful world this would be!
They would know how to act with the greatest of tact
And not make a big ape of me!

William Vorderwick

Tropical Fish Hobbyist



December, 1963



One of the new Hi Fin Swordtail-Variatus hydrids produced by Summerland Tropical Fish Farms. This male carries his black eneign with pride. Photo by Dr. Herbert R. Axelrod.

A fish breeder's unexpected bonanza

Breeding the Black Helmet Variatus

BY PHILIP MARRACGINI Summerland Tropical Fish Farms Miami, Florida

The year 1960 should be long remembered by tropical fish hobbyists the world over as the year of outstanding introductions. Two livebearers, one from the Far East, the exquisite Lyretail Molly, and one from the West,

BRAND

The Most Sensational Fish Food You Can Buy . . . Guarantees Your Fish Better Growth, Vigor, and Coloration or Your Money Back!

Now you can be sure your fishes and turtles get all the vitamins, minerals, protein, and bulk they need. No more spitting out essential foods they don't like—foods that collect on the bottom to cloud and contaminate or your squarium.

cloud and contaminate your aquarium.

New Oxac foods are in pellet form, and each formula is blended with natural foods your fishes and turtles can't resist—shring, nan, crab, liver, and high-protein whale meat. Either this revolutionary food gives them better growth, vigor, and coloration in 50 days, or you get your money back . . . no questions asked (see below).





HERE'S HOW It'S DONE: Shown are some Tropical Fish Food pellets, in "coarse" grade. Earls of these tiny pellets contains a balanced diet. Each contains an exacting blend of the nutrient syon fishes must have for bradily grewth, vigor, and coloration. Note the absence of postedery waste, the uniform size. Only the finest materials were used, and only Oscar's unique triple-grind, mis, press, and grading process makes this postible. . . guarantees you the finest fish food your money can buy.

SPECIAL FORMULAS SPECIAL FORMULAS
Each of five special formulae
contains its own concentration
of those nutrients ichnique
gains table are the most boseten formula for the tropical fish
ten formula for the tropical fish
gappy foods; a concentrated
only/derie formula to goldfish: a
centrated vegetable base formula is forderivated with vitamins A and D to dewith vitamins A and D to dewith vitamins A and D to deTRY THIS FREE OFFER. Ask your dealer for your free sample of Oscar food. There's one for mollies, quopies, tropical fish, goldfish, and turties, in several peller sizes. If he has yet to stock Oscar foods, let us know. We'll see that free samples are sent to him immediately.

GUARANTEED

If your fibber or turtles don't actually better and more eigenous in just 30 da feeding with the specified formula, returnulated portion to your dealer and your will be refunded. Buy a care of Occar or Turtle food today!

OSCAR ENTERPRISES, INC.

1216 FIFTH ST. DEPT. C. BERKELEY, CALIFORNIA

the unbelievable, unusual Hi Fin Swordtail, are both a complete departure never before imagined in livebearers.

Not only do these two mutations constitute valuable and beautiful addithemselves but their unique forms, when fused into the already established standard strains, are capable of adding embellishments hereto-fore unseen by the coterie of appreciative aquarists the world over. Whenever an outstanding mutation is fixed we must recognize that a whole new vista is opened to serious fish breeders. It is as if another color were added

Please Mention T. F. H. When Writing to Advertisers

NEW! NOW THERE ARE TWO MODELS OF

WISA WORLD'S AIR PUMP!

Built to combine lower price with genuine WISA construction. Smaller in size than the famous Model 300, the new Model 200 has approximately 3's of the Model 300's capacity, uses only 4 wats! Same TOTAL SILENCE! NO! MAINTENANCE! WRITTEN, REGISTERED I YEAR FULL GUAR-ANTEE by Scattergood Filters Co. SERVICE KIT available.



NEW MODEL 200



WISA WORLD'S AIR PUMP!

" WISA has been in 24 hour a day service since September 1959 . Superb unit superior to anything elbe on the market today." A.B.M. Cambria Heights, N.Y.

"You may use my endorsement of the WISA any time you like.

I have found it to be the best cump I have ever tested. It is far superior to all other pumps."

R.P.L. Straughan, Costmut Grove, Florida

The famous pump that established the WISA's world wide reputation. TOTAL SILENCE!
(Not a whisper in your living room!) TREMENDOUS POWER! (Over 300 c.i.p.m. — air for 1 to 50 aquariums) BUILT LIKE A FINE WATCH! Revolutionary, advanced design vibrator (now still further improved) effortiessly outperforms any other journo, uses only 5 watts! NO MAINTENANCE! WRITTEN, REGISTERED! YEAR FULL CUARANTEE by Scattergood Filters Co. SERVICE KIT available.

SOLD BY QUALITY DEALERS. . . TO DISCRIMINATING CUSTOMERS!

See our complete line at quality dealer: everywhere. If there is no Scattergacd dealer near you, write for free catalog and booklet "Getting the Most Out of Your Filter." Scattergood Filters Co.

Tropical Fish Hobbyist


to the artist's palette and a new tool were forged to help create new eyearresting strains.

The actual hybridization techniques are excellently delineated in the T.F.H. booklet Platies and Moons by W. L. Whitern, However, creative fish breeding is to my interpretation a rather personal art, and selection must be always paramount in the selective breeder's mind. He must always be on the alert and on the lookout for something unusual and at times capitalize on the unexpected. The resultant crosses are not always good; some are downright inferior, not worth the time and effort that went into their creation. But occasionally a beautiful new strain is developed, and this is

gratification enough to make one keep on trying.

I purchased a half-dozen pairs of Hi Fin Swords which were shipped to me via Air Express. I was delighted to receive them, and after they became acclimated and at home in Miami I initiated the following hybridization experiments. I selected two males and placed them in a small shaded pool containing some immature Red Wag Platies. I also put two other Hi Fin Sword males into a little pool containing some young Sunser Variatus

After checking this setup several times daily and feeding the fish choice live foods to build up their size and increase their vigor and drive, my



December, 1963



The chance crossing of a female Nubian Variatus and a male Hi Fin Swordtail produced the crisp black large dorsal possessed by this female. Photo by Dr. Herbert R. Axelrod

patience was finally rewarded when I noticed several young fish in the first pool containing the Red Wag Platies. I waited until these grew to about an inch in length before I netted them out. As I had anticipated, most of the young fish did not sport luxuriant "high fins" but the few that did were simply out of this world for dorsal fin size. They were also highly colored, with black tails and fins plus black stippling on an intense red body background. These I put by themselves in another small pool; I discarded the rest, as tank and pool space is at a premium these days of rising costs. Incidentally, my children have a gray tomcat who understands the word "fish" in four languages and will find me no matter where I am on the fish farm, as long as I shout the magic word.

Now let us return to the second pool, the one of primary interest in this story. The other two Hi Fin Swords hybridized as was expected with some of the Sunset Variatus Platy females, and as some had the coveted high fin, my loy knew no bounds. I commenced the selection and separation ritual, placing the young Hi Fin Variatus hybrids in a pool by themselves. I counted about two dozen desirable specimens and silently I congratulated myself on the success of this cross when, to my disappointment, I spied a female Nubian Variatus lazily sunning herself at the top right hand

Continued on Page 13



LIVE TURTLE RACING sweeping across the nation! pick your turtle...cheer him on

COMPLETE OUTFIT

- 2 LIVE RACING TURTLES
- 35 INCH RACE COURSE TURTLE STABLE
- TURTLE FOODS

INSTRUCTION BOOKLETS

Available Only thru Petshops.

Write T.F.H., P. O. Box 33, Jersey City, N. J.

10

Tropical Fish Hobbyist

The background that's really THREE DIMENSIONAL!



3.98

COMPLETE

3-II aquarium background







The Pathological Origin of the Stratum Argenteum in the "Brass Tetra."

BY DR. J. GERY AND J. DELAGE

For many years, aquarists and some zoologists have been asking themselves about the reason for the coloration of certain small Tetragonopterinae (family Characidae) from South America. These fishes, whose species mostly show an intensely silver reflection, mixed with some yellow, were given the common names of Gold Tetras, Brass Tetras, Bronze Tetras, etc. (in English, the name "Brass Tetras" prevails). The interesting fact does not lie precisely in this coloration, which is more frequently found in other fishes than in the Characins, but in the fact that it is not phenotypic, that is to say that it is not linked to a gene. In fact, when this species reproduced (it is possible to have them do so in the aquarium), the result was individuals which were absolutely plain in color, without the brassy gleam. They appeared to be of a different

As soon as this was understood, explanations were offered for this phenomenon. Ours (J.G.) written in 1959, follows: "The Brass Tetras, where there are some considered as non-hereditary local variations, seemingly because of the nature of the water (?) or their nourishment (?)." The presence of the question marks shows very well that these vague explanations are not satisfactory, no more than was written by Axelrod (1957) about the Golden Tetra (Hemigrammus armstrongi Schultz and Axelrod 1955): "Many readers and breeders asked me for live specimens of the fish and I try my best to supply them. No sooner did I give them the fish than the reports started to pour in: 'What kind of fish are these? The parents are beautiful and golden, but their offspring are just plain silver fish!' Time after time I verified these findings myself but could never come up with the answer. Many people offered suggestions. Some said the fish required a certain kind of water or food that was only available in their habitat. Some even suggested that the fish were dyed!"

We think that we can show that this coloration is due to an involuntary reaction of the host to a parasite which we have been able to place in evidence, and that the nature of the parasite is such that it is rarely (if ever) trans-

missible in the aquarium.

We are happy to thank Dr. Axelrod, who furnished us with the material, conveniently preserved, necessary for the verification of the hypothesis made by one of us (J.G.), and the Laboratory of Comparative Pathology of the Faculty of Medicine which, under the second author (I.D.), was in charge of

December, 1963

Breeding the Black Helmet Variatus



This male is the result of a cross between a Hi Fin Yarlatus and a Sunset Variatus.

Photo by Dr. Herbert R. Axelrod.

corner of the pool. Needless to say a vituperative outburst followed, then a calm retracing of the steps in my breeding technique. I finally deduced that a sabotaging bird must have acted as a marriage broker by dropping this young female Nubian into my pool. Luckily I had the presence of mind to keep her there, because I noticed a Hi Fin Sword male playing up to her, courting her with a frenetic quivering of his king-size dorsal. Being satisfied with the Hi Fin Sunsets and reassuring myself that there was

nothing to lose, I ruled in favor of awaiting results.

Several weeks later I knew that I was the recipient of a fish breeder's unexpected bonanza, the start of the sparkling, crisp innovation, the Black Helmet Variatus which was in one of my pools waiting to be fixed and put into production.

The Pathological Origin of the Stratum Argenteum in the "Brass Tetra."

Continued from Page 11 histological interpretation. Finally, when the advice of a parasitologist became necessary, Professor Robert-Ph. Dollfus has come to our aid with his habitual good grace: a hearty "thank you" to him.


1. The parasite and the reaction of the host.

This is the test of a quite important specimen of Henigrammus¹ which comes from the upper Amazon (Loreto District in Peru) which is the original of the hypothesis mentioned below. Among the individuals, the greater number had a faint silvery tone, as is proper for the sexes, others showing "spots" (more or less numerous and more or less confluent) which were extremely brilliant. Under the binocular microscope with a strong magnification, it turned out to be a stuffing of shining threads, located under the scales and resembling (at this magnification) glass wool. This deposit, composed of crystals of guanine, appeared mostly on the sides, near the lateral line, coming to a more or less segmentary distribution on the caudal peduncle, the nape, and also at the base of the unpaired fins. When the brilliant spots grow larger, they become more or less confluent and finally cover the entire body, the fish being of a striking coloration and resembling a medallion. This was the case with the 27 specimens examined which showed such a color: 15% had no spots whatever on the body, 18% showed a certain confluence of the spots, 36% were very brilliant but with certain regions more preserved, and 37% were entirely covered with a sort of "coat" of guanine crystals. It is pointed out that the specimens preserved in alcohol had this coating purely silver: in effect, the dissolved in the alcohol. These pigments are not at all responsible for any more than a part of the general coloration (going from brass to copper); the principal factor of this tone is the guanine, where the crystals, by refraction, also probably participate in the formation of the color.

There remained to be found why the guanine deposits occurred in different

There remained to be found why the guanine deposits occurred in different parts of the body in this manner: an examination at very high magnification showed that these deposits are always concentrated around a tiny "cyst" from 0.2 to 0.4 mm in diameter, clear in the middle, with a black border, situated shallowly in the skin or superficially on the muscles, just below the scales. The cyst is always hard to see when it is on a dense bod of guanine; neverthe-

(1) This species of the genus Hemigrammus is specifically difficult to distinguish from Hemigrammus armstrongi from British Guiana, which in its turn, as suggested by Dr. S. Wettman, is very close to H. rodnoyi, if not co-specific. As for the implied resemblance of H. rodnoyi with Cheiroden pube for C. interruptus?) which has given rise to much aquarist literature, it is entirely devoid of foundation.






Fig. 1. Above, parasitic cyst surrounded by a heavy bed of melanin, with a very light deposit of guanine (X10, photo by Gery). Below, microphotograph of the same cyst (X400, photo by Ginsburger); explained in the text.

15

Tropical Fish Hobbyist

less a count of all the visible cysts shows that there exists a correlation between their number and the occurrence of the guanine deposits. In 27 individuals, the 15% with tiny spots had only three cysts, the 18% with larger spots had from two to four cysts, and the 30% with the guanine deposits which were mostly confluent had between three and six cysts, and the 37% which were sparkling all over had from four to six visible cysts. It is possible that the infestation was really greater, because of the impossibility of counting all the cysts which were hidden by the coating of guanine, and also because a certain percentage of these cysts had "healed" by releasing the parasite, thanks to the defense mechanics of the organism. In any case, as long as the importance of the local deposits of guanine is not such that they can by confluence cover the entire body of the host, we must admit under the title of assumption that in a certain sense it is possible that a general reaction is produced. This reaction is perhaps secondary to an injury of the hypophysis which we have reason to think plays a part in the catabolism of guanine: the hypophysis seems particularly vulnerable, the nape being one of the first regions presented for such deposits (where such an infestation could certainly be localized).

As for the nature of the cyst, a histological examination has shown it to be parasitical. According to the rare preparations where the cut passes exactly through the middle and where the parasite has not died, Professor Dollfus thinks that it is probably caused by a digenetic trematode whose precise determination must await more material, the inter-tropical species being numerous and difficult to determine. It is known that with the forms which attack fishes, these are merely the auxiliary hosts, because the trematode has a complicated cycle which involves three hosts. An egg laid by an adult, fixed to a definite host, develops in the water into a free phase and a miracidium, which then becomes attached to an intermediary host and transforms itself into a sporocyst, then a spore; this intermediary host is a freshwater mollusc, generally an air-breathing snail. Then it survives a second free aquatic phase in which the spore, transformed into a cercarian, proceeds to infest the second host, a fish or more generally a crustacean, actively. Once attached to the auxiliary host, the cercarian becomes a metacercarian which cannot develop into an adult unless the auxiliary host is in its turn ingested by the final host, which is always a vertebrate, sometimes a mammal. Sometimes the sporadic stage disappears and the sporocyst results in a cercarian, such as a little most. In any case, it can be understood why the parasites cannot pass, in a closed aquarium, from one generation to the other. In the aquarium the final host is missing which would permit the development of a new cycle. Also most of the metaccrearians which were encysted would die in the host's tissues, with only the reaction of the organism remaining visible, which is what would interest us here.

Continued on Page 55

December, 1963




Trapical Fish Hobbyist

A New Echinodorus

BY VLADIMIR SADILEK Brno, Czechoslovakia

The species of the genus Echinodorus are beautiful aquarium plants, very useful for decoration, even though there are not many of them that are well known enough to be considered popular. Most of the common Echinodorus species come from South America and are generally grouped under the name "Amazon Swordplants", which grouping includes









Ves. you can now bring breathshing beauty to your tropicals the easy, fool-proof way ... with Rut-King fish foods. Developed by Dr. John Rutkowski and Larry Konig, eminent breeders, authors, lecturers, Rut-King foods give you more holanced nutrition land any other prepared food. And Rut-King is ac-tually more economical because it's di-food; contains no "filters", Ounce for onnee, Rut-King is the most nutritious dry food you can buy!

works LIKE MAGIC! Yet only the re-sults are magic. The real key is in the method of feeding these three Rut-King foods. And you'll find the Rut-King feeding method fully explained in the manual given FREE with every purchase.

3 FOODS FOR ALL DIET NEEDS:

For all sizes, species. Used by professional breeders.

11/4 oz. 60c 6 oz. \$2.30

BOOSTER*

The most nearly perfect conditioning food and diet supplement.

11/4 ex. 75c 6 ex. \$3.25

GUPPY FOOD

All-purpose guppy food and nutritious food for fry. Use wherever a "micro" grind is needed.

11/4 oz. 60c 6 oz. \$2.39

GET RUT-KING AT YOUR DEALER'S.

If he can't supply, order direct, Postpaid on \$2.00 or more. Send scheck, money order. No COD, FREE
with order: Rutkowski-Konig, "Feeding Manual"

RUT-KING



Bioquatics BOX 111-T GARWOOD, N.J. Dealer, Jabber Inquiries Invited

EMILE PARO, Agawam, Mass, '61 AGA Eactern Show: 2nd Place: 5-of-kled: 2 ist Place: Rogular Class, Cossistent winner. '2 feed Sut-King and live food to develop

ARNOLD SWEENEY, No. Bergen, N.J.

**A AGA Eastern Show: Ind Place: 5-of
kind, Winner in major II.S. shows, "You'l
always find Rub-King, in my fish room. It'
the sally day food I freed."

"Wherever I need a "micro" food, I fine Ret-Kieg Guppy Food best of all. Reinheld Kleiss, Ridgefleid, N.J. Noted breeder

"For sire, long life and natural coor, nothing beats Ref-King." Louis Resford. No. Bergen, N.J. World renowned broads.

"I use—and always repummen foods to my continuers." Sal Kir FISHBOWL. Irrington. N.J. Irrown allowpiace of time of sarrest and most attain tripicals

Reserie La Corie, Elizabeth, N.J. Author brooder of Caprindonia, Chichida, Chara-cine, Recommercia and usos Ear-King fund-for fry and adults of three species.



December, 1963

E. tenelhat, E. intermediat, E. brevi-pedicellatus, and E. paniculatus. Be-sides these species, we also occasion-ally see E. radicus and E. longistylis in our tanks, and fanciers of these plants are fond of other species, such as II. ramunculoides, E. grandiflorus, II. nymphaefolius, E. restratus, and II. martii. Buchenau, in his mono-emph on the plants of the family Alismataceae, mentions 22 species and 11 subspecies of Echinodorus; the 11 species given thus far above are the only ones to have become popular to any degree with aquarium hobbyists.

Almost every Echinodorus is a New World plant, although two species,

E. humilis and E. ramunculoides, are of African origin. Some species are found even in southern Europe, near the Mediterranean, but it is likely that they did not come from there originally.

Two years ago I received a shipment of some of the rare Echinodorus.

species from Rio de Janeiro. As the plants arrived in poor condition, with leaves and roots mostly rotted, it took a long time to regenerate it took a long time to regenerate them. By sowing seeds I got better results, as the seeds sprouted very well. Most of the plants bloomed and propagated, and I was able to have them identified precisely. Of all the plants thus received from Rio, the





An Echinodorus species not yet completely identified, with long stems and markedly narrow. spearlike leaves. Photo by Vladimir Sadiek

most beautiful was Echinodorus muricatus.

This plant is mentioned in Buchenau's monograph as one variant of E. macrophyllus. E. muricans is a perennial plant which has a vertical root system and grows to a height of 2 feet. The stem of its submerged form is about 16 inches long and 2 to 4 inches wide, rounded but narrow, with a fairly pointed top and between 5 and 7 collateral veins. The leaves of the bog form of this plant are only a foot long but between 8 and 10 inches wide, with more collateral veins (11-13) but still with the sharpened top, Under good lighting young E. maricans have brown leaves with irregular lighter spots; the spots disappear with age.

with age.

This plant has never bloomed for me indoors. So far it has developed bloom only when kept in a hothouse, in water which is lowered until the plant begins to assume its bog form. Even then it takes between two and three years to coax into bloom.

three years to coax into bloom.

Echinodorus maricatus is a beautiful plant for large, heated aquaria; at temperatures below 68°, the plant stops its development. It is advisable to keep it in gravel only, without any soil. If not replanted too often it will grow nicely, although propagation is difficult, being possible almost always only through the development of seed. Culture of the seed is best done during spring.

All in all, Echinodorus muricatus is a very nice new "Swordplant" for the aquarium.

LIVE CULTURES

(with instructions) U.S.A. only

Micro Worms \$1.00
Drosophila (wingless) \$1.75
Tropi-White Worms \$1.50
*Culture Medium \$1.00

*Food different for each culture GEORGE HANSEN

BOX 414TH ST. JAMES, N. Y.



World's Finest GRAVEL FILTER... EUREKA AQUARIUM PURIFIER

Completely Sectional, Adjustable and Convertible



Tanks 349

FITS ANY TANK

SUPERIOR TO PLATE TYPE FILTER

Eureha Parifler continuously circulates aerared water THROUGH THE GRAVEL, so there's no space below for decayed materials or gases to collect. Works years without cleaning, installs without removing fish or gases[].



25

Tropical Fish Hobbyist

24

Let's hope you never develop

Hydra-Phobia

BY DIANE SCHOFIELD

One day you may be peering happily into one of your tanks and all of a sudden you may observe something with a start. "Say now", you may say to yourself, "Darned if that doesn't look like a new variety of algae!" Ten to one those little greenish-gray half-inch-long hair-like objects that you've spotted aren't algae. As a matter of fact, no matter how they look, they aren't even members of the plant kingdom. Each of the little organisms waving their little "arms" at you are animals. Not the kind of animals that are desirable or that you've gone out and purchased as you have your fish, but animals none the less. The chances are even better that you introduced them into your tank yourself while innocently feeding Daphnia one day, or even possibly by that new plant you got from a questionable source a short time ago. You can get hydra without even half trying. Easy is the word for it.

even half trying. Easy is the word for it.

Hydra is a perfect name for them. The Hydra of Greek mythology was a gigantic monster with nine heads, the center one being immortal. The destruction of the Hydra was one of the twelve labors of Hercules. Finding that as soon as one head was cut off, two grew in its place, he burned out the roots with firebrands, and at last severed the immortal head from the body and buried it under a rock. The arrows dipped by Hercules in the poisonous blood or gall of the Hydra inflicted fatal wounds. The parallels between the mythical Hydra and the aquatic one are many.

For one thing, like the legendary monster, the aquatic hydra can recreate itself. This is done by the growth of little buds along the "stalk" or the main



Tenacious of life and diversified in their reproduction, hydra can be the scourge of an aquarium, devouring fry and even harming larger fishes with their stinging tentacles. Photo by Helmerr.





. . . we wish our many friends a Merry Christmas and a Happy New Year.

(PGF)

PACIFIC GOLDFISH FARM WESTMINSTER, CALIFORNIA

"Largest Breeders and Distributors of Fancy Goldfish and Tropical Fish in the West"

Tropical Fish Hobbyist

trunk of the hydra. These little buds break off and establish a new individual, a process known as "budding". A hydra can be cut into a number of pieces and each piece can become a separate hydra. But that's not all. In one experiment, a hydra was turned inside out and what had been its stomach lining became its skin! Even if only a piece of its tentacle is severed, this is enough for a start of a new hydra. If it gets tired of the budding bit, it can produce eggs on occasion, and all by itself, since each animal contains both sexes. This method of reproduction is rarer. Do you begin to see the similarity between our hydra and the Hydra of Hercules? It isn't difficult to see why Hercules got more and more frantic as he kept slashing away at it and it kept up with him nicely by popping up with a new head just as he thought he had the whole situation whimped.

whole situation whipped!

I can remember during the long lab sessions in college, when I was majoring in zoology, drawing in minute detail all of the insides of a hydra slit down the middle and of further observing both live and dead stained corpses of hydras under the microscope. Frankly, they did nothing for my day, but then I never thought that I'd ever be put into a position where I would have to make hond, to hard, or hand to tenuele, complete with those.

wage hand to hand—or hand to tentacle—combat with them. If a strong magnifying glass is used and an individual hydra is closely observed, it is plain to see that a single hydra looks much like a tree. There is a thick "trunk", or body, firmly anchored to the sides of the tank, rocks, or plants. At the top are the leafless "branches", or tentacles, waving around. This, more's the pity, is a movable tree, too. Just because the hydra looks pretty stationary there on his perch, don't think that it can't get around to suit its every whim. No, it won't make a wild dash hither and thither, but there is a slow but certain process of inching along. To further show their versatility, they can even "walk" on their tentacles. There are usually 5 to 8 of these gracefully waving dutching fingers of death. These are hollow and are connected to the body cavity. Inside each are groups of poison cells or capsules. Actually these little nematocysts are present on the entire body, but they are more concentrated on the tentacles. These show externally as little "hairs", and are a kind of trigger arrangement. When touched by a prospective dinner swimming by in the form of a small fish, the "hair" releases a mechanism to shoot out a poison-filled whiplash filament that penetrates the body of the fish. It then shoots poison from the poison sac into the fish, paralyzing it completely. Here we find another point of similarity with our friend Herodes.


friend Hercules. When a suitable repast is procured in this manner, the hydra pulls it toward its mouth, which is in the center of the top of the "trunk" or body. The victim is then digested alive. It's so greedy and versatile that it can be digesting one piece de resistance while it is holding one or two other prospective victims in readiness in its tennels for earlier later or

ctims in readiness in its tentacles for eating later on.

Since the hydra is rather low on the totem pole of animal life, the mouth

December, 1963









29

28

December, 1963



4 ---

MIRACLE FILTER COMPANY TFH 63-12 PO Box 9128, Long Beach, Calif.

This is a bryozoan, one of the most animals that live in colonies: like the hydra, it catches living prey, but it is harmless in the aquarium, in many cases the brown "algae" count on the glass of an aquarium are actually a colony of bryozoan. Photo by Helmert.

also serves as an exit for the rejected portions of its food. That's not very meat of the hydra, but that's the way it's constructed. When the hydra is munching on the food, it gets a chunkier or chubbier look to fit and doesn't look so long and lean as it does normally. Also, if it is alarmed about something it can contract, much as a sea anemone does. Actually the hydra is a freshwater polyp and as such is a cousin of the anemones and the corals.

thing it can contract, much as sea alternative to the anomones and the corals. However, it never forms colonies, as the corals do.

Unless you're a squeamish soul, these little bits of life won't do you any harm if the tank that they have made their appearance in contains only fish that are at least one-half, inch long or longer. They may sound like something that a science fiction writer dreamed up, but they can only unag fish that are up to a quarter of an inch in length. Oh, they can latch onto a few Daphmia too, if you are in the habit of feeding live Daphmia to your fish. Where they are really black death is in a tank containing the fry of egg-layers. Within a few days, a tankful of hydra can eat their way right through all the fry.

Hercules had to burn out the roots of the Hydra with firebrands and then

Hercules had to burn out the roots of the Hydra with firebrands and then bury the head under a rock, but this seems like a bit of a bother. There are several much simpler methods to get rid of aquatic hydra. The most simple by far is to enlist the co-operation of several ravenous Blue or Pearl gouramis. Oh, they'd probably much rather eat Daphnia, but lacking this, hydrus do nicely.

Tropical Fish Hobbyist

Naturally, if the tank containing the hydra also contains fry, this arrangeent won't do at all, because the fry are likely to go right down their hatches along with the hydra. In this case a chemical purge must be used. There are several, but one of the most effective ones is to first dissolve 4 grams of ammonium nitrate in warm water. This should be sufficient for a tank of 10 to s. Add it to various portions of the aquarium and agitate the water carefully by moving an airstone around slowly to distribute the chemical throughout all parts of the tank. Then elevate the temperature from 5 to 10 degrees. The hydra won't die off immediately, but within a few days the tank should be free of hydra.

If your fish are large enough to be netted out of the tank, there is another chemical "sword of Hercules" that can be wielded. One teaspoonful of household ammonia to five gallons of water can be added. After this has stood for two hours or more, the water can be changed, and the tank and plants rinsed well. In this hydra cure, the snails should be removed along with the fish


Just removing the fish and snails and raising the temperature over the 100 mark for an hour or two will accomplish the same purpose and then the water needn't be changed, but care must be exercised to see that the temperature has come down to the same level as that in which the fish have been biding their time before again adding them to the tank.

Another chemical that can often do the job is ammonium sulphate; + of an ounce is used for a 20-gallon tank. Here too, the inhabitants must be removed until the cure is completed.

A radical and risky method is to add a piece of copper to the tank, but here one must walk a tightrope. The copper can also kill off the fish if it is left in

Other chemical "swords" are 1 grain of potassium permanganate to a gallon of water. Again, remove the fish until after the treatment.

With so many exits available for your hydra, it isn't necessary to hydra-phobia should they happen to crop up in your tanks one fine day.



TROPICAL FISH and GOLD FISHES Bred by Lui Chi Keung

100% on Delivery Lowest Prices Highest Quality Fair Prices for Importers. Get my Catalog and Price List quick LUI KEUNG AQUARIUM

. 198, Fa Yeung Street 1st floor Kowloon, Hong Kong Cable Add. "ANGELFISH" Hong Kong Tel. 805511

Can you identify this fish? Do you know where it comes from? What are its spawning habits? How about this one? Could you breed it for money? If you can answer these questions definitively, or if you can get an authoritative answer in a jiffy, don't read further. But if you don't know all the answers and can't get them in a hurry - in short, if you are a hobbyist who really is bent on learning all there is to know about tropical fishes, aquarium management and, yes, commercial breedbook. Its 892 pages ing, - buy this 600 illuminating alive with almost color photographs by the world's foremost authorities makes it the best investment you, as a hobbyist, can make. Exotic Tropi-

cal Fishes is available at your pet shop in two editions: hardbound and looseleaf to accommodate supplements by the authors.

\$20 per copy.



PET BOOKS HANDY-ORDER FORM All of these TFH books are available at your local pet supplier. If ordered from the publisher add 25¢ for postage and address your request to TFH BOOKS,P.O. Box 33, Jersey City 2, N.J.

H. TROPICAL FISH F		OG BOOKS his
F-3 African Gehilds 35	hairs as an income of	r inger Spanista 11.00 r loger Spanista as Pets 31
PS-608 III About Jepsersons \$2.06		riogor Sporento as Pets 35
PS-862 SH About Breeding Feep Fails 25 PS-863 SH About Gappins 92-09	16.05 Share-Salved Cate \$3.75	oring Book of Dags Soft Green Edictor of
F-S Argerifals 23		
Fr2 Aquarint Repair Plantal 25	The same and the s	de is the Bosset Housed \$4.50 he is der Bragfe \$4.51
6-6 Aquarium Plants 35 6-725 Aquarium Water Dismitty 50	nos aport Mai n	io is the Bragle \$4.15 to a the Bressen Trever \$4.15
6-721 Aquarium Water Chemistry 50 M-114 Aquarium fish Sissans 51.00	Pi-419 19	to to the Boser \$6.15
F.A. Argentine Frank Figh. 51	01-100: Algrano 97-01 13 0-40: Algrano 21 Fets 3: FL-62 15	to to the Gibanius \$2.55
F-9 Barbs 311	05-1901 Airrelates \$1.00 Pt.410 Pt.	to is the Carbon \$2.00
1-301 Search Series 34 1-303 Search Selection 36	D-802 Eriddes in Pete 30 At an arm	element 21 M
5-19 Beginning the Assurbus 21	D-1301 March February 51.00 D-416 W	dermanateurs in Pres
f-11 Breeding Eggleyers 35	0-417 W	reso Corples as Peta
F-12 Bresding Livebourers 35	D.400 Bragfes en Paris 31 G.400 W	idax looriers \$7.00 little Terriors as Peta 15
5-11 Earfiches 36 5-14 Certific 35	DS-1601 Season Serviers \$3.00 MLST on	tax Dog For He! \$3.40
8-3 Color Species Tomate of Pub. 54-95		reditioned for femilies
5-706 Caborist legitarens 56		as Pery 31 rikshina Tenerisma \$1.40
1-707 Ceterlië civebranen 50		rkshine fereiere \$1.40 rkshine fereiere as Pres
E-796 Catoriel Investigies 56 E-709 Catoriel Intras 56	0-401 Belidage as Pote 31	
6.51 Daries 54		ID BOOKS
5.51 Bearsto He Agention 35		7501707070707
8-4 Biptimery of Trapket Field 17.75	Di-1809 Carter Sansinis 44 As PS-604 At A	Beut Parrelmen .75
5-17 Disease of Property Fach 15	TO AND THE PROPERTY AND	yard Sadi 51 00
7-18 Disease of Irrepact Fash 15 7-57 Dwarf Carbida 55	DE VITE College to the Mrt Bod	pergur fandbesk \$1.05 pergure \$1.00
8-5 Exceptional fire 18.95	M. 1674 Parkelinet U.S. Brid.	ries as Poss 11
8-7 Eresis Francis Hales \$30.00	PLAN BOTH BOTH	Some Carolinals Lauriticates en
8.71 Trade Timpical Febra Lasar Lauf Ididison CO.60	P5-1012 Delmetters 51 20 8-107 See	riful Budgia .58
F.36 Famor Games 35		eries es Peris 33 acueto ao Peris 31
H-SE3 Gereco Ponto St.86		11.00 actions (1.00 actions (1
H-504 Seletion 11 AG	Auf 1 Debermen Franchise or Box 35 PS-430 Flact	m 51.00
F-21 Geleffels to Fest. 35 B-9 Geleffelt in Year Home \$3.95	PCAGE Bullion is fine: 14 PP S-107 Fine:	tes as Peta 31
	1-710 Cary Way to Train her to M.4 Pinet	ine and lufthillud Brds \$5.9(ign Birds for Eagn & Actory\$2.06
L-711 Galor In League of Rale (A.	Sale Francisco 11.00 B-994 Jane	Trengle Birth 31
H-105 Gappier (1.30)	05-1015 First Aid for Year Day \$1.00 8-405 Ptyse	ets Boods as Pegs 15
F-3) Gappins on Press 23 6-P12 Hybrid Gappins 30	03-1018 For Terriers \$1.50 1-101 Park	skerts as No. 35
8-16 Kerg & Breed Propings Falls		skeets in Your force \$3.95
Marti Ever Idition 34.19		ets 51.64
2-10-2 Sierp & Breed Traphial Faft Sett Corner Edition 35.79	ES-1017 Gorman Speciments 21 Mg 8-13 Park	oth and Substant Block 10.02
8-24 Lire Found: .15	8-417 German Despiteres as Para 35 8-512 Paper	41.00
P-25 Melles as Pets ,15		e Fraix Piguare 13.95
F-24 Panelton Group 15 F-37 Percel lists 15	5-418 Golden Setrimeri at Peti 15 0-13 Asian 95-1019 Great Sates 58 30 1-716 lings	ng Canary 50
F28 Places .16		alting farraises 15
E-F13. Planne and Hanna .16	25 (316 Harristone) & Frein See. 40 40 S-110 Train	one Year Parculant 16
1-27 Assister .15		Minds in Year Carden 38
25-14 Saltwarer figureriere Finles \$7.15		Mills, Mosters, Whydels 12 St
E-715 Editeater False 56 F-30 Seaforms 15	65-1012 Here to Feed Year Dog 11 40 65-1013 Here to Green Four Dog 11 40 Utr. 7** AN	IMAL BOOKS
F.St. Storees Eighting Sink 15	D-470 Hear to Tools Year Sec. 18	
F.11 Sweetfield	16-1004 loub forture 91-46	Hors to Pala 35
F.11 Votres South He. 1 .15	D-411 brisk Senters as Pole 35 J-202 Bars	to Pecc 35
F.34 Terror Book Ho. 1 .15 E-F17 Terror Book Ho. 1	re-unit Japanese Sparelity as Pres _13 4-310 Segle	ming Your Terrorism 35
9-15 Tropical Risk \$1.00	C-413 Hallman Pritt IS 4-303 Suon	ma so Piets 35
N-516 Transcol States 91 60	0-414 Monthester Teerloon H 1-204 (hors	
F.DS. Transient East in Page W	DS-1079 Ministure Pinschers \$1.00 J-366 Librar	marks as free 25
F.M. Tropocal Fish Chart No. 1 85.30	Of add to	as Pers. 35
F.37 Suppose Bull Chart So. J. W. No. F.38 Suppose Bull Chart So. J. W. No.	B-G4 Ministers Salamaners at Page VI. #-308 Trops	and Toods or Pete 35
F-39 Draging that Bullioned Mary 75	DE-1017 Plant Street & Sect of Street St. 10	u Ngo as Fern 16
M-16: Tropical fish in Your Some \$1.45	Di-Milk Pakingnos \$7.00 14.504 14.504	reer as feet. 35 near Se. 2 35
H-1d-5 Trungery Fight to Many Space	U-617 Petingme at Pets 15 A-311 Server	of Seeds on Potts JS
(Aguartien Eighea) Soft Grove Edition SJ 40	A-Si2 spans	no en Peta 35
F-40 Trapical Flats Note Cards 60	D.430 Participation of Prince 10	it feb
F-41 Tropical Fish Part Cards	06.1839 Paneller 81.60 M.Cod Scient	rys as Peta .18 stellers \$1.40
(21 in Package) 51 25 E-718 Tempical Fish Primer 53		d Gates Figs 18
	men Condu cappang Book \$4.95 E.714 Harfu	Manager 10
214 22411	Days St. D. Lyte Hards	Terfer 50
CAT BOOKS	B-632 Panders as Pote 35 A-216 Pander	er Fris _B
N 500 Gas \$1.60	DAYS Betrievers as Pate N	KCP91 \$1.75
H 2 Care in Your House \$1.45	DU STD Leasted Toronto B1.40 A 200 Co.	o Fets .35
8-2-1 Constr Four frame (Cons) Soft Cover Military \$7.00	D-434 Institut Director as from . 25 A-355 Security	se Petr JE
E-704 Cogressor Kitten 65	District Contract Con	as Pres JE
C-101 Rittern as fort 36		
MSSIT Persian Cats \$1.00	PLANT these four Dag \$4.95 MSS11 Tone 1	in Free 35

MAIL CAL

If you have an aquarium question and connot find the on-wer in any of the standard reference tech, send if to MAIL CALL. Each mostly this column will publish the most interesting questions received and their ensewers. Letters containing questions connot be adherwideged or answered personality. Address all questions to: MAIL CALL, T.F.H. Publishinons, Imp., 245-247 Commission Ave., Jersey City 2, N. J.

ramis and Weatherfish.

Georamis and Weatherfish.

Q. 1. In one of your books it is stated that the male Gourami should be left in the spawning tank for a week. Does this mean a week from the actual spawning time or a week from the time the young become free-swimming?

2. Is the male Dwarf Gourami like the Siamese Fiehting Fish in that he

the Siamese Fighting Fish in that he is unable to eat his young due to a "physiological closure of the esopha-

3. Just as the young Gourannis that I recently spawned began to hatch, the male made another nest and seemed to move the original nest bubble by

bubble over into it. Why is this?

4. Is it possible to come out with a partially loaded female, even though the has been in the tank for more than 2 or 3 days after apawning? I was unable to move the female because I

was on a trip.

5. In your Tropical Fish Guide it is stated that: "The female may get

a little bruised from the over anxiety a little brussed from the over anxiety of the male, but it is rarely the case where they must be separated." In the Handbook of Tropical Fishes it states: "The ungrateful male will usually destroy the female after spawning." Which statement is most often correct?

Too Way Yong & Sons

Importers & Exporters of Fancy Tropical Fishes, Wild Birds & Animals Shipments to Any Part of the World

1063, Yio Chu Kang Road Singapore 19

Cable Address: "CATFISH" SINGAPORE

Please Mention T. F. H. When Writing to Advertisers

GET BELDT'S WHOLESALE CATALOG AND SPECIAL TROPICAL FISH PRICE LIST

Aquatic Plants Merchandise that's different Make your sales sprout wings Fish food with a reputation Supplying the trade for over 30 years.



BELDT'S AQUARIUM, INC. . Hozelwood 21, Missouri



Fall Promotion Special

Aquarium Shops, Pet Shops & Wholesalers

FOR PROFIT'S SAKE "Everglades" Plants and Fish EVERGLADES AQUATIC NURSERIES, INC. P. O. Box 587 Tompa 1, Flo.

One of them is unusually mean and has two open sores. One of the sores is at the base of the caudal fin, while the other is at the base of the caudal fin, while the other is at the base of the dorsal fin. I have isolated him and used a teaspeenful of salt per gallon, but after a week he was still no better. I took a chance and put him back in the criginal tank. He got somewhat better (the other fish nibbled at his sores) but now the fins are split.

7. When conditioning fish, why is it necessary to separate the fish? Why is it better for them to still see each other? One of them is unusually mean and

other?

8. Is the Japanese Weatherfish more popular than the Spotted Weatherfish for predicting storms?

Diana Erickson.

Diana Erickson,

Diana Erickson, Rochester, Minn. A. 1. This would be a week after the actual spaceting. Once they have left the bubblenest and are free-scrimming, the male's work is finished.

2. I have never heard of either a Gourami or Betta being unable to swallow young for this reason.

3. Who knows what goes on in a Gouram's mind? Probably he felt that he wanted to have his next discwhere because the old topot seemed unable.

4. No. A male Gourami does not stop with he has gotten every last egg

step until he has sorten every last erg out of a female.

5. You can't make any general statements about all Gouvanits. Generally the first statement applies more to the smaller outs of the Colisa species, and the second more to the larger Trichogaster species.

6. Keep your fish separated until those sortes head, Instead of using salt, try using acriflavine.

7. So that your fish can see each other, but not get at each other and

Salt Water Fish!

Sea Horses, Angelfish, Gobies Butterflyfish: All Kinds



FAST DELIVERY! Little Waiting! Don't be fooled by declars who after the population on marine fish. Ther con't deliver and will selly discopolity book and Marine Funchies. Notice to Distributor for Reef Solin and Filler Mandlum. Deuters wonted.
Rabell F. L. Stroughas, Marine Cellecter.

CORAL REEF EXHIBITS

P. O. BOX 59-2214
MIANI 59 [AMF BZ.], FIA.
mi. Mohawi 6-2022
Sand for free price li
"We deliver fish net promises"

spawn before you are ready for them. The story cemes to mind about the (amous Polar explorer (Sir Huberi Wilkins, if memory serves me) who on all of his veryages took along a picture of the homeliest woman he have. Every day he studied this picture closely. When she began to look attractive, he knew that the time had some to come bach.

eome to come back.

8. I have yet to meet anyone who ever said: "My Weatherfish were very seer said: "My Weatherfish were very active this morning, We're going to get a storm this afternoon." Truth of the matter is that a centing storm is only one reason for a Weatherfish's activity. I'd much rather believs the people who give us the weather reports on television!

Mystery—find the murderer!
Q. 1. Something has been killing off
my fish in 3 separate tanks. The fish
come to the top gasping for air. Their
swimming is otherwise normal. There

FIN FARE'S FILTER-



Whatever your aquarium needs.
Fin Fare Products are there to serve you. Filter-Ettes Jr. 70c, Condition-Ettes 18.49, Nylon Filter-Filos 35c, Shell & Geral Pack 39c, 4-Gro Tropical Fish Food 39c, 4-Gro Golfshie Foods 30c, C-Blue Tonic 19c, 39c Larger Size for Store use and hobbyist, If your dealer can't supply you, send direct. Dealers and Johbets write for price list.

FIN FARE PRODUCTS CO.

1915 Porter Street San Bernardino, Cal.



is a very slight loss of color, no marks on their bedies, and they don't get bloated. Soon they can't reach the top and die. I have noted that on some of the dead fish their eyes were slightly cloudy. I use undergravel filters; the water is real clear. I change 50% of the water wery two months. The pH is 7.0. The tanks are well planted and the plants are thriving greatly. In all my tanks I place I temporal of sait per gailion of water. First to go was my ID-gallon which had 8 small young Gouramis and 2 Bronze Cats. They just died overnight, Later that day my 3-gallon tank with 16 Guppies and 2 Bronze Cats was hit. I removed the 8 surviving Guppies don't explicate the control of the surviving Guppies and replaced them after cleaning and sterilizing the tank. after cleaning and sterilizing the tank. I treated them with 50 mg terramycin a day. They seem OK now. Just yesterclay I noticed in my 26-gallon tank 2 dead Monos, and the other fish hanging near the top. In this tank I

Tropical Fish Hobbyist

42

had besides the Monos 2 Black Tetras, 3 Zebras, 3 Giant Danies, 2 Rosy Barbs, 2 Tiger Barbs, 2 Clown Barbs, 3 Cherry Barbs, 1 Algae Ester, 2 Schwannerfeldi Barbs, 2 Redfin Shorks, 2 Hend and Tail Lights, a Black Sailfin Molly and 2 Feather Fins. The tank dishri seem overcrowded. I immediately treated the tank with 150 mg terramyrin, 140 mg sureomyrin and 52 drops of methylene blue. This morning all fish were dead except 3 Cherry Barbs, the Molly, 2 Giant and 2 Zebra Danios, 2 Redfin Shorks and 2 Feather Fins. 1 removed the surviving fish out of the infected tank into the new clean 10-gallon tank. First I had besides the Monos 2 Black Tetras,

bathed them in a 21% solution of salt in 2 quests of water with 3 drops Methylene Blue. They seem OK now. My tanks are covered by reflectors and I use air line filters from my pumps. The fish are fed a varied diet of dried foods and frequent feedings



The best way is with a Conde' Dri-Air Pump aquarium unit. They deliver clean, dry, oil free air dependably and continuously. Quiet, vibrationless, 4 ment. Capacities range from 50 to 500 20 gal. tanks.

Write or phone for literature. We

can make immediate delivery.

CONDE PUMPS
Dept. 17 - Sherrill, N. Y.
Phone: 363-1500 (area code 315)

Please Mention T. F. H. When Writing to Advertisers

GUARANTEE YOUR SUCCESS IN THE SALT WATER HOBBY use . . .

RILA MARINE MIX

Contains the 10 major trace alaments of natural sea weter.

Economical and easy to use.
A 100% chemical formulation georasteeing uniformity and purity.
The ideal media for marine fish, sea horses, and marine invertabrates from all the ocean of the world.

Write today for complete Product Information, price list, and free Salt Water Care & Maintenance Bulletin.

RILA PRODUCTS • P.O. BOX 114 • TEANECK, N. J.

December, 1963

of frosen beine shrimp. The water has never been fouled and is very clear. What's deing it? How can I prevent at? What can I do for it?

2. Here in Hawaii I find it impossible to maintain a temperature ranges from 80° at night to 86.88° during the day. Is there any way of cooling the tanks and maintaining a temperature of 75° All my tanks are in the coolest spots in the house.

Alvin Brockway,

Ewa Beach, Oahn, Hawaii.

A. I. There seems to be little doubt that your fish were poisoned as some way or other. We will rule out the food, because you seem to feed quite carefully. This leaves the tank, the att and the teater. There is a possibility that contact with the metal har

air and the torter. There is a possibility that contact with the metal has contaminated the water. But you had three tanks yo all at once, not just one. Although you use it lipe filters, it is possible that they have become overloaded and do not work at top efficiency. A fairly heavy spraying of the room with an insecticide could pick some up through the pumps and pump a lethal mixture into your water. When a room is being sprayed or there are any fumes such as paint, etc., the tanks should be well covered and pumps turned off for a time. A change of about 25% of the source is

e good thing once the fumes are gone.

2. This is a problem which also plagues us theing the summer mouths. Installing air conditioning is the expensive air conditioning is the expensive answay, of course, had you can bring the water temperature down somewhat by replacing the glass soewer with frames which hold plattic screening and temps additional earnion by putting in an extra airstone. It is expecially important during hot teacher to awaid ourseroeding the tanks.

Neon spawning.
Q. I am thinking of trying to get some
Neon Tetras to spawn for me and,
though I have read through may
articles, I still have some questions to



Please Mention T.F.H. When Writing to Advertisers





1. I have read that Neons must be spawned in a dark, unlighted tank. Would it be all right to tape black paper over the glass sides of the tank?

2. Would it be all right to use Hygein water in the tank, as the tap water is very alkaline and almost impossible to make acid?

3. Would it be all right to use a 10-gallon tank as the spawning tank and leave the baby fish in it until they are large enough to put in the community tank?

4. While the fish are spawning

munity tank?

4. While the fish are spawning would there be any danger in putting in an airstone with them?

Stephanie Solnick, Lubbock, Texas.

A. I. Yet.

2. I presume that Hygeia water is spring water sold for human consumption in water coolers, etc. Yes, this is excellent, but you must be caseful when transferring your fish. Do it in a few stages to give them a chance to adjust to it, or the thock could hill them.

adjust to st, or one con-them.

3. Yes.

4. An airstone is not necessary for two fish by a 10-gallon tank, and the noise night distract them.

noise might distract them.

Answer to Mr. Oka.

Q. I read with great interest the questions and answers in the August issue of Tropical Fish Hobbying, especially Mr. Oka's question about Misroglamis paradhybee. I can certainly appreciate his problems with this fish, which most books say grows to 2 inches and is said to be a peaceful community-type seavenger. After buying one from a local dealer, I can qualify as an expert on this particular fish. I placed it in a 30-gallon community aduation when it this particular fish. I placed it in a 30-gallon community aquarium when it was about 1½ inches long, and seldom saw it or psid it much attention. About 6 months later I noticed that some fish were jumping out of the tank and others were simply missing. I tried to eliminate fish by fish those that were

not good community members, finally coming to Mr. Bumblebee, who had been sold to me as an African Catfish. By this time I had lost an expensive lot of fish and began to realize that my Bumblebee Catfish might be the cul-Bumblebec Cattish might be the culprit. I relegated him to a tank of his
own to get him away from the expensive diet he had been having. After
about a month of solitary confinement,
I placed a 5-inch Clown Barb in the
tank with him. He immediately chased
the Clown Barb all over the tank,
snapping at its tail with his large
mouth. The Barb tried to jump out of
the tank, so I removed him. In order
to keep the Bumblebee alive, I would
place bits of food on the end of a
planting stick and wave it in from of
him, but he eventually died of starvation when he did not get any live fash.
This fish would stay in his cave until
the light was turned off and then sould
simply rowin up behind a sleeping fish
and ent it. It was especially fond of and ent it. It was especially fond of Clown Losches and Bettas; some of

Assortment of Plants For Your Aquarium Only \$4.98 (Postage Included) SUMMER AND WINTER

Perfect for two or more Hobby-ists to get together to receive an assortment of 200 beautiful aquatic plants, consisting of anacharis, cobomba, myriophy-ilum, ludwigia, and vallisneria.

SOUTHWEST AQUARIUM PLANT COMPANY

P.O. Box 100 - San Maries, Tex



This remarkable precision-engineered machine is designed to protect your fish by continuously puritying and disinfecting your agardram water with the world's most effective oxidizing agent; ozone, the world's most effective oxidizing agent; ozone, and the world's most effective oxidizing agent; ozone, and the world's most effective oxidizing agent; ozone, and the world's most effective oxidizing agent; ozone.

The attractive, easy-to-operate OZONIZER
Clears bacteria-clouded water Sterilizes live food Write (on your letterhead)
Treats sick fish for prices and additional
for both fresh water & salt water oquario. defails. Write to:

OZONIZER

MANUFACTURED BY



OZONIZERS, available in three convenient sizes, will handle even tanks up to 900 gallons.

DEALER AND JOBBERS:

Exclusive Distributors in U.S.



TRITON AQUATICS, INC.

Tropical Fish Hobbyist

these were nearly as big as himself.
Based on my experience with it, it is
not a fit fish for any community tank.
Alex P. Beard,

Alex P. Beard,
M. Shibury, N.C.
A. Thank you, Mr. Beard, for setting
us straight. This explains another part
of Mr. Oka's question where he metioned that his fish were jumping out.
I had suggested that it was "something
in the water." Now we know that the

something" was the Bumblebee Catfish. It is always a good rule useer to trust a big-mouthed fish.

rratt a big-menthed fith.

Q. 1. My family is living at a lakeside cottage for the aummer. My younger brother caught a baby painted turtle (named "Casey") and my father caught a small crayfish. What do you think of the idea of cetting up a 10-gailon aquarium, filtered and aerated, with

Please Mention T. F. H. When Writing to Advertisers

DEALERS!

Ask for Our Monthly Wholesale Price List

TROPICAL FISH

Aquarium Supplies and Fish Foods

NEW IMPORTATIONS
of Rase Tropicals Artiving Regularly

333666

PARAMOUNT AQUARIUM, Inc.

This advertisement appeared in April, 1934.

Paramount Aquarium has been supplying petalops and fish wholesalers for 30 years. We still have the most complete variety of imports and domestic livebearers at the most escalible prices. Please write for our complete wholesale price list on your business letterhead, the prices and variety will amaze you!



ARDSLEY, NEW YORK P.O. Box 627, Tel. OWens 3-4800-1 VERO BEACH, FLORIDA Municipal Airport, P.O. Box 277, Tel. 3Ordan 2-5487-6

December, 1963

the turtle, crayful and one or two small (2-inch) Sunfish?

2. If this is OK, would a floating raft be enough "land" for the turtle?

3. Could I use plants from the lake or would plants from a pet-store be better?

Sally Ludwig, Grand Rapids, Mich.

Grand Rapids, Mich.

A. I. Yes. When the time comes to move home again you can decide whether or not you want your fish and other friends with you. If you do not, to harm done by freeing them.

2. Yes, as long as is floats when the turtle is on it.

3. The store-boughs plants would be bester. They are acclimated and more likely to survive tank life.

Unusual behavior.

Q. 1. I have recently bought a large Oscar about 6 inches long, and in with him I have a Jewelfish. All goes well in this tank except that my Oscar shies

away every time he sees the Jewelfish, which isn't natural, because the Oscar is twice his size.

2. In my other tank there is a Black Shark 5 inches long and an Anostomus anostomus 4 inches long. Frequently the Anostomus swims over to the Shark the Anostomus swims over to the Shark and starts nipping him, but the Shark just stays there; when I try to break it up, the Shark and the Anostomus pay no attention. Can you explain these unusual acts?

Michael Bockstein, Woodmere, N.Y.

A. 1. That's easy. The Jewelfish is only half as large, but twice as nasty! 2. The Anestomus goes over plants

and rocks this same way, picking algae. Evidently he has not found enough to please him and has developed the dan-gerous habit of picking at the Shark's slime. As long as the Shark does not object, no harm done.

FULL COLOR TROPICAL FISH NOTE CARDS

For years hobbyists have been asking for a distinctive card that can be used as an all-purpose greeting card or for any type of announcement, formal or informal. In order to supply such a card to the hobbyist, TEH has searched its files for the most beautiful color photographs of tropical fishes and has reproduced them on paper to form a 4-page cord. Especially suitable for Christmas greetings, these cards provide blank inside pages so that you may write or type your own personalized message.

The set of 12 assorted cards, with matching envelopes, costs only 98c. Each set is packed in a sturdy plastic bag; sets are available at every per shop which carries a complete line, if purchased through TFH send 25c additional to cover postage and handling.

Write: Greeting Cards, T.F.H. Building, 245 Cornelison Avenue. Jersey City 2, New Jersey Sorry . . . No C.O.D.'s.









Now, you can keep turtles in the same tank as your fish... and timultaneously clean up tanks over 890 ridden with snails.



COMBINATION

WORM AND DRY FOOD RING fixed position floating action

and down with the level Food can't flow over or be left high and dry.

Divided into four cactions: 7 open for dry foods and 2 perforated for small or large line foods.

. plastic

ADJUSTABLE

59€

AQUARIUM STOCK COMPANY, INC.

EN STREET, NEW YORK 7, N.Y. 8070 BEYERLY BLVD., LA. 48. CALIF

50



Half-Blacks.
Q. About 6 months ago I obtained some rather unusual Guppies. They are called "Black Guppies." The entire body, excluding the head and dortal fin, is black. The tail is black, the dorsal fin, is black. The tail is black, the dorsal a sort of grayish white. The pectorals are also black. The head ared is dusky olive. The genopodium and ventral fins are stark white. The females also have some black up to the anus. The tail on some is black on others clear with black marblings. I have had several litters from them and they apparently breed true.

They are very beautiful. I have some babies with white tails and leopard spots on them. Some have a little red in the tail. Quite a few of them have a red ruby spot just behind the eye, ringed

with white. My most beautiful male has a frosted white line down the dorsal area of the body. They have nice size dorsals and tails. I intend to breed for better size and firmage.

A. It seems to me that the Half-Black Guppies have also found their way to

Hawaii.

You mentioned besides that some of your fish had leopard spots, etc. Somewhere along the line your Half-Black was exposed to a Red Guppy.

exposed to a Red Cuppy.

Seemingly overdue female.
Q. 1. I have a large veiltail male
Guppy whose tail colors change greatly,
varying from light yellows to deep
bluss. I first noticed this a few hours
after several new females had been
introduced into the tank. Is this
coloration due to courship activities,
or is it simply a normal part of the life
cycle?

2. One of my female Guppies has
been gravid and extremely plump for
some six weeks. She has been in a
5-gallon heavily planted tank, temperature 75 degrees, and thave been
feeding her liver paste, dried foods and
chopped earthworms. I tried cutting
down on the amount of food, but her
abdomen remained quite large with
little change. She is quite active and,

Please Mention T. F. H. When writing to Advertisers

FIRST PRIZE WINNER AT THE INTERNATIONAL 1960 GUPPY SHOW,

THE BRONZE DELIGHT

After more than 30 years of breeding exhibition gappin, Mr. Marting now invoduces to organize a chieffine should be should be

points or State present helis. \$11 per year. (\$5.00 earls for Tria).

HARTUNG GUPP SPECIALIS

Other prize-viering societies are; year sharie of Red, Eco. Stock, Dark Bloe, Yoringond—
enry \$6.30 e. per. Albiolo Yell. \$6 e. poir. Renative Green Body: and Yelli \$7 o. poir.

GURBANTED Ture Delivery— Pechadic Send check ar more order to WM. HARTUNG.

91.24. 688 by Woodphare 21, N. Y.— VI 7.2531 more order to WM. HARTUNG.

51

December, 1963

Tropical Fish Hobbyist

as far as I can tell, very healthy. What is the cause of her condition?

Bruce Williamson,

Susanville, Calif.

A. 1. Many fish are known to change their colors, not only Guppies. This is due to excitement, health, temperature and other conditions in the tank.

other conditions in the tank.

2. This happens quite often. There is
the possibility that the food you fed her
teat too rich. This could came eggbinding who her reproductive organs are
surrounded by fatty tissue.

binang
turrenutled by fatty nonLong-tailed Guppies.
Q. Is there any way to tell the loagtailed Guppies from the other ones?

Jeffery Mueller,
Chicago, Ill.

A. When they are young they ail look alike; is that what you mean? Let them grow und in six months you will see the difference.

Coffman Guppies.
Q. I would like to know if Coffman Guppies are a good strain. I can't find them in my fish book. I will have more Guppies than I can handle in a few weeks. I have been to several pet stores and they won't buy them. I live near San Diego; do you know who will buy them? them?

Tom Henry, Encinitas, Calif.

Bacinitas, Calif.

A. In every locality Guppy breader name their fish by an individual name. There is a well-known strain here in the East known at the Kaufman strain, which you may be misspelling. As to the second part of your question, it is well known that one pair of Guppies will produce thousands in a year's time, as every new generation breads at the age of six weeks. Try to keep only the best-locking ones and discard the others. Pet shops will always take well-shaped adult Guppies, but they must be fully grown.

Please Mention T. F. H. When Writing to Advertisers

Salts From The Seven Seas



Q. I have been a steady reader of your column for quite some time, and I attribute the complete success of my first marine tank to advice received there. I satisfipate building a home in

"NEPTUNE SALTS" KEEP SALT WATER FISH ALIVE FOR YEARS & YEARS!



WESTCHESTER AQUARIUM SUPPLY CO., INC.

the next few months, and I would like to build several large marine tanks into my house (upwards of a feet in length). I was reading your "Caught in the Net" column in the March "20 Issue. You mentioned the use of concrete tanks with glass only in the front.

1. Do you feel this type of aquarium would be more economical and practical for me than standard construction?

2. If so, should I use any special cemeat mix or reinforcements for the tank?

3. You mentioned the concrete takes the place of the buffering agents used in commercial salts. Does this mean I should leave something out?

4. If I were uting the formula "Instant Ocean" mentioned in Mr. Ketley's article in the September, 1962 issue, would I do anything to change the formula for a concrete tank? If so, what?

Luane Hunsaker, Briefsam, Utah.

Briefsam, Utah.

Luane Hunsaker,

Brigham, Utah.
A. 1. It is more economical, but hardly

worth the effect.
2. I cannot recommend any one type.
3. No.
4. No.

4. No.
Q. I am 12 and am planning on using my 10-gallon aquarium for marine fish. I have heard and read much on a few subjects, but everyone differs. Therefore I would like you to please answer a few. few questions:

MARINE Far East **IMPORTS**

For price list, send stamped, self-addressed envelope to



6625 Foothill Blvd., Oakland 5, California



TITAN III

COMPARE THESE WINDOUT FEATWRES WITH ANY OTHER PUMP:

MOTER ## 1.00 compressor events 200 onless loves a lot and eff etg multilinche personnel. ### 125 MOTER 120 onless loves a lot and etg etg multilinche personnel. ### 125 MOTER 120 onless loves loves in the converted to compressor and the compressor loves and the control onless loves and ### 120 onless loves and the loves and the loves and experience and ### 120 onless loves and the loves and the loves onless loves and ### 120 onless loves and ### 120 onless loves loves loves and ### 120 onless loves loves loves loves loves and ### 120 onless loves ### 120 onless loves love

See the TITAN III at your dealer's, ask him to dem-enstrate it against any other pump you shoose.

RAY-WAYLAND CORPORATION

1. How should a tank be prepared for salt water? Would coating the inside corners and sides with liquid aquarium cement be OK? 2. What temperature should the water be? 3. For the 10-gallon tank, would an outside filter with glass wool be OK? 4. What are some good fish for a beginner to keep in a 10-gallon tank? 5. Is regular squarium gravel all right?

5. Is regular acquarium gravel all right?
6. How much light is needed?
7. Is there anything marine fish need besides salt water in addition to what other fishes do?
8. What food is needed for these fish?

Is frezen brine shrimp OK?

David E. Boruche

Westfield, N.J. A. 1. Three changes of fresh water at 24-hour intervals are needed. Yes, coating the inside carners is proper. 2. 73°.
3. Yes; change the glass wool fre-

uently.
4. Clounfish, Dascyllus species, Beau

Gregory.

5. No. Use ulicate sand.

6. Two hours daily, at feeding time.

7. A little more care and attention. 8. Yes, but vary it with pieces of washed raw shring and small bits of

letruce. Q. I am in the sixth grade. My sister gave me some shrimp eggs. Her shrimp are white, and mine are red. Could you please tell me what happened? I am not complaining, but I am curious about the whole thing.

Carol Phipps,
Hopkinton, Mass.
A. Shrimp will vary in color depending
upon where they came from.
O. I am hard.

Q. I am having difficulty breeding Sea Horses. Little green spots are growing on the sand and even on the Sea Horses themselves. I wrote to one of the manufacturers and they referred me

Rochester, N.Y.
A. The green spots are algae, harmless but unsightly. Cut down on your lighting.

LIVE SEAHORSES

FROM FLORIDA
Sective Live MATED SEAMORS
by Jet Air Mail PDD from FLA. S
aly of fixed, ner cetaling and sim \$3.50 A PAIR
\$7.00 SPECIAL — Order TWO PAIR
and receive ONE PAIR FREE.
F. F. MARINE LIFE

Dick Boyd introduces his new improved filter medium tested 8 year

The original and only loads medium tested and proven in thousands of tests on all species under all conditions for real or artificial sea water and fresh water.

CHEMI-PURE

NO OSMOTIC SHOCK REMOVES COLORS-ODORS COPPER-CO2 ACIDS-METAL IONS HARMFUL BACTERIA OCTOPUS INK and groven
closes on all
conditions
CHEMI-PURE
COUNTING
COUNTING
BRIHOTHE SEA HITT YOUR LIVING ROM
CARIBBEAN MARINE ENTERPRISES, INC.
BILK ROYL, President
P.O. DO'S HIM MALK! I, TORIDAN DEALER AND JOBBER INQUIRIES INVITED

The Pathological Origin of the Stratum Argenteum in the "Brass Tetra."

ted from Page 18

2. Histological contributions.

(a) The mechanism of this reaction will appear with the histological preparations which show the cysts in stage I, encroached upon in various degrees by guanine (sub-stages 1, 2 and 3). At the very beginning of the in-festation (fig. 1, above), the cyst appears in the form of a small, fairly clear bed surrounded by a heavy concentration of melanin. A very light layer is (scarcely) visible under the cyst. Histologically (fig. 1, below, magnified (Scattery) vision that the cyst. Instrugating (ng. 1) seasy, angines X400), the corresponding approximate cyst at this stage is situated in the superficial muscle beds, just below the skin (this is never visible on the preparations). The parasite (metacercarian iarva), situated in the center, is easily recognizable by having nuclei smaller than those of the host. It is bathed in a liquid which is pale pink in color. The wall of the cyst is formed, inside and outside, by several layers of epitheloid cells, originally very certainly mesenchymal, as evidenced by the strong charge of melanin pigment in the upper layer. This epitheloid appearance of a cyst wall, which is re-actional around a parasite or some other foreign body, is a usual appearance among fishes, and it is equally found in the numerous cysts of *Ichthyophonus*, which one of us (J.D.) has had occasion to examine, as well as around the larvae of the indigenous trematodes which are particularly frequent in our regions, on the Carp in particular. The presence of melanin around the cyst is equally constant and explained in the following manner: at the time of infestation, the parasite destroys many cells (melanophores), liberating the melanin. The pigment is replaced by the tissue histocytes of granulation formed by the host, in a defensive reaction which is stocked by them. As the first cells (the oldest), which are mostly absorbed, and the epithelial beds are formed on leaving from there, the melanin is found concentrated at the periphery of the cyst where it forms a bed of intense black, not permitting the distinguishing of the histocytes which they have consumed phagocytically and from which they differ very little. The presence of melanin is not therefore characteristic of this or that parasite, as it is a general phenomenon and it is largely guesswork to try to distinguish macroscopically a genus of platy-helminthes from the color of the cyst. The cyst is merely a reaction by the host, more or less independent of the nature of the aggressor and depending solely upon the constitutional vitality (see Schäperclaus, 1954, pp. 292-295).

(b) Figure 2 shows, above and below, approximately in the same stage, the

appearance of guanine around the cyst. Macroscopically (top, at a larger size than the corresponding fig. 1), one can see perfectly the deposit which stands out, by its brilliance, from the much duller aspect of the scales, and which is centered around an entirely black cyst, clearly larger than the melanophores






Fig. 2. Above, the cyst, with melanin all around it, begins to be encased in guanine (X25, photo by Gery). Below, microphotograph corresponding to this stage (X280, photo by Ginburger); explained in the text.

December, 1963

POSITIVE ALGAE CONTROL

AQUA-TREET (FORMULA NO. 1)

LOOK FOR THIS DISPLAY AT YOUR DEALER



'Safe for fish and plants. ·Non-allergenic.

·Will not discolor water.

Stable, - not filtered out by filtering systems.

*Long lasting - replenish only when changing or adding water to tank

5354 West Iowa Street Chicago 51, Ill.

Tropical Fish Hobbyist

visible all around the guanine deposit. Histologically (below, at a magnification of X280), we find again a rounder cyst (because the preceding one was slightly flattened). The metacercarian, larger here, situated a bit higher in the photo, is particularly clear, to a point where one can see the breathing opening (at the right) and the intestine (at the left).

The histocytes are scattered on an epithelial layer surrounded by melanin, as previously. The new element is characterized by the appearance of guanine (where some crystals were already perceptible in the preceding preparation, but very poorly visible in the black-and-white photo). This deposit, histologically, consists in one part of a bordered edge around the cyst (melanin on the outside and inside), which cuts off its view with its light yellow color (naturally this is difficult to see in black and white) covering it; in the other part, an important infiltration of the intramuscular fascia; these, normally composed of a single layer of cells which carry small blood vessels and are occupied by histocytes (round nuclei) and the fibroblasts with their more oblong nuclei, impregnated with the seemingly extracellular guanine crystals (principally to the left above and to the right below, giving a striated appearance to the thick fascia). This overload of guanine begins to spread progressively through the muscle fibers themselves and give rise to degene lesions.

(c) The third sub-stage (fig. 3, above and below) corresponds to such an invasion in that the cyst itself is almost completely hidden below a heavy bed of guanine: the macroscopic appearance (same magnification as the corresponding fig. 1) shows a very bright spot with a scarcely visible black dor in the middle. Histologically, fig. 3 (below), showing a corresponding degree of invasion, was taken with polarized light to show the particular glow of the guanine (an irradiated appearance), which shows as well in the other microscopic structures: the cyst (center of the picture) is a little older and smaller and presents a heavier appearance where its elements are loaded with melanin: the parasite (which is not shown here) is generally dead at this stage and in the process of disintegration. The guanine has become extremely abundant, covering the subcutaneous muscles around the cyst and allowing only rare muscular fibers to subsist and showing atrophy (above left and right of the picture). The cyst is thus entirely surrounded by guanine and seemingly subsists on its general metabolism.

By and by there is deposited below the skin of the fish, in the subcutaneous muscle bed, a padding of guanine crystals 2 to 3 mm thick which serves to replace this muscle bed, resulting in a veritable process of degenerative interstitial myosin.

The particular brilliance of the Brass Tetras (caused by the phenomenon of interference, or diffraction, associated with a basic color furnished by other pigments, the carotenoids of exogenous origin) is then fundamentally of a pathological origin and results in a sort of false stratum argenteum which is

58

December, 1963

situated more deeply than the true one, which is a syncytium of the skin. We do not know why the abundance of guanine stops at this subcutaneous bed without causing more damages which affect the life of the fish. Other questions (which are probably linked to the preceding one) also remain unanswered: why do certain species react to the presence of subcutaneous parasites with a local effusion of quanine, while others do not? (The presence of cysts is a phenomenon which is frequently observed with wild fishes, not only the Brass Tetras but others, principally Moenkhausia and Hemigrammus.) How is the guanine deposited and where does it come from in such quantities, considering that the melanin (where the deposit mechanism is known) is never there in a quantity more than that of the grains of chromatophores supposedly destroyed? Finally, a question to which we have referred at the beginning of this article: how would an infestation as important as this limit itself (as in more than a third of the cases) to a uniform bed of guanine over the entire surface of the body, without going any further? One must admit that the guanine deposit travels according to a general mechanism, just as it is centered in the beginning around the tissues of granulation (same as melanin); and an endocrine (enzymatic?) action is brought into play on the catabolism of the nucleoproteins (of which guanine is the product of disintegration). It is possible that melanin (other typically endogenic pigments, considered as waste substances which accumulate under the skin) plays a part in freeing or fixing in the increased production of these pigments.

These questions give rise to some others, more general ones, which treat with the inequality of the "normal" distribution of guanine with different fish species. It is known that certain species of Clupcidee, and the Cyprinids like Alburnus, have a stratum argenteum from which is extracted an essence used in the Orient in the manufacture of artificial pearls (and more and more, nail polish). On the other hand, certain Cyprinids are perfectly dull, and have no use for guanophores except in the iris, peritoneum, etc.

In spite of the unanswered questions, we hope to have amply pointed out the cause for its appearance in certain Tetragonopterinae, the so-called "Brass Tetras," and to have served to draw the attention to this new phenomenon which is caused by the formation of a "reactionary" bed of guanine around the parasitic cysts. Once the mechanism is known, it is easy to trace the symptoms with some other species: Hemigrammus aureus Gery is effec-tively parasitized and shows cysts very analogous to these metacercarians (the specimens have been preserved in alcohol and are much too scarce for a histological examination); similarly, the pair of Hemigrammus armstrongi nstological examination); similarly, the part of triengramma straining pictured by Axelrod (Tropical Fish Hobbyist, June-July 1957, pp. 6 et seq.) shows very clearly the "patches" of guanine and it is sometimes possible, on certain pictures, to distinguish the black spot of the cyst in the center (see fig. 4); also, the picture by Fletcher of Moenshauita browni (The Aquarium, 1961, page 364) where the fish on the right shows several very small

59

Tropical Fish Hobbyist





Fig. 3. Above: important deposit of gua visible in its center (X10, photo by Gery) light, of the same stage



Indostomus, A Piscine Paradox

BY FRANK THOMPSON, CURATOR

Fort Worth Zoological Park

The fact that there are well over 40,000 known species of fish leaves room for many gaps in our knowledge of them. One of these gaps has long been in the relationships between the Pipefishes and Seahorses (family Syngnathidae), Sticklebacks (family Gasterosteidae), Trumpetfishes (family Aulostomidae), Ghost Pipefishes (family Solenostomidae), and the Tubenose (family Aulorhynchidae). In 1929 a small freshwater fish which might shed some light on this problem was discovered in Lake Indawgyi in Northern Burma, but for some reason never became well known and, in fact, was represented in this country by a single preserved specimen. This species was Indostomus paradosus, which has not, until now, had a popular name. Looking much like a species of Stickleback, it also shows charac-

teristics which resemble those of the marine Pipefishes in many respects. In the fall of 1962 Ross Socolof of Gulf Fish Hatchery received a small shipment of "Preshwater Pipefish" from the Far East with the information that they came "from mountain streams having a pH of 6.8". He sold a few of these to customers as "Pipefish" but kept one group for experimental purposes. In February of the next year he mentioned these unusual specimens to me and expressed doubt that they were, in fact, a species of Pipefish. The ten remaining individuals were shipped to Fort Worth, arriving just before the start of the Mid Year Conference of Zoological Parks and Aquariums held in Fort Worth the first week of March. In the rush of preparations for this conference, the ten 1-inch specimens were placed in a reserve 5-gallon aquarium off exhibit until they could be carefully examined and identified.

The curiosities were mentioned at a bull session among some of the aquarium curators who were attending the meetings, and the curators dropped their investigations into the effects of various liquid refreshments long enough to make guesses as to the probable species. It remained for Dr. Earl Herald of Steinhart Aquarium, however, to leave the meetings and take a taxi to the Zoological Park, where he examined the specimens both in their tank and under a low-power microscope. There is an unfounded rumor that a number of extremely unscientific whoops and yells issued forth from the laboratory in which the examination was made, but it is a fact that Dr. Herald returned to the conference rooms in a jubilant state and announced that the nearly forgotten Indostomus was represented by ten living specimens in the James Record Aquarium at the Fort Worth Zoological Park.

63



Fig. 4. Hemigremmus ermatroogi (drawn by Gery, from a holotype specimen taken from the Demerara River in British Guiana).

metacercarian cysts. There has been too much retouching in the photo by Innes of the "Brass Tet" (probably Hyphessobrycon bifusciatus Ellis in The Aquarium, 1951, p. 150) and of Hemigramms cupreus Eigenmann (Mem. Car. Museum 1918, pl. 20, fig. 3) to suspect that these fishes were parasitized. A certain analogy cannot help but be drawn between the defense reactions

A certain analogy cannot help but be drawn between the defense reactions of an oyster and a fish to a parasite. In both cases the parasite is surrounded by substances whose luster is so little different that man has used the second (guanine) to imitate the first (nacre), thereby using a process which has been utilized for a long time by a fish to make a sort of "artificial pearl."

Summary

The peculiar coloration of the so-called "Brass Tetras" which were considered by some as "individual sports," and by others as depending on the nutrition or on the composition of the waters in which the wild varieties of these fishes live, is shown by the authors to be the result of an infestation by a parasite.

The parasite, which in the case studied here (Homigramuna armstrongi) is an unidentified metacerearian of a trematode, induces a two-step reaction on the part of the host: at first, a classical pseudo-cyst with histocytes is formed, with the accumulation of melanin which does not depend on the foreign body but on the host-cells themselves (fig. 1). Then a second action, which heretofore has not been described, takes place. This consists in the inclusion of the whole cyst in a mass of guanine crystals, which invade progressively the entire subcutaneous layer of muscles, giving to the fish its characteristic glitter (figs. 3 & 4).

Some questions follow, concerning the mechanism of guanine's accumulation. It is suggested that, above a certain level, a generalized (hormonal?) factor could replace the local one. Other examples of parasitism among Brass Tetras (subfamily Tetragonopterinae of the Characidae) are shown, and, finally, the curious analogy with the formation of pearls is mentioned.

62

Tropical Fish Hobbyist

True to its newly coined popular name, the Paradox Fish is a living contradiction of itself. The armored plates and caudal fin, and especially the general appearance of the head, all suggest that it, along with the Pipefishes and Seahorses, is a member of the family Syngnathidae. Its movements while feeding are quite similar to those of the smaller members of this family. On the other hand, the Paradox Fish has two dorsal fins, as opposed to the single dorsal of the members of the family Syngnathidae, and possesses pelvic fins, which Syngnathids do not have. These matters were discussed by Bolin (Journal of The Washington Academy of Science, Vol. 26, No. 10, Oct. 15, 1936), who proposed that the original placement




Industrius periodexus shown against a background of black gravel; shown against gravel of normal color, the fish becomes almost invisible. Photo by John Mehrtens,

of the species as a close relative of the Pipefishes might be in error. He expressed the opinion that Indostomus could claim "... no very close relationship to any known family," although it seemed to be allied to the Sticklebacks. These questions relating to its exact ichthylogical position will doubtless be settled as the species is more closely studied. Of the ten received in Fort Worth, one later died and was preserved, four were when the statement of the property of the statement of the statement of the second fine means here for expressions.

shipped to Dr. Herald, and five were kept for study purposes.

The Paradox Fish feeds well on live brine shrimp nauplii. Sedentary, it will lie in one spot for hours at a time or drift slowly about much like a Seahorse. If disturbed it can move with lightning speed, however, and



it jumps clear of the water with ease. The fish's very small size and slender build make it difficult to note minor differences between individuals, a fact which may promise to cause problems in sexing, although several of the Fort Worth specimens now appear to be heavier and may be ripening females. The size also precludes the keeping of the Paradox Fish with all but the smallest and most peaceful of other species. Although experiments in determining the temperature tolerance of Indostomus have been necessarily restricted, the few experiments made have shown that the species withstands temperatures of from 68° to 90° with no ill effects. If kept on natural colored gravel they are quite difficult to see, even when lying in plain view, and they seem to prefer the cover offered by stones and low plants, making a small group of them all but invisible in a tank of more than 5 gallons in capacity.

than 5 gallons in capacity.

Of course, one of the nicest things about the aquarium hobby is that there is still much to be discovered, investigated, and described. This is especially true in the case of the Paradox Fish, and as this fish becomes more widely available it will be possible to make a real contribution to science by working with this midget mystery in your living room.

Please Mention T. F. H. When Writing to Advertisers



WHOLESALE ONLY

note the second second second second of the second of the second second

happy to send these without charge. Gullish offers the world's greatest variety of different species of fish, both marine and

Fresh water.
We own and operate three collecting compounds and with these and our other exclusive collectors are able to always offer wenderful new and exclusive

iolish breeds all of the commen ope layers and more species of rare fish than any other note organization which expansions you prime. Int. healthy 6th. 00 trems to Choose from, including Emperor Tetras, Black Phanton Tetras, Clown Loech, cedral Sharki, Scals, Monodachjus, 4-Evy Livebaarers, Puffers, Knife Fish, Lad Fish, critics, Salamanders, Newle, Cayman, Amazen Swoedgalant, Relacans, Ernberk, Climbcritics, Salamanders, Newle, Cayman, Anazen Swoedgalant, Relacans, Ernberk, Climb-

Collect calls accepted to place orders. FARM phone until 4 P.M. 722-2128, 722-1282 Night 4-22 P.M. 6-00 P.M. 746-6307, 746-3367, 722-4147

GULF FISH HATCHERY

P. O. BOX 102

PALMETTO, FLORIDA

Dean Dealer and Jobber:

I have Just returned from another successful Amazon River expedition and have brought back many interesting varieties, including hundreds of Discus (all colors) and thousands of Cardinals.

Supply unlimited.

Bill Riese
P.S. The summer has been good for own Florida fish farm; livebearers are big and colorful!

Iropical Fish and Aquatic Plants

DEALERS AND JOBERS ONLY
Please use your business stationery in writing for current list.

Aquatic Fisheries, Inc.

1800 Petham Forburery Sauth
New York 21, New York
Cobbe Aquatith
Phones: 212-892-6151

QUALITY—VARIETY—SERVICE