



Keeping Sea Horses, by Robert P. L. Straughan. 75c from your dealer or direct from TFH.

Robert P. L. Straughan is a well-known authority not only on the keeping of marine aquarium speci-mens of all kinds but also on their mens of all kinds but also on their collection. As a collector of marine fishes, he spends a great deal of time each day on the bottom of the sea around Florida and knows not only what occurs there, but how the fishes and other marine creatures can be adapted to a life in the aquarium, how they may best be fed, and all the other things that a marine aquarist would need to know about them.

need to know about them.

In KEEPING SEA HORSES need to know about them.

In KEEPING SEA HORSES
Mr. Straughan tells us about Sea
Horses living habits, their highly
unusual method of reproduction,
the care and feeding of both adult
and young specimens, and just
about everything else that anyone
who would be interested in keeping
them would need to know, all told
in simple, understandable language.
This attractive booklet is profusely
illustrated with many photographs
and contains a great deal more information than anyone would expect for the small price of 75 cents.
Beginning marine enthusiasts will
derive special benefit from the section of the booklet which lists and
describes appropriate tankmates for
Sea Horses.

TROPICAL FISH

Dr. Herbert R. Aschool, Procident William Vorderwinkler, Philisher Neul Prunch, Editor Dr. Leenard P. Schultz, Advisory Edits Hans Peter, Overnees Editor Len fiddle, Advertising Manager Dr. Auton Aschrod, Business Manage Hardd Schultz, Expedition Chief Fred Busni, Art Discoter Helga Maans, Art Assistant

Contents	
Vol. XII, April, 1964 (#98) 1	No. 8
New African Chorocins	5
The Black-Lined Terra	13
The Purple-Striped Gudgeon Easthwarms the Easy Way	26
Mr. Limpet A Preview	25
Dignerra senstrieta	33
Periophthalmus popilio	21
Reet the Hobbyist Reverand Donald Weltmer	
FRATURES	
Mail Call: p. 41; Guppy Comer- Salts from the Seven Seas: p. 55.	p. 52
COVER	

les he maintains as a a upcoming Warner be able Mr. Limpet, Check of its possible affer discussed in this issue

EXOTIC TROPICAL FISHES and 34, 39 and 40. The

f.F.H. Publications, Inc. Class Postage Paid at Jersey City, New Jublished monthly by T.F.H. Publications Avenue, Jersey City 2

EDITORIALLY . . .

How safe is your aquarium? I mean safe not only for the fish population swimning in it, but also for a child or pet coming in contact with it. Do you have a reflector which can easily be pushed into the water and give a painful, perhaps even fatal, shock to a child who touches it? Is the insulation cracked and worn close to your pump motor, practically screaming to be replaced? Are there any dangling screeming to be replaced? Are there any dangling wires which could provide an irresistible temptation to a cat who wants merely to play but winds up pulling things down with catastrophic (no pun intended!) results? Go to your hardware store and get a roll of electrician's tape to get you started, and then give your equipment a good going over. Fasten all loose wires, and put all things that could cause injury out of the way. Put away pumps where children can't put their inquisitive fingers into moving parts. Reflectors bear frequent inspection as well. It's emaging how quickly the water will attack wires and amazing how quickly the water will attack wires and sockets. Replace worn, cracked wires and rusty sockets, and while you're at it look at your switches too. Tighten all loose connections; if it is possible to wrap a layer of tape over the bare spots where metal is exposed, by all means do so. Make sure that your wall outlets are not overloaded. your wall outlets are not overloaded. All this is not a lot of silliness; it's plain horse sense! Your tanks will be safer when you're finished, and the whole set-up will look better!

William Vorderwinkler

April, 1964





AQUA AIR PRODUCTS . 4725 EAST 10th AVE



otus (previously known as Nonnoethiops tritoeniatus). Photographed alive by Dr. Herbers R. Axelrod.

New African Characins

BY DR. HERBERT R. AXELROD


Two of Belgium's most famous ichthyologists, Max Poll and Jean-Pierre Gosse, both of whom spent many years in the Belgian Congo, teamed up to publish a very interesting article concerning the names of the fishes in the genera Nannaethiops and Neolebias. Their article appeared in the Annales du Muse Royal de l'Afrique centrale, published in Tervuren, Belgium (Série zoologique #116, 1963). This article freely uses the information and photos contained in this interesting study, with the kind permission of the authors.

The names of fishes of the genera Namaethiops and Neolebias have always been very badly confused. When I collected some unidentifiable species in Africa a few years back, I went to London to compare my specimens with those kept in the British Museum. Thanks to the kind help of Dr. Ethelwyn Trewavas, I discovered that even the type specimens kept in the British

Museum were mixed since the co-types were a different species from the original types! So poorly were the generic characteristics of these two genera described that Steindachner placed Neolebias unifasciatus, the type species of Neolebias, in the family Cyprinodontidae! He never discovered the closeness of this species with Nannaethiops unitaeniatus which was described by Günther 23 years earlier.

Based upon their examination of the types of almost all the species from both genera, Poll and Gosse came to the following conclusions: The only difference between the two genera is the lateral line, complete in Nannaethiops and reduced to a few anterior scales in Neolebias; neither the teeth, the presence or absence of an adipose fin, nor the scales on the base of the caudal can be used as generic characteristics.

Geographical distribution of Nannaethiops and Neclebias in Africa. From Poll and Gosse.



3


Neelebias unifascietus STDR., from Poll and Gosse.

Therefore, there is only one valid species in the genus Nannaethiops, namely, Nannaethiops unitaeniatus which Gunther described in 1871, ranging from Nigeria to the lower Congo, in the streams and rivers along the Atlantic coast. All other "Nannaethiops" must be placed into the genus Neolebias, and they are listed below:

Neolebias unifasciatus Steindachner, 1894 Neolebias trilincatus Boulenger, 1899 Neolebias ansorgei Boulenger, 1912 Neolebias spilotaenia Boulenger, 1912 *Nannaethiops tritacniatus Boulenger, 1913 *Nannaethiops angustolinea Nichols, 1923 *Neolebias landgrafi Ahl, 1928 Nannaethiops geisleri Hoedeman, 1956 Neolebias trewavasae Poll & Gosse, 1963 Neolebias philippei Poll & Gosse, 1963 Neolebias axelrodi Poll & Gosse, 1963

*These three species are not valid and must be considered to be synonyms, as follows: Nanuachiops iritarnians = Neolebias trilinatus, Nanuachiops argustolina = Neolebias trilinations, and Naolebias Inalgardin Neolebias arangest. Though it was not possible for Foll and Gosse to examine the types of Nanuachiops geisleri, this species seems to be very similar to Neolebias arangest.

Tropical Fish Hobbyist



Neolebias axelradi. Photo by Dr. Herbert R. Axelrad.

THREE NEW SPECIES OF NEOLEBIAS

Poll and Gosse described three new species of *Neolebias* in their article. I am reproducing the essential material here because it has never appeared in English before.


MEOLEBIAS TREWAVASAE was named for Dr. E. Trewavas from the British Museum, who is one of the most universally loved ichthyologists of our time. She has always given freely of her time to help scientists from all over the world, including the author. According to Poll and Gosse this species was well known in the aquarium world and in museum collections, but under the names Namaethiops unitaenians and Neolebias unifasciatus. As a matter of fact, Boulenger in his famous book Freshwater Fishes of Africa figured

hits fish as Neolebias unijasciatus!

NEOLEBIAS PHILIPPEI, named for a Mr. M. R. Philippe, is a restricted species which has only been found, thus far, in the Tshuapa River near Boende, Congo. It is the only species in this genus with two black lateral extrems.

NEOLEBIAS AXELRODI was known even before its description in the Poll and Gosse paper (see TFH, April, 1958), when my Swedish boy-genius Ulf Hannerz dropped a bag of them back into the fast-running ditch in which we found them. It was also this fish which made me known to Dr. Gosse when we met in the Brazilian jungle town of Manaus, thus initiating our friendship with Dr. Gosse and King Leopold III.

April, 1964



Neolebies philippei POLL & GOSSE, from Poll and Gosse.

Neofebius onsergei BLGR. Photo by G. J. M. Timmerman.



Tropical Fish Hobbyist

KEY TO THE SPECIES OF THE GENUS NEOLEBIAS

- 30-36 scales in longitudinal series. More than 40 scales in longitudinal series.
- 16 scales round caudal peduncle.
 12 scales round caudal peduncle,
- More than 5 maxillary teeth, black lateral streak ending with a black vertical spot at base of caudal fin.

Less than 5 maxiliary teeth, eventually a rounded spot at the posterior end of the black lateral streak.

4. Black lateral streak not interrupted at the caudal peduncle. Maxillary not reaching anterior border of eye. Black streak on the central part of the caudal peduncle, ending with a spot at base of caudal in. Interorbital width 2.8-3.6 in length of head.

Maxillary reaching anterior third of eye, Black lateral streak on the inferior part of caudal pechanele. No blackish spot at the origin of caudal fin, Interorbital width 2.5-2.9 in length of head.

Black lateral streak interrupted at the middle of the caudal pedurcle. Maxillary not reaching anterior border of eye. Interorbital width 5.1 in length of head.

2 black lateral streaks, dorsal originating in advance of ventrals. Caudal peduncle at least 1.5 times longer than deep.

3 black lateral streaks, origin of dorsal above origin of ventrals. Caudal peduncle 1-1,2 times longer than deep.

n, spilotaenia Blgr. Mayumbe.

n. ansorger Blgr. Portuguese Congo, Mayumbe.


N. UNIFASCIATUS Stdr.
Portuguese Guinea, Li-béria, Gold Coast, Ni-geria, Chad, Cameroon, Gaboon.

n. trewavasae Poll& Gosse Cameroon, Gaboon, Mayumbe, Congo, Nil.


N. AXELRODI Poll & Gosse South Nigeria.

N. PHILIPPEI Poll & Gosse Central Congo.

n. trilineatiis Bigr. Congo.




Neolebias axelradi POLL & GOSSE, from Poll and Gosse,



lebias trewavasoe POLL & GOSSE, from Poll and Gosse.

Neolebias trilineatus BLGR., from Poll and Gosse



11

10

Take a Second Look

LL AQUARIU ARE NOT THE

One is so different from the rest that the manufacturer stamps his name indelibly into the stainless steel base. He is so proud of his product he doesn't want you to confuse it with others.

LOOK FOR THE PRINCE STAMP AND SEE WHY

Available Through Better Petshops and Jobbers Throughout the 50 States

PATT ENGINEERING & MANUFACTURING CO.

16539 So. Main St., P.O. Box 110, Gardena, Calif. - FA 1-5851

Pemco Manufactures a Complete Line of Aquarium Accessories

April, 1964



A quintet of sedate young Hypheisobrycon scholzei on review. Photo by Dr. Heeb Axelrod. (This color photograph is available in the new TPH postcard series.)

The Black-Lined Tetra

The Black-Lined Tetra's distinctive appearance and hardiness, plus its active habits, entitle it to more recognition than it has been getting for some time past. Furthermore, the fact that it breeds quite freely, flourishes at 72°-75°, eats anything palatable to a fish, and does not exceed two and a half inches in length makes it ideally suited to the beginner.

Its one minor drawback, which might reasonably inspire distrust, is its reputation for being something of a fin-nipper. But this failing need hardly raise any qualms in the mind of the aquarist who, forewarned, is thoughtful enough to exclude thread-finned or lethargic fishes from its company.

The species goes by the technical name of Hyphessobrycon scholaei, which name was given to it in 1936—the year it was first collected from the lower reaches of the Amazon around Para-by the late Dr. Ernst Ahl, a German ichthyologist. Yet for quite a while after that event many aquarists errone-

BRAND

The Most Sensational Fish Food You Can Buy . . . Guarantees Your Fish Better Growth, Vigor, and Coloration or Your Money Back!

and Coloration or Your Money 8

Now you can be stare your fishes and turtles get all the vitamins, minerals, protein, and bulk they need. No more spirting out essential foods they don't like—foods that collect on the bottom to cloud and contaminate your aquarium. New Oscar foods are in pellet form, and each formula is blended with natural foods your fishes and surtles can't resist—shiring, tuna, crab, liver, and high-protein whale meat. Either this revolutionary food gives them better growth, vigor, and coloration in 30 days, or you get your mosey back . . . no questions asked (see below).





HERE'S HOW IT'S DONE: Shown are some Tropical Fish Food pellets, in "coarse" grade. Each of these tiny pellets contains a balanced diet. Each tontains an exacting bleud of the natricust your fisher must have for healthy grouth, vigor, and coleration. Note the absence of pountery usate, the nuitorm size. Only the finest materials usere used, and only Oxar's maigut triple-grind, mis, press, and grading process makes this possible ... guarantees you the finest fith food your money out her.

SPECIAL FORMULAS STELIAL FURMULAS

Each of five special formulas contains its owe concentration of those activate, six hydrogist state are the most baneficial to each variety of files; a 54% protein formula for the tropical fish and guppy foods: a concentrated cerbohydrate formula for goldfah; a cencentrated vegetable hase formula for mollies. The tartle formula is for-tiffed with vilaminas A and D to help prevent soft shell.

TRY THIS FREE OFFER. Ask your dealer for your free sample of Oscar Tropical Fish Food. If he has yet to stock Oscar foods, let us know. We'll see that free samples are sent to him immediately.

GUARANTEED: If your fishes or turtles don't actually look better and more viaceous in just 30 days of fooding with the specified cealer and your moonsy will be refunded. Buy a can of Oscar Fish or Turtle food to-day!

OSCAR ENTERPRISES, INC.

ously believed it to be an African species and referred to it as Aleta nigrans, a pseudo-scientific appellation which is said to have been dreamed-up by some imaginative dealer.

Looking at the fish, it is easy to understand how it came by its popular name. A black stripe, edged above and, less conspicuously, below by a thin ribbon of pale gold, extends from just behind the gill-covers to the caudal base, where it expands into a striking diamond-shaped marking. Further, as extra adornment, shimmering patches of light reflect off the scales. The back is olive, toning down to silvery white on the belly. The pectoral fins are color-less, but the other fins have a hint or more of red in them, narrowly margined with black or white.

Both sexes are garbed alike, but in mature specimens the male can usually be distinguished from the female by his slimmer form. Still another method of telling the sexes apart is to scoop up a number of the fish in a close-meshed net and then, with a quick twist of the wrist, invert the net. Because the males and not the females have tiny hooks in the anal fin the chances are they will stay quiescent, or wriggling, on the fabric.

The tank for spawning H. scholzes should measure at least 20 inches long to allow the male ample chasing space. Two more essential requirements are clear matured water giving a neutral to mildly acid pH reaction (the sort of water the fish should have to live in anyway), and lots of bushy-foliaged plants massed at one or both ends to cradle the adhesive eggs.

When the plants are being washed and bunched together, keep a sharp lookout for snails, the bane of the fish-breeder. The stimulating excitative value of several days' separation of the sexes, combined with a slow rise in the temperature to 80° F. and an abundance of live food, cannot be over-

As soon as the female shows plump sides (the buildup of ova within her body often results in a darkening of the skin around her anal region) and the male demonstrates his fitness to breed by his increased luster and liveliness of manner, it is time to bring them together. If male and female are reunited last thing at night (take care they are not subjected to any change in the temperature or marked difference in the quality of the water) it is usual for them to spawn on the following morning or afternoon.

The mating act is nothing more elaborate than a series of brief chases into and out of the greenery. There, during momentary body quiverings and pressings, the female sheds her eggs. The male's drives are particularly vigorous, and after spawning is over the female is, to say the least, in a serry

But her bruised sides and torn fins will not deter either her or her spent spouse from gobbling every egg within reach. Thus the sensible thing to do is to remove the fish to another aquarium without delay.

Tropical Fish Hobbyis

So much then for the conventional way of breeding H. scholaei. But there is another method, far too rarely practiced by the ordinary hobbyist, called community spawning. This entails placing two or three conditioned males with, say, four or five spawn-ripe females. Chasing follows almost as a matter of course. The advantages of this method will be readily appreciated. Firstly, there is less damage done to the females because the males' attentions are divided. Secondly, one can be sure of an abundance of eggs.

The eggs hatch out in about two days; for another two days or so the fry hang tail-down from the plants and the sides of the aquarium. During this time they depend on the nourishment stored in their yolk sac. But as soon as this has been absorbed, the fry assume the normal horizontal position and strike out in all directions in search of food. In the main they hover and dart in the middle and lower levels of the water.

To achieve the best results, the babies should be given infusoria for the next week or two. Care should be taken to see that they get enough of it to keep their little bellies bulging. In this connection it is better to use a dripfeeder than to introduce quantities of infusoria all at once. After the fry have put on a little growth, their diet should consist of larger things such as powdered dried food, brine shrimps, and Grindal worn



FLORIDA TROPICAL FISH INDUSTRIES BOOSTER CLUB MEMBERS

following firms have great interest in improving the trapical fish industry. Most of them have tributed much time and effort to interove quality and service. In addition, those listed below a contributed to a special fund which will be used to benefit the active industry.

here contributed us - specific found which will be used to benefit the entire inclusive.

THE ROSITER ARE MOST AMPRICATED. WHOTE PIERR WHO IS BOTHLES.

AQUATE (FISHERIES, INC., William F. Rises, 1600 Belban Parkson, South, New York, NY, 1006)

RAL PSH FARM, INC., Front Rosines, 1999 WW silm Street, Minon, Inc. 23145

GAIOSS OF AIAM, INC., & A. Peve, See 55.7241, Microl, Fis. 23145

ANIVIN PRODUCTS CO., INC., WHOPE V. Sinon, 1780 McDanial dws., Stocklyn, NY, 11223

HEXCOG 5 TROPICAL FISH HATCHERY, Frederick Herroy, Revise S, 600, Fort Myers, Fin. 33791

HIRZOUS TROPICAL FISH HATCHERY, H. A., Wingsie, Bus 203, Labeland, For Myers, Fis33901
LARELAND TROPICAL FISH HATCHERY, H. A., Wingsie, Bus 203, Labeland, Fin. 33807
LARELAND TROPICAL FISH HATCHERY, H. A., Wingsie, Bus 203, Labeland, Fin. 33807
UNITIFIEL ASSOCIATION MANAGENENT SERVICE, H. Seword Lews, 1442 NW 7 Gust, Niami,
OLINGET'S FISH FARN, J. B. Diregor, 7300 SW 5411 Street, Miemi, Fiz. 33143
PARAMOUNT AQUALITUM, NICE, Ford Carbs, Bus 277, Mentilage Mirrert, Vers Bessle, Fis. 23906
BICCES TROPICAL FISH FARM, M. H. (BILL) Bics, Box 515, Buskin, Fiz. 33350
SUMAC TROPICAL FISH FARM, NICE, JOST C. Robert, Box 427, Cendull Errorth, Miemi, Fiz. 33156
SUMAC TROPICAL FISH FARM, NICE, JOST Col. John Harms, Box 44.009, Allend, Fiz. 33144
SUMARBIAND TROPICAL FISH FARM, PINIE Merrorchin, Boxte 4, Box 625, Miemi, Fiz.
SUMAN FALMERIUM, SHOPPER, Schuden, 2147 NW 32 Avenues, Allend, Fiz. 33142
T.F.H. TYBLICATIONS, DIF. Tertsett E. Azeilod, Box 33, Bersy Gly, N. J. 07302
FIRITE A FIRE FARM, Box, My Carbon, 5905 SW 466 Freet, Allend, Fiz. 33334
WILLIAMS FISH HATCHERY, McCrery Williams, Box 64, Gibsenton, Fiz. 33334

April. 1964



We seldom hear about this one.



Male in foreground with his fins clamped, while the female lays ogga-

The Purple-Striped Gudgeon

BY DIETER FACH Photos by the Author

The Purple-striped Gudgeon, Mogurnda mogurnda mogurnda, reaches in its native home in the coastal waters and rivers of New Guinea and central, eastern, and northern Australia, a size of between 64 and 8 inches, big enough to scare off most prospective purchasers. But it is a peaceful fish, at least if kept with fishes too large to be swallowed, and it is interesting. It is hardy, being not too particular about water composition, and it needs no special water temperature; 74° suits it fine, with occasional declines to 64° presenting no problem. It accepts almost all dried, frozen, and live foods.

The basic color of the fish is a dirty yellow. The upturned mouth is very

The basic color of the fish is a dirty yellow. The upturned mouth is very large and armed with pointed teeth. The eyes have a golden iris. Pupils are black, gleaming violet or light blue depending on the angle from which the

FREE ILLUSTRATED AQUARIUM CATALOG

Just a postcard will bring you our FREE illustrated catalogue of Halvin's famous aquarium products.



Halvin manu-

factures a deluxe line

of aquarium products designed to eliminate much of the chore of aquarium keeping.

> Address your request to: FREE CATALOGUE

HALVIN PRODUCTS CO., INC.

1916 McDonald Avenue

Brooklyn 23, N. Y.

20

21

Tropical Fish Hobbyist

Salt-Water Aquarium Fish



Dr. Herbert R. Axelrod

William Vorderwinkler

\$7.95

The most complete book on marine-fish keeping ever published in any language, this book has more color Illustrations of marine fishes and marine invertebrates than all other books on the subject combined!

Its 352 pages contain 335 full color illustrations and 79 monochrome illustrations. Printed on the finest, non-glare, water-resistant, costed paper (never before used on an aquarium book), SALT-WATER AGUARIUM FISH is completely up-to-date. It contains fact-filled chapters on all the various kinds of marrine fishes, from the popular Anemone Fish to the playful Batfishes.

Dr. Axelpad took four years to write this book with the

mone Fish to the playful Baffishes.

Dr. Axelrod took four years to write this book with the assistance of Mr. Vorderwinkler. He journeyed 135,000 miles from Pakistan to Hawaii to Australia to the Fiji and Hawaiian Islands, through Japan and Ceylon, Singapore and Hong Kong, as well as Europe, the West Indies and South America, not to mention Africa and the Mediterranean, to callect and photograph fishes which have never appeared on a printed page before!

NOW AVAILABLE AT YOUR PETSHOP

Published by

T.F.H. PUBLICATIONS, INC.

245 Cornelison Avenue

Jersey City 2, N. J.

April, 1964



Female laying eggs

light hits them. On the gill-plates there is a spot which is large and bluishgreen in color. A brown patch covers the base of the pectoral fin, which is otherwise as colorless as the ventrals. The entire back has a dark olive-green

The lateral line is straight and runs from the gills to the caudal base, forming a row of dots which are alternately sky-blue and brown, ending in a brown spot at the tail. In the first third of the caudal fin this spot melts into many little spots of the same color. The dorsal is separated and dotted with light blue and brown besides being edged with the same color, and the last three anal rays are also light blue; otherwise it is colorless.

Continued on Page 62

WANTED EXPERIENCED FISH HANDLER

to run small fish farm in Miami. Must be familiar with imports, fish shipping and aquatic plants. Beautiful home plus attractive solary. Send photo and three trade references, plus details of experience, age and marital

Write to:

MIAMI FISH FARM c/o TFH, P.O. Box 33, Jersey City 2, N.J.

Earthworms The Easy Way

Many instructions one reads with reference to conditioning fish advise the use of, among other things, chopped earthworms. Have you ever chopped a slimy, squirming earthworm? If you are the least bit squeamish, don't do it!

My first attempts at this process utilized a four-inch-square chopping block made of one-half inch plywood, with a single-edge razor blade for the chopping process. Chopping enough worms to feed all the fish I have proved to be about as progressive as dipping water out of a bathtub with a teaspoon! Then I tried putting a dozen or so of them in plastic bags, straightening them and then freezing them before I chopped them. Evidently the worms took a dim view of this process, for they would come out frozen all right—and wound tightly into a large ball. This was no easier than chopping the squirming live ones. I kept thinking to myself, "There must be an easier way!"

A fact which many do not realize, and one which I learned the hard way, is that there are earthworms and earthworms. DO NOT feed those that come from barnyards and have more or less grown up in the wastes of such an area. In the first place, fish do not like them, and in the second place they contain a toxic substance that will kill any fish unfortunate enough to cat one of these worms

After several years of messing around with earthworms, during which time I almost decided that my fish were just going to have to do without this delicacy, I hit upon a real idea to eliminate all this fuss and bother. The idea came one day when I looked into a can of fishing worms that had been standing for several days and found several tiny ones at the top. I fed them to my fish, and they went wild over them!

It's important to use the right kind of worms. Ordinary garden worms or night crawlers won't do, because they die easily in captivity. What you want as a starting culture is about 50 or 100 Hybrid Red Worms, which are available from worm ranches, bait and tackle stores, and even some surplus stores. These worms are better adapted to cultivation than their larger, wild-type relatives, especially as they take heat better, although even these domesticated worms should not be kept too warm.

For breeding and raising the worms, I like a large flowerpot. Fill it with a

good sandy loam, but DO NOT add fertilizer or peat moss, for then the worms will scatter throughout the pot and be difficult to gather. Place the worms into the flowerpot and sprinkle Pablum or a similar baby cereal liberally over the top. The soil should be quite moist, but not muddy. Place an inverted saucer over the top and set the culture aside for three weeks, checking periodically to see that it is moist and that there is plenty of food. Ordinary room temperature is fine. If you are the impatient type, you may



GET THE MOST SUMPTUOUS GUIDE TO TROPICAL FISH EVER PUBLISHED-On a RISK-FREE 10-Day Trial

Why not try for yourself the finest, most comprehensive illustration on tropical fish - care, handling, feeding, breeding, species ideication - ever offered? On a money-back guarantee. Send today for the NEW REVISED EDITION

ALL ABOUT TROPICAL FISH

hy Derek McIrweny, Engkand's Great Aquerium Specialist and Co-founder of the jamous McLyan's Aquerium, with Geoffrey Gerard, F.R.S.E.

19 IN FULL COLOR

Our 200 photographs of fish from every socioties of the property of the property socioties of the property of the proper 109 IN FULL COLOR

The Sparkling Panchors, with its third, light-sensitive eye on the top of the head.

The Blad Case Letter, from underground caves of Mesico-sightlens, yet friendly and alert, and quick to respond at feeding time.

The Drugen Fish, amend with poison spides on its doral and sectoral fins.

The Mud Skippers, a "nissing lish" with definite amphiblicus trail.

ach species (15 live-bearers and 254 ogg-enors) is fully described, including: The Scienti-Farme, Place of Origin, Physical Characteristics and Markings, Diet Preference, Depth Preference of Distinctive Habits. There is also a special aport on underwater plants, covering 71 varieties.

HARE THE SECRETS OF PROFESSIONALS
fore are 11 of the lundreds of professional societs—many
than illustrated with easy-in-follow diagrams—that Derik
cleans shares with you.

. Now to choose the right tank of the right size and con-

- line to text the water for hardness, impurities, pH Now to set up the base, position send and rocks on tank

Q. Now to use mails, when they are excful, when a naisance 10. How to keep your fine healthy — with a fint of discours symptoms, and cures

11. Note to keep root fish happy, what kinderses means to them—and rofest?

USE THESE PRACTICAL BREEDING HINTS FOR PLASSURE—AND PROFIT

Now breeding can become an easy, predicable enterprise. New Issue and the methods used by this supercucky associated breede—including Darrak Majority's simple system for including means of seeing angel fish. Here as complete information on the ideal managed fish. Here as complete information can the ideal managed fish. Here as complete information can be including angel fish. Here as complete information can be including and cash outdoor for Viviparous Pith, including managed and to continue the control of the



27

Tropical Fish Hobbyist

check at the end of two weeks, and you will find a few small worms near the surface. At the end of three weeks, the top will be literally teeming with a squirming mass of $\frac{1}{2} - \frac{1}{2}$ very pale pink worms about as thick as white worms. You should have enough live food for as many fish as you happen to have, and the beauty of all this is that the worms reproduce so rapidly there seems to be no end to your supply. They come out of the soil clean, so it isn't necessary to wash them unless you just want to.

If you find you have an over-supply of larger worms, put 'em in a coffee an with some soil and go fishing! Or give a fellow hobbyist enough to start can with some so

DEALERS!

Ask for Our Monthly Wholesale Price List

TROPICAL FISH

Aquarium Supplies and Fish Foods

NEW IMPORTATIONS
of Rare Tropicals Arriving Regularly 333666

PARAMOUNT AQUARIUM, Inc.



ARDSLEY, NEW YORK P.O. Box 627, Tel. OWens 3-4800.1

VERO BEACH, FLORIDA Musicipal Airport, F.O. Box 277, Tel. JOrdan 1-5487-8

April, 1964



The Incredible Mr. Limpet . . . A Preview

In the next few weeks aquarium hobbyists will have an oppor-tunity to see a new movie, The Incredible Mr. Limpet. Based on a novel by Theodore Pratt, The Incredible Mr. Limpet tells the story of how a Brooklyn bookkeeper, a tropical fish hobbyist and a firm believer in what is termed the "theory of reverse evolution," turns himself into a fish and thereby becomes the nemesis of enemy submarines lurking in Atlantic coastal waters during World War II. Co-operating with the Navy, Mr. Limpet uses his unique abilities in

his country's service and emerges a great national hero.

The film, produced by Warner Bros., hitches the wonderful comic talents of Don Knotts, as Mr. Limpet, to a story combining



Please Mention T. F. H. When Writing to Advertisers

30

elements of Walter Mitty-ish humor, old Submariner comic book adventure, and Horatio Alger success stories, all backed up by clever animation and the sure-to-please music of Academy Award winners Sammy Fain and Harold Adamson. Good fun for the whole family, this picture is bound to succeed as a moneymaker and as an artistic vehicle for a virtuoso performance by Don Knotts, perhaps the most talented representative of sad sack humor since Charlie Chaplin.

The film is scheduled to premiere in 5,000 theaters throughout the country in late March and is being played up by the National Association of the Pet Industry (NAPI) as a tremendous boost for the hobby. It has been made the focal point of a promotion called NATIONAL TROPICAL FISH WEEK (March 30 through April 7), by which interest in the movie on the part of specialized groups such as tropical fish hobbyists, skin divers, fishermen, and submarine buffs will be used to hypo sales, retail and wholesale, in these hobbies. This is all legitimate promotional tie-in, and we hope that The Incredible Mr. Limpet and its related promotions pay off handsomely. The movie is sure to be popular with the public in general and tropical fish keepers in particular, and it deserves support on the general principle of being about 100 minutes of solid entertainment.



31

Tropical Fish Hobbyist

But we fail to see how, without the help of aquarium hobbyists themselves, it can achieve its NAPI-stated aim of bringing "... at least a million newcomers into the hobby." As a promotion for tropicals the picture has serious faults. First of all, Mr. Limpet, although not necessarily being made a type specimen of all tropical fish hobbyists, is portrayed as a Milguetoast whose withdrawn preoccupation with fish is less than healthy. The effect of this on moviegoers will serve only to increase in the public mind the image of aquarists as delicate monomaniacs.

We don't need more of this; we get enough from the nighttime television shows that occasionally depict psychotic heavies who have as a hobby ... you guessed it ... tropical fish. If things continue like this the keeping of tropicals will become a stock characterization for assorted bedbug behavior, and the hobby will suffer for it.

Another thing: from the movie stills I've seen, Mr. Limpet, com-

Another thing: from the movie stills I've seen, Mr. Limpet, complete with theory of reverse evolution and all, doesn't think enough of his charges to give them good conditions. One tank shows up holding at least eleven large Angels, four fair-size Goldfish, at least five big Gouramis, some Corydoras Catfish, a few small Barbs, a big Schwanenfeldi Barb, and some other species. Considering that the tank appears to be no larger than about fifteen gallons and that it has neither aeration nor filtration, Mr. Limpet should be careful, in turning himself into a fish, that someone doesn't catch him and crowd him the same way.

There are ways to counteract these defects in what must otherwise be considered an admirable product. Luckily, NAPI has foreseen possible false impressions arising from the film, and the association is working on ways to promote co-operation between exhibitors of the film and fish dealers and aquarium societies. As of now, plans are to have each movie house showing the film run a contest offering prizes for the most attractive aquarium setupe. If local aquarium societies get behind this and encourage their members to exhibit, either individually or as a group, a lot of good work will have been done toward dispelling some of the false notions engendered by the film. This is, by the way, a good way for an aquarium society to get new members. The non-hobbyist public will be able to get a truer appreciation of both the hobby itself and the people in it. And who knows? Instead of one million new hobbyists, maybe we'll get ten million.

Instead of one million new hobbyists, maybe we'll get ten million.

Societies that want to help boost the hobby, which is one of the primary aims for which many societies are formed, can obtain specific information about theater lobby displays from NAPI. Just write to Mrs. Jay Winter, NAPI, 431 Chauncey St., Brooklyn, N. Y.

Can you identify this fish? Do you know where it comes from? What are how about its spawning habits? this one? Could you breed it for money? If you can answer these questions definitively, or if you can get an authoritative answer in a jiffy, don't read further. But if you don't know all the answers and can't get them in a hurry - in short, if you are a hobbyist who really is bent on learning all there is to know about tropical fishes, aquarium management and, yes, commercial breedbook. Its 892 pages ing, - buy this 600 illuminating alive with almost color photographs by the world's foremost authorities makes it the best investment you, as a hobbyist, can make. Exotic Tropi-

cal Fishes is available at your pet shop in two editions: hardbound and looseleaf to accommodate supplements by the authors.

\$20 per copy.



PET BOOKS HANDY-ORDER FORM All of these TFH books are available at your local pet supplier. If ordered from the publisher add 25¢ for postage and address your request to TFH BOOKS,P.O.Box 33, Jersey City 2, N.J.

,		TROPICAL FISH	No. 9	lzysk:	CAT BOOKS	Print	Qy Init	DOG BOOKS	Pres
	1.1	African Burbs	.8		Persion Cate and Other Long-	100	26.41	M Springer Spanish	\$1.0
	6.1	Abican Cutilds			have	\$2.95	9-437	Springer Spanish as Pate	- 4
	M-101	All House Assertance	0.00		Paralest Cate on Pain	25.00	18.00	learning bank of these	
	PE-483	All Record Breeding loop Fine	10.00		Stort But-of Cate	\$1.00°		Serving Bank of Fago Self Corner Editions of What Pag for No.	
	63	All dissert Goppies. Regellish	\$0.00	1-261	Hamey Cate Hames Cate as Fets	11.00	1	August god gos gas	\$1.3
		Aquirus Repair Manual	10		This is the Surreys Call	53.85	P5-611	This is the Reset Sound	\$4.0
	14	According Plants	16	10.41		33.75	P1-601		\$4.5
	1.771	Assistant Water Chemistry	LO.		DOG BOOKS		P5-611	Their to the Suntan Vareibe	\$4.6
	M. 216.	Assertion Water Chesistry Assertion Fish Steeress	91.80	DC 1800	Mgtare	\$1.00	P5-411	Hot is the Board	\$4.5
		Argentine Frank Nat.	37	3 In-48%	Alleham as Penn	.33	P1-613	No. 1 Ter Carbon	- 200
	1-2	Burbs	-35	DIS-YARD	Acceptant	11.00	P1411		10
	E-791	Stantiful Better	.50	5-401	Airednies as Pets	36	05.12		\$1.5
		Brootiful Goldfor.	.38	55.1003	Secret Houselfe	11.00	0.73	Welmanismo at Page	-55
		Rightening the Aguartum	.16	3-431	Reserve Measureth as Press	.14	0.479	Weish Gorgins in Fette	11.0
		Boading Egylapers	.15	35-1604	Bragter	\$7.00	395.19	Si Probe Terrora	31.0
	E-U.	Breeding Lindwaren	.15	9-491	Bragter as Fets	38	0.44	World Torritors as Para	-
		Extlatore	.35	10-1001	Sange Torriere	\$1.00	16-67	What Dig for Bull	10.0
	6.44	Coltica	.38	0-465	Spanger Services at Party	.31	D-441	Wire-Haired Fits Torritory	-
	8-1	Color Sociale to Tregmon Flore	\$4.75	05 9 mm	Beart	\$1.00	1		- 1
	0.708	Courful ligglayers	- 10	5-406	Securs as Pots	35	96-76	17 Tarkshire Territors	11.0
	2.757	Eductio Livebearers Calarital Secretario	- 10	35-1401 5-401	Bulldage	\$1.00	8-420	Terkshire Tourism as Pets	
	0.700	Calculate Swaretrade	- 10	3-401	Bulldage on Policy	36	-		
		Record Totals	- 24		Conners Foggy			BIRD BOOKS	
	E-11	Discourage Star Agencians	.33	2-496	Culturalnuss or Fets	91.00			
	844	Demonary of Traptial Flori	17.45		Cother Spanish	.35	PEAN	All Abrest Perceberts	73
	114	Deces	11.75	2-494	Cocker Spaniels on Peris	35	H-501	Backgard Birels	\$1.8
		Biorges of Trapital Fish		Tax serv	Cotter Sparrets in Pers	S1 88	16.1	Budgerton Sandhash	34.5
ì	KHE.	Desired Cubblely	. 11	3-415	Calline on Pate	51.00	PS 501	Budgergran	11.8
	K.L	Executivastic of Seminal Hotel	18.55	16.160	Sachelundo	21.00	8-100		
	6.4	Static Treature Subra	930.66	8-411	Exchanged as Fore	41	P1-428	Bottings , Cardinals, Levelsin	
	634	Essets Fragmar Sisters Leone Land Edition	-	100.0013	Subsetiete	31.00	6.795	Seautiful Sudgio	
	170	Later Law Edition	\$30.86	3-813	Submations as Fres	35	0.101	Conseins as help	. 3
	F-28	Famy Suppres	.11	PEARS	Distance Complex	55.00	9-161	Conhadule on Price Conhadule	
	M-013	Bardon Prote	\$1.00	192 1613	Deberman Heachers	\$1.58		Cachecists	21.6
	R-504 E-21	Getetion	91.00	1540	Subsequent Management on Rada	35		Fraction as Prox	\$2.8
	100	Genetium as Force	0.6	PEAGE"	Balture in Flags	\$4.00	75.4	Process as Prox	10.0
	6.21	Geleffel in Tour Name	11.05	1.710	Rose War to Trace But	.04	100.775	Finches and lettailed fires Foreign Birds for Cage & Ave.	25.9
		Energeis Gaide to Yespiral But.	- 10	26-6314	English Cookers	\$1.06	9.161	Java Tempin Birds	rysla
	10-100	Supplier	11.30			35	8.765	Mystels Birdly at Pide	- 1
	P-23	Goggeton an Perin	11.30	TAR VEST	First Aid for Your Bag	\$1.00	0.100	Parreleute as Pets	- 3
	6.365	Myteria Supples	100	35-1638	Fee Terriers	51.06	16.73	Farnakeen in Your Horse	100
	6-16	Keep & Brood Trapical Fish .	-	5-815	Fee Services in Fest	36	W-100	Parist	11.0
		Microl Course Editions	56.95	95,4814	German Reletion German Reletion on Role	81.00	30,156	Parento as Poto.	- 1
	B-08-1	Nonp & Broad Impical Blaik		9-616	Green September 10 Prills	11.00	8-12	Farmth and Briand Birth	19.9
	1-28	Self Cover Edition	11.95	8-87	German Zingsturffe au Pitte	10	76.511	Plante	\$1.0
	6-23 6-75		.15	DE LUIS	Golden Betreven	51.00	8-101	Pigners se Prés	7.3
	1.35	Multime as Pots Function Green	15			35	14-19	Rates & Years Figures	\$1.4
	1.37	Frank tim.	35	BEARIN	Separt Agency	61.00	0.714	Singing Covery	- 3
	0.20	Floren	39	9-415	Creek Stane in Pols Vincentreal & Frein Sing	25	0-101	The Tulking Participant	- 3
		Flaties and Mann		96.1604	Veneralizati & Frein Sing	81.36	8-154	Training Your Participes Wild Birds in Your Garden	- 1
	1-19	Bactera		189.1694	Haire to Breed Name Bigg	\$1,00	8-111	Wild Birds in Year Garden	300
		Settlement Ageartum Fisher	17.85	15-1045	Here to Clip Your Dwa Fronts	\$1.00	75.439	Washita Western, Whyda'	w. 17.0
	L-Try.	Saltwaier Falor	38	381903	Hew to Fred Your Bog	11.00	State.		
	E-38	Leaburgers	16	05-1013	Hire to Groom Your Day	\$1.00	the fac	ANIMAL BOOKS	the
	1-31	Summer Righting Fish	35	h-de	Now to Train four Bug	35	P\$ 434	All Mout Hamore's	- 3
	1-31	Secretaria.	35	NF 1654	blick Seeson	11.00	A-101	Affigators as Free	- 3
Ì	+31	Trerus Bank Str. 1	.01	9-4)1	Hold Setters on Perio	31	4-101	April de Pors	- 3
	1-36	Trans. Book No. 2		0.493	Japanese Spanish on Fein	.31	A-126	Beginning Your Torrangem	- 3
	P-MA	Ting Selent	10	0-421	Matter	11.04	W-101	Buccoine as Fets	- 3
	11.46	Tregical fluis	11.30	0-424	Marchester Learner	.38	A-194	Chamoleon	7
	m-110	England States	11.50			.16	A-161	Chicke ac Fela	- 1
	8-35	Trapings that on Para-	36	3-05	Plainture Proclem	\$1.00	8.386	Chipmonks to Fess	- 3
	F-260 -	Transferri Plot: Church No. 1	11.76	B-01	Miniature Panalors in Per-	11.00	8-107	Decle at Pets	- 3
	1-37	Yoghtal from Obert No. 2	1176	B-GA	Ministers Libraries on Pai	11.00	A-188	Freign and Sanda as from	- 3
	FW.	Tropical Fash (Burt No. 2	11.98		Plant front & Poly of Page	17.00	A-Ign	Geima Pigs as Pats	- 1
	F-W	Tropted lish habbeist Mag.	м	89-1004	Frances	\$1.86	A-194	Remiters as Felic	- 3
	4-16	Tregital Fish in Year Boxes	11.95	36-107	Printiges at Pres	15	A-101	Rambers No. 7	- 3
	m-19-1	Tregical Hule In Your Horse		E-408	Painters in Proc	35	A-121	Biomed Totals in Rets Species or Publi	- 3
		(Aguarium Fisher) Saft Cover Salition	11.00		Participation.	17.00	F-101	Ignored at Patt Hore as Pata	- 1
	F-48	Fraginal Flair Bore Carolin	311	1.01	Property and Asia	.10	14-113	Mentery at Pett	- 3
	1-41	Vinnescal Dish Peer Cards.		DE 1916	Pendler	11.00	14-506	Pic Sameter	11.0
	-		18.25	0.496	Penalty or Fem.	.31	6-726	Playful Garrera Pigs	110
Ì	5-71A	Treated Nat. Printer	.50	H-28	Proofs Claying Book	14.95	6.754	Playful Hamatura	- 6
				75 1911	Prepri	\$1.00	6.795	Pioplel Turbin	- 1
		CAT BOOKS		9-457	Pogo as Peto	.35	A-394	France on Paris	- 2
				5-432	Fupping as Pets	.15	75 406	File Baccoon	88.7
	9-363	Gen	11.09	1-01	Retrievent as Felix	35	A-189	Bary as Face	- 1
	14	Lain in Face Mores	11.95		Scotton Services	19.00	A-295	Intermediery and Bowts	- 3
	8-2-5	Lam in Fauer Horse (Cats)		6-69	Scattlet Sectors to Pero	- 28	8-256	Sharox on Fore	- 1
		liek Greer Detroin	11:00		Scatterer Forence on Pera	.25	A-297	Joseph as Pero	- 1
	8-394	Charming Kitters	56		Stetland Morphys	51.00	96-141	Teethe	\$1.0
						38	4.796		
	C-201	Elitera se Pete Russian Cata	25.00	0.454 PL-407	Shortand Unsupplege or Rote Show Your Step	14.95	(4-218)	Turths as Fato Four Terrorisis	\$1.00

MAIL CALL

I you have an operium question and annuat find the an wer is any of the standard eleverace tests, send it to MAIL CALL Each most this column will publish the most investing questions received and their enevers. Letters centaining questions cannot be schooledged or enswered personally. Address oil questions to: MAIL CALL I.F.M. United the commission of the commission of

Saving livebearer fry.
Q. I am writing this letter for the benefit of those hobbyists who have trouble saving the babies of livebearers. There is a very simple way of solving this problem. First put your expecting female in a small tank of about 24 sallons. Then attach an outside filter to the tank without using any glass wool or charcoal. Remove the end of the filter intake and plant heavily around it. When the babies are born they will naturally swim to the plants and then the drawn up the intake. Then remove the female and return the babies to the tank.

A. A good idea, Don, but if you don't do one thing more your bables will be pumped tight back to the wide-open mouth of their mather. You have to cover the bottom of the return tube with nylon gaute to pre-went the babies from being weeked back out

of the empty filter. No doubt you wanted to mention this and forgot.

Snails. Q. 1. My question is on Mystery Snails: about six months ago I bought a Mystery Snail about the size of a silver dollar. It has three lines around it which look like layers of shell. Is there any way I can find out how old it is?



Please Mention T. F. H. When writing to Advertisers

GET BELDT'S WHOLESALE CATALOG AND SPECIAL TROPICAL FISH PRICE LIST

Aquatic Plants
Merchandise that's different
Make your sales sprout wings
Fish food with a reputation
Supplying the trade for over 30 years.



BELDT'S AQUARIUM, INC. • Hazelwood 21, Missouri

41

Tropical Fish Hobbyist

A message of importance to all commercial aquarists

Triton Aquatics, chief distributor in the Western hemisphere for Ing. Erwin Sander, Essen-Werden, is greatly pleased to introduce to America a development that has been revolutionizing the keeping of fresh and saltwater fish, invertebrates and plants on the continent

The SANDER OZONIZER

With the Sander Ozonizer, the importer, large scale breeder, dealer and advanced fancier can for the first time . .

- · drastically cut losses on imports.
- · prevent epidemic outbursts of ich, velvet and other microbial diseases.
- cure such diseases rapidly and completely without need for heat, chemicals or drugs.
- · make bacterially turbid water sparkling clear in fresh or marine aquarium
- · sterilize plants, live food, tanks and equipment safely and cheaply.

The Sander Ozonizer, a small, noise-less, vibration-free apparatus, electrically generates a highly reactive form of oxygen known as ozone that has long been used throughout the world to purify drinking water. When used in conjunction with an ordinary air supply, the Sander Ozonizer has been found to prevent most epidemic discusses from ever starting, or to cure them rapidly if already begun. One German professional has cut losses on





A jew local distributorships are still open. Write on your letterhead for info. 42

April, 1964



empullaria seoils, with tubes extended.

I have heard that snails have no sex. But when I got a mate for this snail it started laying eggs where it did not before. Can you explain this?
 Julie Jamison,

Julle Jamibon,
Morgantown, W. Va.
A. I. A small is not atreat a Mystery Small
carries these three rises with thin throughout his tife. For adraid three is no way to
tell a small's age by examining its shell.
Being a tropical species, the mail grows at
about the same rate throughout the year,
and for this reason the shell remains
about the same the year through.
2. Most mails are hermaphroditic and
produce sperm as well as egg. It to
happens that the Mystery Small is not one

LIVE CULTURES

(with instructions) U.S.A. only

\$1.00 \$1.75 \$1.50 \$1.00 *Food different for each culture

GEORGE HANSEN

BOX 414TH ST. JAMES, N. Y.



of those, however, and remain males or familes throughout their lives. If the aggs produced prove fertile you have a pair. Klasing Gouramis. Q. I would like to know if it is true Klasing Gouramis kiss when they waswm.

Mark Scott.



Attention Aquarium and Pet Stores

OUR 1164 SPECIAL LIST is out Dealers our mailing list received theirs. Did you'll not, write us en your business statios and we will place your agrae on our mailint.

FOR QUALITY PLANTS AND FISH BUY FROM:

"Everglades" Aquatic Nurseries, Inc. P. O. Box 587 Tampa, Fla. 3360 A. No; the so-called "hissing" act is not necessarily part of the spacening pro-cedure. Behaviorists are not agreed as so the real significance of this, but most of them will tell you that it has little if anything to do with affection. If you we personal opinion, it is merely a sort of game staged mostly by the younger

LIVE SEAHORSES



\$3.50 A PAIR \$7.00 SPECIAL — Order TWO PAIR and receive ONE PAIR FREE. F. F. MARINE LIFE

Betta behavior.
Q. I recently bought a Betta about 1½ inches in length. When I got it home it started chasing some Cardinals and Neon Tetras ½ inch long. But there were White Clouds in the tank too. Why didn't it chase them?

William McAlpin,

A. Only your Betta coloid arrayer this.
Probably the bright colors of the Cardinals
and Neons made them look good enough
to eat. You just can't figure out sometime
what makes a fish do the things he does!

Want a "Pen Pal" in Africa?

Q. Although I have been a reader of your column for some time I have ventured for the first time to write to you with a few question.

with a few queries.

1. What is the best method of preparing infusoria for livebearers and egg-layers?

2. What is the procedure for "line" breeding to obtain fancy strains in fresh

"DEALERS"

INCREASE YOUR PROFITS WITH GERM-OUT



Attached to any autside filter, Germ-Out's cleansing radiation rids the tank of harmful bacteria and germs.

As the water is circulated, Germ-Out's penetrating radiation destroys disease-causing bacteria and germs.

Fish stay healthy and hardy, live longer. Germ-Out is easy to sell! Anyone who has lost fish needs the priceless protection of Germ-Out.

Retail price \$15.95. Act Now!! Write direct to manufacturer.

GERM-OUT

BOX 11 TC • WEST ORANGE, N. J. Guaranteed — 1 Year.

water varieties such as Gupples, Sword-tails, Angel Fish, or the general pro-cedure for all varieties?

3. I shall be happy to receive and answer letters from hobbyists which may prove to be to our mutual interest and benefit. Will you please ask your readers to write? Hobbyists in this part of the world are, to my knowledge, thirsting for information and literature on the subject and we appeal to the American experts to extend the helping hand to promote the hobby in this country.

Mr. C. P. Meyer, P.O. Box 510, Salisbury, So. Rhodesia, Africa.

A. 1. Infusoria is too small for most live bearers; the best small food for them is newly-hatched brine shrimp or finely chopped Tubilex worms. For egglayer chepped Tublicx teerns. For egglayer fry the best and earliest stays is a system I stumbled on wextel years age; damp the accumulated debris from a couple dightry filters into a gallon jan, then III with slean states. When everything settles you will find the water sourning with influents which can be fed at once. This can be repeated again and again, but after the first time you have to give them a little time to multiply once more. Influential tablets also are very helipful.

2. Line breading is one top removed from inbreading. It connects of breading jish from the same strain which are selected for desirable characteristics but not at clearly related as mother to son or

father to daughter. The imperious thing is to keep on exceding out the undestrables and pick out only the very best progray as breeders.

s preeders.

3. You will notice that I have not only your name but your full address.

I hope the results will not break your mailman's back.



when writing to advertisers

We want to buy and sell top quality tank-raised tropical fish. Write, wire or phone your offer to:

GOLDENROD AQUARIUM, INC.

10-01 47th AVENUE

LONG ISLAND CITY 1, N. Y.

Telephone: EX 2-5533

45

Tropical Fish Hobbyist

Plant-enting Kribensis.

Plant-enting Kribensis.
Q. 1. I have a Pelmatochromi bribensis
about 1½ inches long. At times she
attacks my 2½ inch long Corydoras julii.
Is this characteristic of all Kribensis?
2. She also has a taste for plants such
as Vallismeria and Cardaniae. Could
she be broken of this expensive habit?

3. Is it possible to have too many bacteria from decaying plants taking up oxygen? My 10-gallon tunk has only eleven fish averaging between if and 11 inches in length. The tunk is filtered and serated and has many relater.





FOR QUALITY
SERVICE • DEPENDABILITY

Tropical & Salt Water Fish and **Plants**

PANAGRA AQUARIUM-Rt=1 BOX 577A

Phone: 399-3843 Mgr., William Prendergast

ntion T.F.H. when writing to advertisers

BRAZIL'S BIGGEST & MOST DEPENDABLE EXPORTERS TROPICAL AQUARIO LTDA.

Caixa Postal 1319 Sao Paulo, S.P., Brazil

Most attractive prices for both popular and rare Brazilian species.

April, 1964

plain manufactured gravel will kill inhabitants of a tank by hardening the

inhabitants of a unus.

5. How many fish between 3 and 4 inches long can be kept in a 10-gillon aquarium that is filtered and careted 7. How long should an electric light be kept on in an aquarium?

Torn Kern, St. Louis, Mo.

Tom Kern, St. Louis, Mo.

A. I. Single fish venetimes get navy, Get her a male if you can.

2. Never heard of a Kribensis sating plants. Perhaps the is not being fed properly. If you cannot get live feeds, try giving her freuen beef heart or freeze brine shrimp. Your last restort, of causes, is to put in plants plants.

3. Yes; decaying plants.

3. Yes; decaying plants trill feed bacteria, which in turn will multiply and use up more and more sugges.

4. Natural gravel which has a high lumitane content is the malefactor in this cast.

case.
5. These are big fish for such a small tank. I wouldn't put in any more than a 6. Depends on how strong the light is.
Plants should grow well and not too much

alege develop.

Water temperature and "tek."

Q. I intend to move a tank acceral miles from one location to another. The fish will travel comfortably in one of the new plastic foam thermos jugs. The plants will be carried in an insulated freezer bg. I also want to take along at least part of the old water. For this purpose I have a collapsible polyethylene 5-gallon bottle. This water naturally will become chilled in transit. Is there any danger in reintroducing the fish to this water after it has been brought back to its proper temperature? Do organisms such as "ick" undergo a physiological change during chilling which better enables them to attack fish and if so, how can the water be strilized?

Peter Laput,
Long Island City, N.Y.

Long Island City, N.Y.

Long Island City, N.Y.

Peter Laput, Long Island City, N.Y.



THE REAL PROPERTY.

A. No; I don't think it's the water temperature that causes the population explosion but the effect the chill has on the fish. A fish chich has been chilled has its natural defenses at a leve point, and this gives the "ich" parasite the opportunity to attack the almost defenselses sizeues. Just bring your voster back to its correct temperature, and if you want to be really sure, let it stand eight hours before patting the fish back in. The "ick" parasite in its free-mismosing stage must find a host within this time or it will starve to death.

Pelmatochromis species.

Q. I have just had a spawning of the most beautiful Dwarf Cichlids I have ever seen but I am not sure of their species. I originally purchased the male as Pelmatochromis teamians but I have not been able to find a picture of him in any of the texts. I have consider The any of the texts I have consulted. The female was also sold to me, after I searched for three months, as a P.



tamiatus although, since her color was much deeper, the dealer thought she came from a different area than others he had seen and he was not sure they would mate. The male is about 12 inches long, magnificently colored with

JEWEL

AQUARIUM CEMENT

black-purple rear third, the middle third brilliantly purple and the forward third golden yellow; the female is a similar yellow overail. The rear of the dorsal fin of the male has a black dot outlined in yellow and the caudal fin 5 or 6 pale yellow does. Both male and female have a black dot on the lateral line ahead of the gill cover. The female is about 24 lines long, golden color, line ahead of the gill cover. The female is about 24 inches long, golden color, pronounced lateral line and with a faint, not often observed bluish tint on the ventral fin. The suggestion has been given to me that this pair may be P. mbocellater. I lenow only that they are two of the most colorful fresh water tropicals I have ever seen. In rying to maintain this strain would you suggest breeding the brothers and sisters or the parents with the offspring?

Wm. L. Prinche,
Los Angeles, Calif.
A. Yeudid notspecifically mention aimactanding characteristic: We blook or the blooks or the

A. Youand notspectficately mention an ac-tanding characteristic: the block on the belly. If your female has a green blotch she is P. taeniatus. If this blotch is wine-red you have P. kribensis. You mention



P. subocellatus. The female of this P, subocellatus. The Jenual of its species has a very distinct ocellated spot at the rear and of the derial, and the male has a pattern of horizontal stripes in the upper part of the caudal fin, with vertical dorn undermeath. I hope you have been able to tie down the species with these few hints: I would suggest you keep on bro ing the pair you have, as long as you still



Superior Remedies For

JEWEL AQUARIUM CEMENT

is not new!

It's been known and tested for 60 years . . . time enough to prove that it's the truly permanent GLAZING CEMENT.

NON-TOXIC * NON-DRYING SETS instantly so that tank may be filled and used at once.

BUY FROM YOUR PET SHOP

Are table in 1 ib. case—enough for the second make.

NOTE TO STORE OWNERS: We manufacture welded angle iron aquariums built to lost a lifetime. Your inquiries one invited for information about quality tasks for your own livestock. These too are glazed with Jewel's exclusive-formula cement.

* JEWEL AQUARIUM CO., INC. CHICAGO, ILLINO'S 60639

Tropical Fish Hobbyist

AMERICA'S MOST COMPLETE LINE OF AQUARIUM PRODUCTS...



CHECKRITE

INTERNALLY AIR-COOLED MOTOR

OHITE BEARINGS

Aquo-Stock

\$295

SOFTRITE

To control hard water.

Just place the convenient pation in the filter, and water is authened—quickly, completely. Leboratory fields prove if sale, harmless to plants, fish. Completely —chargeable, ran be used over and over again.



ALL MEGATON PUMPS feature sturdy one-piece frame construction . . . have beary duty shafts and bearings for longer wear. All moving parts procision machined to rulimate occurracy and efficiency. Material and workmanship Guaranteed for one-full year. * Insight charges widthin an author of Marcapalitus M. Y. area
A most for the Tropical Pink enthudact!
our 64-page Tropical Pink HANDBOOK CATALOC! Send Sig

AQUARIUM STOCK COMPANY, Inc.

April, 1964

home them. Then take the best of the ters and breed them.

youngsters and breed them.

Snalls—and more snalls.

Q. I have a very important question to ask you and I need an answer fast. I have a 5-gallon tank and several snall fish. I am a tecrager and all I know is from experience and what I have read. I have never had this problem before, so I am writing to you. Last simmer I bought a few fish at a local pet shop. When I got them home I noticed four small brown snalls in the bottom of the container. I have never killed an animal, when I got them hold. I sorted has small brown smalls in the bottom of the container. I have never killed an animal, so I simply put them in with my fish. The next time I counted them there were six; after that there were sinceteen and now there are more snails and eggs than I can count. I don't want to destroy them, but I will if they endanger the lives of my tropicals. They are all very small, but their number worries me. Can you tell me what kind of snails you think I have and how I can get rid of them? Please hurry; there are more and more every day!

Janice Ableman,

Chicago, Ill.

Chicago, III. A. Your plight reminds me of the situation in the classes short story "Pags is Pigs." A railroad station agent got a pair of guinea pigs and warred to charge the person to whom they were addressed the trate for pigs and not household pats because, he argued, "Pags is pigs." The letters kept going back and forth and meantime the gaines pigs bept multiply-ing, devoing the agent to near distraction. To get back to your mails: they are probably pend mails, and they do no harn beyond cheering hales in your plants and cluttering up your tunk with their droppings. You will have to cut then doen at least, Get in the halet of erarbing the ones you see near the merface.

Fish bacteria causing human

Fish bacteria causing human disease?

Q. I was wondering about a matter concerning fish sanitation. The question is about the communicable diseases that a human is able to contract from the handling and breeding of tropical fish. I have experienced a hand infection and the doctor identified the cause of the infection as bacteria which develop in fish aquaritums. I would be very happy if you answered this letter in your column.

David O'Brien, Frederickton, N.B., Canada

A Personalis, I don't think that many of

Frederickton, N.B., Canada A. Personally, I don't think that many of the aquatic bacteria which have an adverse effect on fish life would affect human; or vice versa. Years ago I recall reading about an attendant in the old New York Aquarium who had a skin disorder that cleared up at 10 by nagit after he had immerted his hands in one of the tunks. So the thing could work both ways. To the best of mp humuledge, there has been little done or protum along these lines.



This filler medium is a sectionary sperime from the old. mechanical fitnetion using also west, characol, etc. Chamil-yes in a media formula for use with after difficial or rest sub-water or fresh weter, as a chemical absorption filter, ion generate and exclusion with which constantly leaves paid or parked lacel, without metal invested, where water. Chemi-from REAOVES everyor, metal invested, where on the media green AND metallizes fright and shart assertation of filter. Monotoctored exclusively by: metal lines of the Montage of Special games Acts instruments from and shock mechanism of father. Montage of the Montage of the



Tail splitting.

Q I have a problem. I am sixteen and have been raising Guppies for four years. For the last two, my efforts have been concentrated on the Colorama Guppy. I have been rather successful in isolating deep yellow and black in the tails and bodies of my fish, but when the males reach a decent size, the tails split. The pH of the water is about 7.2 or 7.3, the temperature is held at about 77°, and they get a balanced diet of Tabléte worms, frozen brine shrimp, Dephesia and dry foods, including color foods. There are about 20 adults of about 1-inch body size for males and 14 to 2 inches for females. At this time they are in a 20-gallon aquarium. The problem is not hereditary because the first several generations were not affected. I can think of no other explanation. Please give my

full address as I would be interested in swapping letters and fish with any other interested hobbyist.

Robert B. Hubbard 32 Schuyler Drive, Poughkeepsie, N.Y.

A. Tail sphings in a frequent toobless from

A. Tail splitting is a frequent problem for many hobbyists. I am not a biologist or ichthyologists, but I would like to mention a few of the causes of tail splitting; lack of Vitamin D, high pH, too much inbreading, heredity, lack of calcium and phunphase (causing weakned filaments between rays), and generally poor health due to poor water conditions.

Heavy female.

Q. Although I am relatively new in this fascinating hobby. I enjoy reading "Guppy Corner" very much. It is very

Too Way Yong & Sons

Importers & Exporters of Fancy Tropical Fishes, Wild Birds & Animals

1063, Yio Chu Kang Road Singapore 19

Cable Address "CATFISH" SINGAPORE

Please Mention T. F. H. When Writing to Advertisers

HEST PRIZE WINNER AT THE INTERNATIONAL 1960 GUPPY SHOW

THE BRONZE DELIGHT

After near than 20 years of baseding exhibition groupes, six interiors are introduced to increase dishlemant. — the Secretar Distalls with its near with last baseds two libror does not fine hybrid at action and away passine. You may thouse from Greek, Lanpard, Silve, Yeris-garde of Silve, person mile. 154 per partir, (15.00 octors for 17/4).

HARTUNG CUPPY SPECIALIS

Chief prigo-winning verified one your thinks of Sec. Silve, Silve, 2004, Dark bios, Viningolds—

CIMARANTEO List. Althory Vining 31 on paint Security Commission and Viningolds—

CIMARANTEO List. (Westheware 3), No. V.— VII. 2023. "employ with the West-Matthield,"

1.34 old 155 (Westheware 3), No. V.— VII. 2023." "employ with the West-Matthield,"

52

informative. Here is my problem: I have an exceptionally "heavy" female Guppy in a clean 6-gallon aquarium with ample floating plants and eight to nine hours of light every day. The oily trouble is she has yet to spawn although she has been in this condition and environment for over two weeks! Any information and directions will be appreciated. appreciated.

Ranche Cordova, Calif.

A. I hope that by the time you read this
assure the female will have had babies. an inege time will have had babtet. If not, there are many reasons why such a time could happen. Some of them are that the female is too fat, or has a disease like dropps. Food for Guppiet is not supposed to contain more than 3% to 4% fat, and at 1 do not know that you feel I am unable to tell you if this is the case.

Salts From

The Seven Seas

By Alfred A. Schultz

a am unable to tell you if this is the case.

Bottomsword Veiltail.

Q. For a long time I have wanted to create a Swordtail Guppy with a veil tail. I found that the biggest problem was to get the female Swordtail Guppy to become pregnant after being expected to a male Veiltail Guppy. I had hoped for a Veiltail with a bottom sword. At last the fish have spanned and I have a few questions you could help me with.

1. Are albinos born west mind the case.

1. Are albinos born with pink eyes? Eight of these fish are pure white.

2. About when should I sex them?

3. Will they change shape as they

ature?
4. I will have to inbrend for a long me. Will this hurt the fisher beauti.)
Phil Carney, Ir.,
Drexel Hill, Pa.

A. I have seen fith at you describe for quite some years in different shows on the East Coast, but the extension was always on the top and not on the bottom. 1. All true albinos are born with pinh

eyes.

2. If I sex fish I do it before the Guppy

is 6 treeks old.

3. The fish will change slightly until he is about 6 to 7 months old, then he will show his permanent characteristics.

4. I do not recommend inhereding for too many generations. Personally I do not inbreed at all.

"OCEAN-ML"

REASONABLY PRICED Scientifically developed specifically for keeping marine flah healthy and lively in your equarityms.

or information, send stamped, self-ad tressed envelope to:

MEI LAN - Home of the Pocific Marin Fish & Super Remedy (the ONLY remed for marine fish)

6625 FOOTHILL BOULEVARD OAKLAND 5, CALIFORNIA



53

April. 1964

Tropical Fish Hobbyist

Where Can I Learn The Secrets of COMMERCIAL BREEDING?

A. If you mean the real lowdown from the men who have made millions in this booming field, the answer is A made millions in this booming field, the answer is ALL-PETS, the business magazine for professional breeders. Every month, the pages of this unique magazine are chock full of money-making tips from outstanding authorities like: Axelrod, Schultz, and Vorderwinkler on fish; Bates, Busenbark and Levi on birds; Whitney, Horswell and Judy and oggs, Ramsdale, Wolfgang and Bean on cats; and a host of other experts on all the other livestock you can breed for profit!

How Do I Subscribe to ALL-PETS?

A ALL-PETS is strictly business. If you have just a casual interest in breeding, it really is not for you, but if you are the kind of person who sees the real potential in this growing field, then fill out the following and mail to ALL-

growing field, then fill out the following and mail to ALL-PETS along with your check or money order. P.S. If you are going to subscribe, you can get a copy of the 1964 All-Pets Livestock Directory, an invaluable reference, free, just by checking the appropriate box below. This direc-tory will be published in the fall.

ALL-PETS MAGAZINE, INC. 245 Cornelison Avenue Jersey City 2, New Jersey Gentlemen:

One year - \$5.00 Canada & Mexico - \$6.50 Foreign - \$9.00 Sample Copy - 50 Cents

NAME		
ADDRESS		
CITY	STATE	ZIR CODE

Q. I have several questions I would appreciate getting answers to.

1. I lost a Moorish Idod due to constipation. He was in a freshly set up tank and ate well for three days. What can be done for this?

2. Are there any Clowns or other common marine tropicals that are poisoned by copper in the tank? I use the prescribed 3 peanies for 20 gallons. I have lost several fish in freshly set up tarks that are and them after a couple of weeks died, with symptoms of potoning. There was no apparent disease.

3. What is the purpose of activated carbon in salt water tanks, and how can it be reactivated? it be reactivated? 4 FREE TICKETS TO 1964
N. Y. WORLD'S FAIR
WITH EVERY 100-LB.
ORDER FOR
"NEPTUNE SALTS"

Jobbest Deglers! "Negtune Salts." 10th Assistancy gill. 4 free tickets with every 100.1b. ander. 20 lickets with every 500-lbs. N. V. Wald's Foll. April 27-Dictaber 15, 1924. Bing the family far the vocation of your lives!

4. How much metal contact cut salt water fishes stand? For example, if a ring or other metal object were in-mersed once in a 20-gallon tank, would that be enough to cause poisoning of all the fish in that tank?

that the fish in that tank?

5. Can some tropicals endure more metal in the water than others?

6. How long (in days) is the potassium permanganite solution, used for sterilization of sait water fish, good? It gets cloudy after a day or two. This solution is discussed in the revised edition of the Sait Water Aquarium Fish book by Axelrod and Vorderwinkler.

Ed. Blanchard,

St. Petersburg, Fla.

Ed. Blanchard, St. Petersburg, Fla.

A. 1. The Moorish Idol is a problem fish in any case; they become itch and die very easily and are iddon turnl.

2. Too much copper in the vater can kill any fish. 3 pennies it OK. Your fish may have been diseased before you bought them.

"NEPTLINE SALTS" KEEP SALT WATER FISH ALIVE FOR YEARS & YEARS!



The richer with end of the richer with the richer, we there with the richer with the richer, we there with the richer with the



3. Same as in fresh water, to free the water of chimicals resulting from animal wastes. It can be partly reactioused by washing thoroughly and drying in an oven at low temperature.

4. Momentary immersion in the tank of a ring would certainly not release enough poisen to do any harm.

5. Lethal doses are just about the same for all species.

5. Lethal doses are just about the same for all species.
6. Three days.
Q. My father who would like to start a salt water aquarium has only one prob-lem. He had talked to someone about this and this person said that he would be able to feed them only live food such as brine shrimp. So I would like to ask you if there are any other kinds of food he can feed them. He says that it would be a very difficult thing to provide live. be a very difficult thing to provide live shrimp for them every day

Jim Puff, Ft. Wayne, Ind.

n. Most marine species will accept frozen brine thrimp as well as the liwing brimp. Try feeding them on this every other day and on the off days you can give them beef heart or chapped pieces of raw shrimp. You must be careful not to overfeed; siphon out all uneates food when the fish have finished.

out a filter?

Can these Dwarfs be kept safely very small Puffers? Starfish?

Have squids ever been kept successfully in marine aquaria?
 James Morton,
 Pescagoula, Miss.







CORAL REEF EXHIBITS

GUARANTEE YOUR SUCCESS IN THE SALT WATER HOBBY use .

RILA MARINE MIX



Contains the 19 mojor trace elements of natural sea water. Economical and easy to use. A 100%, themical formulation guaranteeing uniformity and purity. The ideal media for morine fish, sea horses, and marine invertebrates from all the occess of the world.

Write today for complete Fraduct Information, price list, and free Solt Water Care & Maintenance Bulletin.

RILA PRODUCTS . P.O. BOX 114 . TEANECK, N. J.

Tropical Fish Hobbyist

Meet the Hobbyist: Reverend Donald Weltmer

BY EDWIN E. ROSENBLUM

Fish were a staple item of diet for the early Christians who dwelled along the margins of the Mediterranean Sea. Fish, fishing, and fishermen were basic to their existence, and the early Christians could closely identify with these subjects. It is not difficult to understand, therefore, their adoption of a simplydrawn picture of a fish as the symbol of Jesus, a symbolism particularly appropriate because the five Greek letters spelling out the word "fish" (IXOUS) were considered an acronym (a word made up of the first letters

of other words) of the expression, Jesus Christ, God's Son, Savior.

Consequently, it is not surprising that a clergyman—a student of the Bible and biblical times—should show a high degree of interest in fishes. But with Rev. Donald Weltmer of New Castle, Pa., this interest began in his boyhood days when his entire ichthyological collection consisted of a single Goldfish anys which his clute reintrylonged collection consisted of a single Goldish bowl and its lone inhabitant, a "pop-eyed" Goldish named "Goldie." Rev. Weltmer developed a great affection for Goldie, who, he thought, rubbed her nose against the side of the bowl just to see her young master. The tragedy of Goldie's sudden demise, when she ended up on the living room rug covered with nap and fuzz, saddened but did not discourage the budding hobbyist.

As time passed, Don Weltmer discovered and became fascinated with the exotic beauty of tropical fish, and soon several tanks graced the Weltmer

Today, Rev. Weltmer finds breeding his fishes and maintaining his tanks a sorely needed diversion and relaxation; even just sitting and musing in front of his aquariums where he can absorb the tranquility radiated from his own piscatorial world in miniature, especially after a long and busy Sunday,


offers a restful quiet few other hobbies can equal.

Rev. Weltmer approaches his hobby in a scientific manner: he maintains charts of the fishes he has kept and those presently in his keeping, the types of food these fishes are fed, and the kinds of aquatic plants available in his area. He also strongly recommends memorizing and utilizing the fishes' scientific names, for not only does this simplify communication among aquarists, breeders, dealers, scientists, and others, but it also lends an aura

of precision and knowledge to the hobby.

Combining his interest in the Scriptures with his interest in fishes, Rev.

Weltmer has found that the word "fish" is mentioned 35 times in the Old Testament and 27 times in the New Testament (King James). He has also learned that in Biblical times fish were caught by angling, spearing, and



April, 1964



Rev. Don Weltmer points out some of the fishes in one of his meticulously clean tanks Photo by Foor's Studios.

netting. Great quantities of fish were transported from the Mediterranean, 30 miles away, and the Sea of Galilee, 70 miles away, to the Fish Gate in Jerusalem where they were sold.

Rev. Weltmer also enjoys photographing his fishes, a skill that he modestly claims has much room for improvement. He has recently become what is known in the stamp hobby as a topical collector by collecting stamps depicting fishes.

His wife, Marie, and their little girl, Lenore, and even their beagle, Abygail, His wife, Marie, and their little girl, Lenore, and even their beagie, Adygail, share Rev. Weltmer's regard for tropical fish, but there is some suspicion that Tony, their cat, has more than a hobbyist's interest.

Rev. Weltmer would like to hear from other hobbyists regarding their experiences. His address: R.F.D. # 3, New Castle, Pennsylvania.

April. 1964

The Purple-Striped Gudgeon

Continued from Page 26

My first pair came to me in not exactly an everyday manner. They were in a store window and had spawned on a piece of petrified wood. I was particularly interested in the elliptical shape of the eggs and was given these as well. The water in which the spawning occurred was pH 7.0, DH 4—5, temperature 75° F. The eggs, when loosened from their fastening, were transferred to an all-glass tank which was overgrown with algae and had a clean bottom. Water measured 6.9, DH 14 and 75° F. in temperature. An airstone ran vieorously and constantly aristed the eggs in the water. The airstone ran vigorously and constantly agitated the eggs in the water. The

NEW! NOW THERE ARE TWO MODELS OF

WISA WORLD'S AIR PUMP!

Built to combine lower price with genuine WISA Construction. Smaller in size than the famous Model 300, the new Model 200 has approximately 35 of the Model 300's capacity, uses only 4 wattal Same TOTAL SILENCE! NO MAINTENANCE! WRITTEN, REGISTERED 1 YEAR FULL GUAR-ANTEE by Scattergood Filters Co. SERVICE KIT available.



NEW MODEL 200



WISA WORLD'S AIR PUMP!

"Purchased MISA & years ago instelled by operating 25 hour a day service since filters 24 hours delig with no spetember 1939. Superb T.S., West Ising, L.I., N.Y. etc. on the many A.B.M. Cambrid Heights, N.Y. A.B.M. Cambrid Heights, N.Y.

"You may use my endorsement of the WISA any time you like. I have found it to be the best bump I have ever tested. It is far subtrior to all other pumps."

R.P.L. Straughan. Coconut Grove, Florida

MODEL 300

REPARATION OF THE PROPRIES OF THE STANDARD OF THE S

See our camplete line at quality dealers everywhere. If there is no Scattergood dealer near you, write for free catalog and booklet "Getting the Most Out of Your Filter,"

Scattergood Filters Co.

extreme differences in water chemistry did not bother the eggs in any way,

and about 90%, hatched on the 9th day.

The growth of the first is very even. After 24 hours they begin to swim in the middle regions of the water. Here they hunt for their first loost, nouphit and rotifers. When they approach \(\frac{1}{2} \) inch in length they also also food from the bottom. When first hatched the firy are about 6 mm in length, almost totally transparent and very thin.

When they had become about 1½ inches long, I gave some of the youngsters to "interested" friends. Two of these friends live nearby, giving me a chance to observe the progress they were making. In both cases they got equally large tanks (150 liters). Water was similar, but the basic feeding was different. After about one year the heavily fed fish were 5½ inches and had spawned, while the others were only half that size and showed no egg development. A comparison of these cases shows that both the size of tank and the food given are important for good growth.

Mogurnda mogurnda mogurnda spawns like Cichlids at 75° F., using stones, large plant leaves, or the glass tank sides on which to deposit eggs. The male takes over all brood care duties. He remains constantly over the eggs and fans them with fresh water, causing them to sway rhythmically, being fastened by a tiny bit of the eggshell. If the spawning takes place in a small tank the female should be taken out. My fish always spawned about 8 P.M. under bright fluorescent lighting. The entire procedure lasted 1½ hours.

Before spawning, the pair slides over the spawning site, their bodies

pressed closely together, in this way cleaning off algae and impurities. Suddenly the male dashes away and then turns around to remain dancing about 6 inches from the female, who presses her ovipositor against the spawning site and releases about 30 eggs. These are round and about 2 mm in diameter, later taking on their elliptical shape. When this is done she bends her body in a semicircular fashion toward the male, who runs his sperm tube over the eggs and fertilizes them. There is a pause of about 5 minutes between each mating, and then the entire procedure is repeated. After the female has become about two-thirds depleted the male begins to take care of the eggs and the female is driven away. The spawning urge must be very strong, however, because she finds her way back again to the spawning site and lays more eggs. When she does, the male leaves the eggs he is guarding and remains at an angle to the female with his fins folded. Otherwise the fins of both sexes are spread to the utmost. In all my spawnings the females were depleted when they had laid about 350 eggs.

Sex differences cannot be recognized with 100% accuracy when the fish

are not spawning. Observations of my own fish showed very little if any differences in body shape, color, and fin shape. Only at spawning time can one see the difference in the spawning tubes: the male's is pointed, and the