

GARDEN POOLS by Paul Stetson. \$1.00 from your dealer or direct from TFH.

from TFH.

In his excellent book Garden Pools, author Paul Stetson leach the reader through the intricacles of setting up both formal and informal garden pools, describes the most popular and heautiful of the many colorful water lilies that can be grown in garden pools, and lists some of the other animals and plants that can be given homes in water gardens Apart from the information given on general good water gardening practice, author Stetson gives many helpful suggestions and answers some of the most practical questions that would be of interest to anyone contemplating livening up the landscape of his home with a garden pond. For example, the book has a complete section devoted to ordering fishes and plants.

Besides being a valuable guide to water gardening assi it is concerned with water lilies and other plants commonly associated with garden pools, this book is also valuable for its treatment of Goldfish and the new hybrid Carp developed by Japanese breeders, Koi. There are sections on feeding and breeding Goldfish.

Other topics covered in the book individual to the content of the pools of the plants the covered of the book has a complete and the plants.

fish. Other topics covered in the book include: the construction and eare of garden pools, planting and eare of water lilies, and summer eare and maintenance of the pool.

TROPICALFISH

Mike Reed, Editor

Dr. Leonard P. Schultz, Advisory Editor Dr. Aeron Axelrod, Business Manager

Ronald Crenshaw, Art Director Tony Liquari, Art Assistant

Contents	ansen da
Val. XIV, May, 1966 (# 123) No. 9
Sreeding the Botto	- 4
Aphyocemion cienaecomeum	11
My Summer at Gulf Fish Farms	- 19
More Species of Appropriate	33
Callecting Fishes in Darkest Afric	31
How to Become an inhthyologist.	
Part 2	A7
Pelmorochromis tribensis	.73
PEATURES Meil Cell. p. 57; Guppy Corne Soits From The Seven Sects p. 7 COVER	p. 48.
The crew of fish-rain had and each mouth has seen a factor and the case of the	e let al times du mines du mines du mines du more and bel more and circulty annual en payment de pa

EDITORIALLY ...

How much do we <u>actually</u> know about some of our most com-mon livebearers? Many reams of paper have been covered with the habits, genetics, requirements, and just about everything there is to be said about our ubiquitous guppy. Every body has at some time or another had the thrill of finding bab-ies where a short time back there was just a heavy female. Everybody who has kept gupples, or any other livebearers for that matter, has watched the thrust of the male's gonopodium toward the female in their lightning-fast copulative act. But if you want to start a hot argument some time, try to get some experienced guppy men to agree on how a female is actually fertilized. Does the male insert the gonopodium, does he just touch the female with it, or does he merely release the sperm cells near her? If the sperm cells are released outside of the female's body, does she have the power to somehow "pull" them in? High-speed photography should help analyze this action. What strikes me as strange is that a fish which has been known for over a hundred years and has been kept by so been known for over a numered years and has been kept by so many millions of people all over the world still has something about it which is not exactly known, something which has not been accurately and scientifically tabulated. The average reaction would be "Who cares?" But scientists are not average people; you can't just tell a scientist a thing is so. He wants to know why it is se and how it happens. When he finds these out he wants to know if they are always so, and if another. out, he wants to know if they are always so, and if another set of conditions causes things to be different.


William Vorderwriken

May, 1966

Is the fact that TetraMin is made by the world's largest tropical fish food manufacturer good enough reason for you to buy it?



Breeding the Betta



BY CHARLES PETERS

Much has been written and said on the subject of raising Bettas, but it has always seemed to me that essential details have been left out. In the following article, I have set down all the requirements in detail so that any hobbyist with the slightest experience can achieve some success in raising Bettas.

The following items are required:

a. (1) five-gailon aquarium (a larger tank would be even better).
 b. (1) 25 watt heater-thermostat combination.

c. (1) aquarium cover, perferably glass or clear plastic, with a small hole cut in corner for the thermostat. It is necessary that this cover fit fairly

d. Water at least two weeks old, preferably taken from an established tank.

May. 1966 e. Plants, I use Water Sprite floating and also bunched and weighted to

THE THINKING MAN'S FILTER ... THE A MIRACLE HIPOWER FILTER



in the back than model and has op-tockouts for stems



with your thumb and the disc easily breaks off to ac-commodate a Miraelo Hi-Power stem assembly.



ublies in stem assemblies in one f us this kit centains only filter stems, one for









The normal approach is a filter stem in each filter at opposite corners so the stems "hide" in the corners of the



a 8 Luch jo

*Patent Pending in the USA, Canada, England, Germany, Hong Kong and Japan. MIRACLE PLASTICS CORP. CHANGE BRIDGE RD., PINE BROOK, N. J.

stay down with non-corroding weight (if using a bare tank). f. A vigorous male from seven months to one year old. (Sometimes, males that are younger are mature enough to perform the spawning

ritual, but they are very rarely able to fertilize the eggs properly, and most of them will fungus.)

g. A female of approximately the same age. (The white spot on the stomach of the female is no true indication of breeding capacity, for it sometimes appears in females three or four months old.) The best way to select a female is to find one that has good color, whose fins are spread, and who is heavy-bodied. Also, her color should match the male's somewhat, at least in fin color.

Male and female should be fed well for about two weeks prior to spawning. Maie and remaie should be ted well for about two weeks prior to spawning. I feed dry food, shredded shrimp, (canned, washed and drained) white worms, liver and frozen brine shrimp and Tubifex. A word of caution: Feed white worms and brine shrimp no more than once a week.

Bettas cat brine shrimp ravenously and, although it is an excellent food, it should not be the exclusive item of diet. Bettas can be successfully spawned on a diet of dry food, shredded fish (frozen) and brine shrimp.

After the fish are well prepared and the tank has been set up two weeks with the plants, I introduce the male at about 72° to 74°. It is not necessary that he build a bubble nest before introducing the female, but a change of water usually brings about nest-building activity.

The female should be isolated in a quart jar; the jar is then floated in the aquarium with the male overnight. The next morning, the female is released into the tank and the temperature is raised to 78°. Now the reason for the heavy bunch of Water Sprite will become apparent. It is for the female to hide in when she is chased by the male. The male will chase, bite, and tear the fins of the female, but do not be too quick to remove her if she has a place to hide. Cutting down on light intensity will help protect her, and I sometimes place a few layers of newspaper, trimmed to fit close, over the tank to help conceal her.

During the spawning process, the male will embrace the female under the nest, and at each embrace a number of eggs will be released to sink slowly towards the bottom of the tank. The male, upon recovering from the torpor induced by the mating, retrieves the eggs and blows them into the nest. In this the female is definitely a hindrance, for she is just as determined to eat the eggs as the male is to save them. However, she recovers from the excitement of spawning less quickly than the male, so her egg-eating activity is kept to a minimum during the periods of egg release and recuperation.

When the egg production is finally completed, the male will chase the

Tropical Fish Hobbyist

female away from the nest, and it is time to remove her. This should be done without too much disturbance. If your cover fits closely enough, the humidity of the air between the cover and the water surface will be very high. This will be indicated by moisture which collects on the underside of the cover glass. The minute the cover is removed, some cooler, drier air will rush in as the warm moist air moves up. This will cause the bubbles to pop and will cause the nest to deteriorate. I take a leaf of Dwarf Lily or large Water Sprite leaf and gently lay it over the nest. This covers the bubbles and eggs, and you can work with the top off a lot better. Also, when you attempt to catch the female, it will help to prevent the nest from being broken up.

After the female has been removed, the male should be allowed to calm

down for a few hours and then fed something tempting in the way of live food. This should be placed close to, but not on, the nest. A well fed male does not have the tendency to eat the fry when they become free-swimming.

If the eggs are fertile, they will hatch (at a temperature of 78°) between 20 and 36 hours after they are laid. When they begin to hatch and uncurl is the time when the male is the busiest. I make it a point to leave the light on over the tank continuously for the first two weeks after spawning.

A view from below of the completed spawning embrace. The male will now turn the female on her back. Photo by Hansen.



May. 1966



Same eggs fall away from the spawning pair. In the embraced pesision, the genital openings of the fab are so close that there is little chance that a healthy male will fail to fartilize strikedly all the female's eggs. Photo by Hosson.

Twenty-four to thirty hours after hatching, most of the fry are freeswimming, or horizontal in the water and scattered in the tank. Removal of the male is mandatory just prior to this free-swimming stage; if left with the fry, he will cat them.

Removing the male is more difficult than removing the female. The female is usually in the fathest corner away from the nest and so is caught rather easily with a small net. The male is usually under or near the nest. I use the Betta's natural curiosity and pugnacity to lure him away from the nest and catch him. I put the tip of my finger into the tank, about two inches from the nest. He will spread his fins and move over to repel the intruder. If you slowly move away, he will follow. With a quick thrust of the previously wetted net, scoop him up and return him to other quarters.

The problem of feeding the fry is, of course, the biggest obstacle in raising The projects of recognizing the try is to come the objects of you have an available source of green water, you are indeed fortunate and need not worry about losing too many of the young. If you can raise 50% to 75% you may consider yourself accomplished in raising fry.

When hatched, the young Betta is about 1/6 to 1/2 of an inch long and is mostly eyes. He is incapable of eating anything but the finest dry foods and small infusoria. If you can find green water, it should be strained through a fine mesh net before it is introduced into the aquarium to prevent damsel fly eggs, may fly eggs, and small larvae from being placed in the aquarium. The young Bettas do not feed on the algae spores which make up the green water, but the infusoria in the water does feed upon the green water, and the young Bettas feed upon the infusoria. In the absence of green water, I use the standard egg yolk formula or the new tube foods for egglayers, plus dry foods sprinkled on the surface and infusoria cultured by the usual methods

I have found through close observation that baby Bettas will attempt to eat fine dry food sprinkled on the surface, but they are not strong enough to break through the surface tension film, which usually has a somewhat oily appearance. At the end of the first week, I introduce quarter size Mystery Snails to clear up the excess dry food.


If you are able to maintain a sufficient supply of culture medium, you should be able to start feeding newly hatched brine shrimp in about three weeks. I feed my young Bettas three times daily when they are capable of taking newly hatched brine shrimp. If you can get them to the brine shrimp stage, your biggest problem is over.

While you watch your Bettas for the next few months, you will notice a wide range of sizes. Do not be too concerned, as eventually most will mature at six to seven months. There will be some that will never grow, and if your Bettas are five months old and not over # of an inch long, you are wasting your time with them.

When my Bettas are about five weeks old, I introduce mild aeration into the tank in order to break up the scum on the surface and better enable their labyrinth to develop.

Crowding many Bettas into a small area is not really detrimental if you have enough food and aeration. In fact, a large number of Bettas in one tank will prevent any one individual from being picked on, because the bully has so many choices he just moves toward his target without really getting nasty.

I hope some of these suggestions may help you in the feeling of pride that comes of raising Betta fry to maturity. Spawning Betta is not difficult, but raising the spawn to healthy adulthood is an accomplishment.



For killifish fanciers ...

Aphyosemion cinnamomeum

BY JOHANNES FRANZ

In 1962 there was discovered in a spot only 44 miles north of Kumba, in the Cameroons, a new and very colorful species of Aphyosemion, which was named Aphyosemion cinnamomeum. This district is a slightly hilly territory with a very high rainfall. Its average annual temperature is about 78 to 80° F, and variations are very small. Rain falls throughout the year.

Many of our well known Aphyonemion species live here in the dense jungles,

where there are clear brooks, and the decaying foliage gives a brown tint to the water.

As with all the Aphyosemion species, cinnamomeum females are very modestly colored. The body is a simple grayish brown, and the scales have a reticulated pattern, particularly along the lateral line. Except for the colorless pectoral fins, all fins have a greenish tint. On the other hand, the male shows lovely colors. The body is a shiny cinnamon color, and toward the end there are light golden tones and a striking blue to violet which, however, depending on how the light strikes it, can be greenish. The tail is fully rounded and, like the anal fin and the ventral fins, has especially beautiful colors. A glearning blue makes these fins stand out, and besides, they also have a gold edge. The dorsal fin has a cinnamon color and a bright blue to greenish pattern.

Tropical Fish Hobbyist

shrimp Eating this your fish grow healthy Remember the name: San Francisco Frozen Brine Shrimp. It's rich in protein and chock-full of nour-ishing diel values that your lish thrive on Feed it to improve color tones, for healthy activity, for more fertility. Packed in Premium Breeder Quality only. The finest food your fish can oat, the finest you can buy. At pet stores everywhere.



emion eustrule, also has a cinnamen-brown body-color. Photo b

The pectoral fins are different; their color is a reddish gold which continues into the fin base on the body. All this gorgeous array of colors makes a particularly good setting for the emerald-green eyes.


This species seems to have an exceptionally long life-span, and the beautiful colors of the males develop quite late. In the fourth or fifth month the gold edge begins to form in the tail. Gradually the other colors begin to develop, not becoming complete until the fish is almost a year old. Before this time the males cannot be distinguished from the females

Maturity also begins at this time. The females develop their first eggs, and the males try their first spawning activities. These eggs are infertile, however. My fishes' first fertile eggs showed up 8 weeks after this time, 4 remaining clear out of a batch. Of these 4, only a single youngster hatched; the rest died in the shell. This youngster was unable to swim and lived for only a few days. Further batches resulted in only 2 eggs which did not turn white. These developed, and one hatched, but the other died. This youngster had dark flecks of pigment on his head and somewhat lighter ones on his body. Unfortunately this one died after photographing, probably having become damaged in the process. The adult males did not become fully potent until they were 18 months old. From this time on the youngsters developed normally, and

there were few bad eggs.

The general care of Aphyosention species is widely known, and a description can be skipped here. I myself kept them in slightly peary water of 6 DH and a temperature of 72 $^\circ$ F. The addition of salt is not necessary.

BRINE SHRINP SALES CO., NO., Hayward, California MS45



A female Aphyosemion cinnamoneum. Her relatively drub coloration makes her easy to distinguish from the male. Photo by Heinz Quell.

At first the eggs which hatched approximated 30%, but later on 90% of the eggs remained alive. By adding acriflavine to the water an additional 5% could be kept alive, cutting the losses to only 5%. After 10 days at the latest a change of water is beneficial, because acriflavin can cause some premature hatchings, before the yolk sac has been absorbed. The resulting fish are not capable of surviving. At first a daily check and separation of the dead eggs is necessary. After 5 days one can scarcely ever find any more bad eggs and their development can be followed with the naked eye.

In order to eliminate the time-consuming task of separating the eggs, I used the method of storing them dry. The parent fish were left several days in the breeding tank, after which the peat moss with the eggs was taken out, pressed gently, and placed in a glass jar which was covered in such a manner that a small amount of air could get in. They were left here for 1 month.

After this period I inch of water was poured in, and on the next day there were many youngsters which had hatched. They were mostly found near the bottom at first. I separated the fish with their water and then poured aged firsh water on the peat moss once more. On the next day there were just as many fry again. This was repeated for several days, and up to a week later there were a few more fry to be found. After this, there were no mixe.

Raising the fry is not difficult, but the water must be kept clean at all times.

Raising the fry is not difficult, but the water must be kept clean at all times. Newly hatched brine shrimp are taken from the start. In spite of this, growth is not as rapid as with the other *Aphyosemion* species, which probably accounts for their delay in maturing.

May, 1966

At the moment my males are a little under 2 inches in length, and the females a little smaller. I believe that this new Aphyesemion cinnanumeum will be an asset to our aquaria with its beauty, just as has its long-known relation, Aphyesemion calliumon.

Aphyosemion cimamomeum is a fish which lays its eggs on the bottom. Attempts at getting them to spown on top in nylon fibers and fine-leaved aquatic plants were unsuccessful. There were no eggs until the introduction of peat moss offered them the possibility of burying their eggs in the bottom. As soon as this peat moss was introduced the fish were drawn to it as with a magnet, and a short time later matings could be observed. During these the male changed his colors and closely resembled the dark peat moss. Only the sold fine days sleamed in contrast.

gold in edges gleamed in contrast.

With short dashes the male tried to lure the female over the peat moss, first swimming toward her and then toward the peat moss. After a little

An Aphyssemian cinnomensum pair (male at left) dig into the peat mass in which they will spawn, Photo by Heinz Quell.



15

Tropical Fish Hobbyist



Aphyosemion calliurum, one of the most beautiful and popular of the aquarium aphyose mions. Photo by Honson.

hesitation the female followed and then was pushed toward the bottom by the male. He then tried to get alongside of her to wrap his anal and dorsal fins around her. Both curved their bodies in an S-shape and wallowed in the peat moss, almost disappearing. In the next moment the peat moss flew high from a beat of their tails, and the first mating had been completed. In this manner one mating after the other followed until the female's egg supply was depleted, and she left the spot.

Spawning generally takes place in the morning hours. The clear eggs have a sticky thread and are firmly attached to the peat moss fibers. They are irregularly formed at first, but as soon as some water gets between the egg covering and the plasma layer they become round and firm. The egg can then be picked up without causing any damage. A droplet of oil, which is in the egg at the beginning usually breaks up after 24 hours into various-sized globules and begins the cell division. The embryo that develops grows about a third of the way around the yolk-sac after 5 days, and in another 5 days surrounds it completely. The eyes can be seen at this time. The egg covering turns brownish, and a week later the fry is completely developed.

turns brownish, and a week later the fry is completely developed.

Development is not the same in all eggs, but in most cases the fry hatch in 3 weeks. This is how 130 eggs hatched: after 17 days, 1 fish; 19 days, 1 fish; 20 days, 28 fish; 21 days, 16 fish; 22 days, 39 fish; 23 days, 8 fish; 24 days, 6 fish; 25 days, 4 fish; 26 days, 5 fish; 27 days, 9 fish; 28 days, 3 fish; 29 days, 2 fish; 30 days, 33 days, 34 days, 31 days; 1 fish each. In the remaining 4 eggs, the embryos died in the subsequent days.

The newest edition of the classical masterpiece EXOTIC AQUARIUM FISHES With 70 new color photographs

This is the latest edition of the famous Innex book first published in 1935.
Brought up to date by the addition of color photographs of 70 new aguarium fishes, this edition conteins color photos of Libby Bettas, Lypetall Mellies, Lepend Phenics, Peculotrophena, Blue Discuss, and other exelic species not contained in any previous edition of this famous work: with a new forework by the author.

\$3.555 THE LOWEST PRICE EVER

Published by T.F.H., Publications, Inc. 245 Carnelinon Are. Jersay City, N. J.

Nowest edition \$5.95

An authoritative work on life in the silent world

In this absorong account of the ladded history of the world's most diverse ver-tebrates, a distinguished authority offers information on all phases of fish life and information on all phases of fish life and behavior and demonstrates the amazing adaptability of fishes which can exist in varied aquatic surroundings. How fishes move, breathe, produce heat, light, and sound; how they feed and grow; how they associate in schools; how they mi-grate, court, mate, and learn are among the many topics lucidly discussed in Part I, which deals with the daysto-day adult life, Part II is devoted to the early life of fishes, the most critical period of their existence. A chapter on reproduc-tion leads to a review of life histories in marine and freshwater habitats. The living space of fishes are examined in the third and final section. This comprehensive, well-written study of the intricacies of fish life, will be of great value to biologists, students and seneral readers.

general readers.

N. B. Marshall is Senior Principal Scientific Officer in the Fish Section of the British Museum (Natural History).



A 13-year-old hobbyist's dream job . . .

My Summer at Gulf Fish Farms

"Well, how does it feel to be a 13-year-old working man?" This is a question that was asked of me I don't know how many times last summer. My answer? "Just great!"

I spent this past summer working at Gulf Fish Farms. (This was possible because my dad just began working there.) Fresh from the city, I walked into Gulf my first day, and my father tells methat they just shot an alligator outside! Well, this sounded real neat to me. I said, "Wait till my friends up North hear about this; they'll flip!" Well, I almost flipped when I saw the first snake they brought in. A big black snake! It looked about 10 feet long! When I asked one of the field men how long it really was, he said, "Heck, it's only a little 5-foot-long gopher snake. You should see some of the big ones."
You can bet that that cured me; I asked dad if I could work inside, instead of out in the fields. But he insisted that I try every part of the farm operation, and I supposed that included getting attacked by alligators and snakes.

I asked when I was to start work, and my father said, "Just as soon as you

move that butt of yours over to the man with the baseball cap on." The man was Joe Washington, and he had a really thick southern drawl. His first words to me were, "You're late." "I'm sorry," I replied, "but I thought I



84 line drawing \$12.50

THE WORLD PUBLISHING COMPANY Cleveland, Ohio 44162

Tropical Fish Hobbyist

GOOD NEWS FOR GARDEN POOL OWNERS

Just Out ...

THE ONLY UNIT THAT **BOTH FILTERS and CIRCULATES WATER IN GARDEN POOLS!**

> New Combination Filter and Pump Keeps Garden Pools Clean and Fresh!

SPECIFICATIONS

EUGENE G. DANNER MFG. INC.

May, 1966

was on time; it's only 8:00 a.m." Joe then informed me that the working day started at 7:00 a.m. "When does the day end?" I asked meekly. "When the work is done," he replied.

For the rest of the day, I just watched Joe as he drove the scooter he uses to get around the farm. When I remembered my father telling me that you only have to be 14 years old to drive a motorcycle or scooter in Florida, I figured I'd add a year to my age real quick and start asking Joe some questions on how to drive. He told me not to ask questions, "Just drive boy. Don't you know anything about cars or cycles?" I explained that up North you had to be 17 just to get your permit. "How can they deprive those northern kids of getting around like that?" he asked.

When I got home that night, my mother was shook up to hear that I had driven the scooter all afternoon. She was even more upset when I said that when I turned 14 I was going to buy myself a Honda! She informed me that I was lucky if I even got my license by the time I was 17. Well, I figured, to much for that! so much for that!


My second day of work started at 6:00 a.m. That's the time my father dragged me out of bed. When I got to the farm, I began to learn quickly. Joe's job was to trap and grade fish. I sat on the side of the scooter as we went from one pool to another. I watched Joe bait, set, and pull the traps in. By 10:00 a.m., I was starved I asked Joe how much longer it would be to lunch, and he said, "Only another 2\frac{1}{2} hours."

I soon suggested that we go back to the main office for a snack, but Joe

insisted that his job "wasn't going back to the office every hour for tea."

He then explained to me that the fish we had trapped had to go back to the packing room, and that I could drive them back while he stayed on to trap more. He laughed as he said that the packing room was right next to the office, and I could have my snack. But first he wanted me to lift the last trap from the pool and bring it to him. My tight pants prevented me from easy movement, and my sneakers didn't provide much protection from the water and the mud at the edge of the pool. After making every possible mistake and sinking in up to my knees, I finally reached the trap and lifted it out of the pool to the accompaniment of Joe's good-natured laughter, laughter that I was to hear throughout the remainder of my learning period. (Of course he did something other than laugh the time I started the secoter with a jerk and pulled out right from under him, dropping him into the dirt!)

One day, Dave, one of the other men on the field crew, offered to teach me how to feed the fish. He took a big tub full of a snowy-white food of some kind and loaded it into the scooter. I tried to lift the tub, but as soon as I made a motion for it, Dave said, "Good luck." He was right. It was so heavy that I couldn't budge it. Well, we went down the first row of pools; I drove while Dave threw in the food. As we got further out into the fields, we switched. Dave drove, and I was to feed the fish. My first throw came right



back at me, and I was covered with fish food from head to toe. I then told Dave I would drive the rest of the way because I didn't think my mother would appreciate me coming home as white as a ghost.

Both Joe and Dave were good teachers; I soon knew how to sex and identify

Both Joe and Dave were good teachers; I soon knew how to sex and identify the various livebearers that are raised on the farm. I also learned the location and contents of the I,017 different pools. I was quite proud of myself when the time came for me to move on to the next department. I was already trapping and grading fish on my own, with Joe, of course, giving them the final check before I brought them into the packing room.

Well, I had learned all about the field men and their jobs, and my next stop was "The Plant Room." I was introduced first to Heiko Bleher, a 21-

Well, I had learned all about the field men and their jobs, and my next stop was "The Plant Room." I was introduced first to Heiko Bleher, a 21year-old Brazilian who had recently come to the United States and was a tropical plant expert. The second man was Sonny Marine, a short fellow with shoulders as wide as a door. He was part Indian and had spent many

Each pool on the farm has a marker stick on which is printed the kind of fish growing or being stored in it. This pool contains Yucatan mallies.



2

Tropical Fish Hobbyist

summers living with the Seminole Indians. The third man was Bob Porter, a quiet kind of a guy who was also a commercial artist.

There was an awful lot to learn in this department, so I got right down

There was an awful lot to learn in this department, so I got right down to business. When I met Heiko, he was planting a vat of Amazon swords. So, naturally, my first job was to help him complete the planting. He had to pick out some fish breeders to set up that night, and he told me to finish the planting of the swords. It was my first job here, and on it I made my first mistake. (I don't waste much time.)

Oh, don't worry, I planted them, but I planted them in the wrong way. I just made a hole with my finger and stuck the swords in. That's what it looked like Heiko was doing, so I did it also. The next day, when they put the water in the vat, all the plants came floating to the top. Heiko laughed and said that I hadn't planted them deep enough. So there I was, emptying out a whole vat of almost 1,000 plants! I had to take out the plants, tamp down the dirt that I had disturbed, and replant the plants all over again. Believe me, it isn't easy to do all that, spacing all the plants evenly and planting them deep enough.

It took me 4 hours to complete that job. After I was finished, Heiko took

Please Mention T. F. H. When Writing to Advertisers

FISHERIES BIOLOGIST / LIMNOLOGIST

We are seeking a staff for a new laboratory to be established near Sarasota, Florida for research on the production of aquarium fishes in outdoor pools. Projects include water analyses for algal, chemical and gaseous contents and their relationship to fish production; the development of disease-resistant strains of livebearing tropical fishes; an evaluation of production techniques; etc. All research work can be published. Salaries from \$5200 to \$6000, p.a.

Send resume to Mr. Bernard Duke GULF FISH FARMS Box 817, Palmetto, Florida

May, 1966

me around to all the vats in the building, telling me the names of the plants in English first, then in Latin. He told me that there were three types of aquatic plants. The rooted plants, the floating plants, and the cutting plants.

Then came my second mistake. Heiko told me to take a vat of banana plants and cut them down because the leaves were all rotting. He said by cutting them down they would grow new leaves which would be better than what they now had. Well I cut them. Yup, you guessed it. They all died. After Heiko got through with me on that mistake, you can imagine how I felt.

Each morning we got the plant orders at 7:30 a.m. I learned to go into the office and copy down the customers' plant orders and take them into the plant room, where I taped them to a bin in which the plants were kept until they would be shipped. We would look at each order, filling them one at a time. For instance, if a customer ordered 25 anacharis, 50 cabomba, and 150 banana plants, we would go to the vat which held anacharis and count out 25, plus 2 or 3 for a bonus in case a plant or two died during shipment. Then we would move on to the next types of plants and count them out.

I then had to learn how to pack the plants for shipment. Heiko showed me how to wrap them. You samply take a sheet of newspaper, wet it thoroughly, and wrap the plants in it. Then take another sheet of newspaper, this time dry, and wrap the plants and wet paper in the dry sheet. This keeps the moisture in the olants.

The next thing I learned was how to take down the brine shrimp. Brine shrimp was fed to all the fish in the room once a day. The brine shrimp came in as eggs. We put the eggs in salt water and acrated them. In about 24 hours we'd have babybrine shrimp. Butyou have to take the brine shrimp from the hatching tank and put them into a bucket from which you will feed. The way you do it is to syphon out the water with a hose. Nobody but me would have been dumb enough to believe somebody who said to take a long drag to start the siphoning action. So I took such a long drag that I swallowed enough salt water and brine shrimp to choke a horse.

Well, the next thing they tried to teach me was to sex egglayers. They started off with an easy fish, the black ruby barb. They told me first that the male of any kind of fish is more colorful than the female. But that didn't help me much. I still made mistakes. Sonny had to pick out his breeders, so he gave me the net and said, "Here, you pick out the breeders, and I'll watch." After three pairs I was batting zero. I had picked out two males and two females, but then there was a serpae in with the barbs, and I took it for a female barb. So I had a male scrpae and a male barb as a pair. Sonny then told me that the females were much heavier than the males. That helped! Soon I caught on and raised my batting average. I picked out 26 pairs of black ruby barbs that afternoon, and they were now ready for breeding tanks.

I watched Sonny fill the breeding tanks with a special kind of water. I asked what kind of water it was, and he said that it was acid water, which is

May, 1966 the plant orders. Also, at the end of the day, I was to check to see that all well with the fish in the room.

I was amazed when I saw Sonny put some breeders in a tank and they had spawaed the next day. So I tried. Sonny said I should start off with the easiest fish to spawn. The blue gourami, a labyrinth fish. This is a fish that blooms a bubble. blows a bubblenest. When you put the male and female in the breeding tank, if the male is ready to spawn, the first thing he will do is blow a bubblenest. (It is best to have a floating plant for him to blow it on.) When the pair is ready to spawn, the male will wrap his body around the female and squeeze her eggs out. When he is finished with that he will collect all the eggs in his mouth and put them in the bubblenest. As soon as you see they have spawned, it is best to take out the female because she will try to eat the eggs. But the male will protect and care for the eggs and for the babies until ev are free-swimming

I did all this with the blue gourami and was very successful. I had a very i did an tris with nowhere to put them. So I had to split them up into two big spawn with nowhere to put them. So I had to split them up into two tanks, and when they were about a month old, I put them all outside in a pool where they would grow much faster.

When Dr. Herbert Axelrod was talking with my father, my father told When Dr. Herbert Axeirod was talking with my lately any taken him about my breeding. Dr. Axeirod asked me to do some experiments for him. I said to him, "You don't want me, you want an experienced breeder." And his reply was, "That's why I picked you." He asked me to spawn every fish on Gulf's large price list. And some of the fish on Gulf's price list haven't even been spawned before by experts! He wanted the temperature at which each fish would spawn and also the temperature at which the eggs would

hatch. Up to this day, I only have 6 fish finished.

About a week after I started my experiments for Dr. Axelrod, the A.P.P.M.A. Trade Show was in New York. I went to the show with the group representing Gulf Fish Farms. I helped set up the display and talk about Gulf's new plant department to all the customers. Since I had to go to the Trade Show, I had to drop my experiments right in the middle, and

they got all screwed up.

After the trade show, I had about 2 weeks until school started, so I worked

for I week, and took a I-week vacation.

That last week, when I was taking my vacation, Dr. Axelrod came down. I remember that in the past when my father talked about fish with him, I couldn't understand a thing. Now when he talks with dad, I can contribute

couldn't understane a tring. Now what I know and learned on plants and fish this past summer.

This summer helped me a great deal in school, where I wrote a report on breeding the black ruby barb. And I'm sure the background I have now will stay with me and be useful for the rest of my life. Also it is responsible for teaching me how to write professionally, because if it wasn't for this summer at Gulf, I wouldn't be writing this article!

good for breeding fish. Then he was fooling around with this hairy stuff. He thinned it out and then put it into the tank. I also asked what that was, and he said it was spawning grass. The spawning grass is native to Florida, where it hangs from cypress trees. When you dry it out, it turns a black color, and that's when you can use it for spawning fish.

The next morning, I went around with Sonny looking at each tank in the building to check for disease. We found one tank of baby black ruby barbs with ich. Which, as you probably know, looks like very fine salt sprinkled on the fish. Sonny got a little bottle of methylene blue and put some in the tank and told me to watch the tank for a few days. Sure enough the disease cleared

Later that afternoon, Sonny was going around to the tanks and putting water from each in a test tube. Then he added some other blue dye to it. He shook the mixture and it turned green, blue, or yellow. He was taking the pH of the water. That tells if the water is acid or alkaline. The things I learning were starting to get complicated, so I started taking notes about what I had learned each night.

Now that I knew a little bit about what was going on in the department, Sonny gave me some responsibility. Every morning, I was to take care of

Please Mention T.F.H. When Writing to Advertisers



30

Tropical Fish Hobbyist

Think YOU have troubles?

Collecting Fishes in Darkest Africa

BY PIERRE BRICHARD.

Leopoldville, Belgian Congo.

There are places on Earth where it is good to live, where the everyday worries are just routine: what to cook for dinner, or how to deal with a difficult business problem. There are places where people plan their summer vacations and look forward to the good time they will have on New Year's Eve. There are places in the world where looking at the smiling faces of your children doesn't send a cold chill down your spine, where you just plan their future and don't fear that they will be dead or awfully mutilated . . next day . . . next week . . . next year. In most of these places you m cople who may be friendly, indifferent or just unpleasant; but you don't feel that they are a constant, ever-existing menace to your life.

There are many places like that, but there are others too, where life is a continual struggle to keep faith in the future, yours and your children's, to find food, to keep the business going; where there are no more plans, where you have to remain quietly in front of a rifle handled by a madman, not once but today, again next week or next month. Where you hear that in a town only a few hundred miles away the armed forces ran amok and raped, pilfered and killed without any serious reason, where the traffic officer who st will ask your wife questions in front of you which in any civilized country would get him jailed for years. Where you are arrested without knowing why —and there is no reason, just the fun the police officer wants to have at your expense, which is where it usually ends (but not always), with a generous tip he just wanted to have when arresting you. Where the prisoners in the city prison get out and in at will to make some daily burglaries, where sometimes you cannot go to the local letter-box at night without being held up.

There are places like that in Africa; you have heard of them, your television There are places like that in Airica; you make heart of them, your techniques that brought you to them for a hasty visit, but we, we like in the Congo.

The last time I wrote in your magazine (May, '59) about my experiences in collecting fishes for your aquarium seems to be fading in a very remote past. Then everything was peaceful, the people friendly, fishes were sometimes new (even to me), and my worries were the kind to be found in any country. Perhaps it seemed exciting from your armchair, and certainly it was for me as well. Now there is a bit more excitement, a bit too much even after you get used to it. I am not given to a pre-set, patterned life, or I wouldn't have come here. I like the unexpected, even if there is some flavor of danger in it. But to be hindered in the smallest move, to have danger so real that your stomach is

May, 1966

upset, to be unable to determine from which direction it will strike, or when, or if perhaps it will strike your own family, is too much.

You cannot help thinking how good it would be to spend a week's carefree vacation in a desert, with plenty of food and nobody to watch you with a suspicious, cynical grin. How wonderful it would be to forget such worries, ven for only a short while!

If, in the past, you imagined that our fishes had some of the mysterious

thrill of Dark Africa, you might perhaps be interested to know what is behind the crazy Catfish swimming upside-down in your tank. The follow-ing reminiscences of my recent fish-collecting activities will give you an insight into things as they now stand in the Congo. *

The white pencil-like beam of a powerful searchlight wandered on the green tips of the swamp reeds, outlining their irregular wall against the pitchblack water and the night. We stood still, partly hidden among the grass, staring blindly at the army patrol boat in the distance, trying to hear if the humming of her motor was increasing or not. The searchlight turned to another point, and slowly the boat faded in the shadow. We resumed fishing with a minimum of noise and collected a few more Upside-down Catfish, but the fear of danger made us work faster; instead of enjoying these fishing trips as we always did before, we were anxious to be back home. We were deaf to the rhythmic crosking of hundreds of frogs, to the hekkekkek of the waterfowl and the buzzing of myriads of hungry mosquitoes. We were alone, unarmed, without any protection, and it is dangerous to be alone on the nighty Congo River, or anywhere outside of a big city in Congo in Anno Domini 1961.

The car was speeding along the dusty, bumpy, winding road which leads to the rapids of the Congo River. It was a holiday for the kids; they had asked to go fishing with Daddy, they with a line and I with my usual equipment at a spot where, back in 1958, Dr. Axelrod and I had collected fishes. At a curve in the road a few hundred yards from our goal a few members of the local army, helmeted and carrying their rifles in their usual careless fashion, appeared and waved us to a stop.

"Where are you going?" one of them asked, "To Kinsuka."

- "What for ?"
- "To go fishing and meet my fishermen."
- What for?

At the time this article was first submitted, the situation in the Congo was onsiderably worse than it is now. But, even now unrest, cruelty, and iolence are commonplace in many areas.

There is no business for you there. Go back!

"But why? This is an open road, open to civil traffic."

'Not for you!'

"But I have to go to my fishermen and pay some of them! It is their only living, and they need the money,"

"Let them wait. They don't have to work for you Belgians! Go back!" "But again, why?"

"Because it is my will, and I am the boss here!"

So, very few fishes from the rapids, because I cannot go and fish and my people don't fish much any more. For them it is even worse; they are just slaves where it comes to the soldiers. So they go away, out of reach.

My best fisherman came back from three hundred miles away with a


long depressed face and empty fish containers. This is quite unusual with he is always eager to bring back something new and is far from lazy.

'Well, Jean," I said, "what happens? This ought to have been a good spot. The waters are not too high, and the swamp has not been fished for many months. There ought to have been fishes, and you bring nothing? You received sketches of the fishes you could chance to fall upon, you had a letter

The Upside-down Catfish, Synodontis nigriventris, is native to the Congo region. Photo by



42



is also commonly found in the Congo region. Photo by G. J. M

for the local chief of your tribe, so there was no taboo to fear, nor to be killed

by foreign people. What's the matter?"
"Ah, Patron," he answered, "never will I go back in that area. It is not the people. They were all right, friendly and a good help, I got the fishes you wanted, but as soon as I got on the road to find a truck to the nearest railway station there were patrols and more patrols who stopped everybedy to check papers and search everything. We waited for hours in the sun and the fishes

Looking at my half-empty tanks today, I could not help but think about the wonderful new fishes which might be collected in this country if only the situation were a bit more peaceful, if we could travel wherever we wanted without being endangered by a single drunkard. I dreamt about the blood-red Distichodus notospilus only a few hundred miles away, the gorgeous

Tropical Fish Hobbyist

Nothobranchius brieni in the Bukama area in northern Katanga, probably Nonnormania oriental in the Dunania and in Indiana County of the Orange Neon of Boende, the jade-green Neolebiai ansorgei of the lower Congo, the Monodactylus subaction the estuaries and the wonderful Cichlids from Lake Tanganyika, another sleeping volcano. If it were only for routine hardships, such as might be expected in any business when you are on your own, if it meant only a lot of careful planning, a lot of sweat in the sun and mosquito bites at night, it would be fun. Even unexpected floods like we have now with waters the highest they have been since 1888, or dried-our pools such as might happen during the dry season, would be no more than just bad luck. But when you are thwarted at every turn, when you spend money, effort and time, when you expose yourself and all your family just to see everything go wrong because some kind of insanity has undermined a country which you have come to love as your own, this is almost too much. When your best efforts are ruined because you can't get a nylon net with which to equip your fishermen, or wire mesh to make traps, or even a ballpoint pen to write with. When you should find protection against outlaws you find that the worst with. When you should find protection against outlaws you find that the worst outlaws are those whose job is to have the laws obeyed. Everything is as if seen from behind asylum doors and you wonder why you stay and keep going on day after day, month after month without profit. Nobody wants to leave something which he has built with much hardship and love, and there are many others like us who are waiting and working against all odds to keep their business alive for the future, if there will be one. I had the fortune to have an occupation which beauth which perhaps have an occupation which brought much excitement, the kind which perhaps you have dreamed about when you were tired from your hundrum everyday tasks. Like yourselves I love fishes; for me they are a link with the rest of the world which I sometimes dream about. In places like this one, when your works which a sometimes cream about, in piaces like this one, when your worries sometimes overwhelm your straight thinking, it is good to speak about them with friends who have the same interests and who will be able to understand and sympathize with my cagerness to keep going on.

If today I don't feel so well and don't go to look for the clusive Angel Catfish, for fear of troubles, perhaps temorrow when I realize that this lovely Catfish is one of the very few links. I have with the outside world will be

Catfish is one of the very few links I have with the outside world, will I be able to collect my heart first and your Catfish afterwards. When you see him swimming in your rank a little while later, perhaps you will like him better as a peaceful messenger from a toubled Congo and a troubled collector.

EDITOR'S NOTE: The last time I met Pierre Brichard things usere just beginning to boil in Belgian Congo. I remarked that he was probably glad to be away from it.

On the contrary, he told me; this was a very interesting political situation which
he would like to study first-hand. The disappointed, almost heartbroken tone of the above article is ample evidence of the great disappointment he must have felt when he finally returned to the land which he loved.

May, 1966

How to Become an Ichthyologist

Part 2

BY DR. GEORGE S. MYERS Professor of Zoology Stanford University

Boys and girls who are interested in fishes and want to become ichthyologists are often naive, and ask questions which at first glance seem to be silly. For example, a boy recently wrote me to ask a number of questions about why the discus fish (Symphysodon) does this and that. The questions were mostly unanswerable in the form he put them, because we know very little about why most fishes do this or that. I told him that the only way to answer his questions was to ask the discus—that is, to conduct prolonged, careful, experimental work on the behavior of discus. Even then we might not come out with any real answer as to why. But a boy who has the curiosity and the brains to ask such questions is not one to laugh at or have his interest stifled. Most of the great scientists of the world became such because they had the has to the great settlinss of the world occasion such occasion in the production begins and the brains and the curiosity to ask questions that the great scientists of the time were unable to answer—and because they kept their curiosity! It is mostly plain human curiosity as to how and why things happen that is responsible not only for such things as man-made satellities but also for the fact that over half the people who read this article didn't die in infancy, as they probably would have without modern biological, medical, and chemical science. However, the boy or girl who has an abiding curiosity about fishes, and

who wants to become a professional ichthyologist, has a stiff education to get. In my own youth, there were a number of professional scientists of all sorts who had little formal schooling in their specialties. Those days are gone. Even a 4-year college B.A. degree will not get the young scientist very far today. Nor will a master's degree (M.A.), which is obtainable with a year of extra study after the B.A. For any advancement in a scientific profession today, or even to get a first job in most of them, a doctor's degree (Ph.D. or

D.Sc.) is necessary. That means 3 or 4 years at a university after the B.A. To parents wondering how to put a student through 4 years of college, this may seem to be an impossible extra expense, but things are not quite that bad. After the B.A., if the student has made a reasonably good record (a "B" grade average), there is much help for a youngster who wishes to start on graduate work towards a doctor's degree. The majority of graduate students earn most or all of their tuition and living expenses as half-time teaching or laboratory assistants, or obtain fellowships or other types of assistantships at the university. This half-time work prolongs the years of study beyond the minimum of 3 years necessary for a doctorate, usually to 4

^{*}Part 1 of this series appeared last month.

and often to 5 years. Many if not most present-day graduate students marry, and the wife works while her husband finishes his doctorate, thus helping with the family expenses until the man gets his first position. Few science students finish up until they are at least 27 or 28 years old. (It is unfortunate that relatively few of these students, and still fewer of their parents, ever think of the plain fact that the education and professional training they are getting during the approximate 8 years they spend in college and university

costs that institution far more than they themselves ever pay!)

High school preparation for the career of ichthyelogist is important. After 30 years of teaching young ichthyologists I rank the importance of high school

subjects to a future ichthyologist as follows: First and foremost—English. The man who cannot speak and write fluently, who cannot express himself clearly, simply, correctly, and with the utmost precision, is badly handicapped. Over half of the undergraduate students working for the bachelor's degree in our universities today cannot speak or write good, clear, precise English. Many are verbose without being precise or clear. Many spell so poorly that often neither the reader nor they themselves are quite sure what words they are trying to use. It has been found that the student who can express his exact meaning clearly, logically, and briefly is the man who will go farthest, because clarity of thought is closely tied up with clarity and precision in writing and speaking. Take plenty of English courses, including grammar, composition, and literature— for only through reading good writing does one learn how to write. Do not neglect public speaking.

Second—foreign languages. These are the things about which the average American high school student heading for ichthyology or some other science is usually most poorly advised. Do not take Spanish, even though that is probably the most popular language in U.S. high schools today! If you live close to the Mexican border and already know some Spanish, fine! Let it go at that until later, for in most scientific fields other languages are far more important to know (first German, second French, third Russian), and you should be learning at least two of these in high school, or you will regret it later. You will eventually have to proveyour proficiency in at least two foreign languages to get a Ph.D. or Sc.D., and those usually required are (1) German and (2) French. For the average ichthyologist, both of them are still of greater importance than Russian. I strongly advise either German or French (2 years of one of them) in high school. If you can, take 2 years of each! You'll be glad of it later.

[Note on Latin— Few students nowadays take Latin. Why study a dead

language? There is something to that question, but not what most people think. I strongly advise taking I year of Latin, if it is available, in high school. I do not do so because of Latin terminology in science, although that has some importance, but because about half of most scientific writing is based on

50

Latin words. I advise taking a year of Latin primarily because of the great push a knowledge of elementary Latin gives a student in the precision and clarity with which he can express himself in English. A great deal of English is based upon Latin. In the days when Latin was commonly taken by high school students heading for college, most schoolteschers knew some Latin, and it showed up clearly in the preciseness of the English which they taught to their pupils. Relatively few elementary and high school teachers of English today seem to have had any Latin, and it shows up clearly in the English they teach. Take a year of Latin, if you can, and it is best to do so before you take German or French.1

Third—mathematics. Mathematics is basic and essential in all sciences, even biology. Make no mistake about that. Ichthyology is no exception. Many university departments of biology now require a knowledge of mathematics through calculus before you can get a B.A. degree in biology. They also require a great deal of chemistry, and you need all your math for that. Finish calculus in high school if you possibly can. Unless you do, you will be sorry after you enter college.

Fourth-science subjects. Do not waste time on "general science" in high school, if that is offered. Do not waste time on a high school biology course, for as a biology student in college you will get all that later, and better, probably with no lost time in repeating. Biology in high school is not needed by a student headed for college biology. But you must take a "science" (usually) in high school. Take either physics or chemistry. My strong suggestion is physics. It is basic to chemistry, of which, in any event, you will be forced to take a good deal in college. Physics will prepare you in many

ways for chemistry.

Fifth—other subjects. You are offered a good many choices of elective courses in high school, but if you really want to be an ichthyologist you will concentrate on the stiffer high school courses I have already recommended, and carefully avoid easier elective courses that will take up time necessary for the basic courses which you must have. If courses not mentioned above are required in high school, and you have any choice, select from the following, and in the order I suggest: (1) geography, (2) world history or European history in preference to courses solely in American history, (3) weather and climate, which is sometimes given in high school, (4) sociology, (5) woodworking or metalworking ("shop"), which will stand you in good stead in ichthyology, although I don't recommend spending much time on them.

That is a stiff high school program, but if you really want to be an ichthy-ologist, I advise you to stick as close to it as you can. And don't spend too much time on your fishes while in high school or your record will be too poor to enter college! And you never will be an ichthyologist, or any other kind of a scientist.

(To be concluded in a later issue of TFH.)

Tropical Fish Hobbyist



AQUARIUM STOCK COMPANY INC.

Pen-Pals in Hungary

Pen-Pals in Hungary
Q. We would like very much to get in
correspondence with young aquarium
hebbyits in the United States. We can
read and write in English. Do you know
anyone who would be interested in
writing us?

Pongrasz Imre and Roszner András, Budapest, XIV Népstadion út 25.III. I Hungary, Europe ny mamber of our readers ested, 20 I have included

A. Probably any number of our would be interested, so I have i your full addresses above. Good is

Sex changes
Q. 1. You said in the January issue of rirt that a female livebearer which has been transformed into a made is rarely capable of fertilizing a brood. William T. Innes, in a book, stated that while

BREEDER'S BONANZA!

Longlife's Brine Shrimp Eggs by Sanders in 2 sizes





Guaranteed Fantastic Hatch! Longlife's new, improved eggs by famous Sanders. Offering the incomparable nutritious value of live food, ready for hatching, in vacuum packed containers of 4 lbs. 6 cz., and 1 lb. 4 cz. Write for our complete price list, on your letterhead. No order too large!

*LONGLIFE FISH FOOD PRODUCTS

May, 1966

they are carried by the female, baby swordtails are neuter. When they are born, all are females. When they mature, it is possible for a normal female to revert to a male and perform perfectly as such. Such sex reverses are known is various livebearers, as well as in bubblenest builders.

2. Recently I bought a mature pair of pearl gouramis. I have no trouble with



them in the community tank, but I have tried to condition them on small pieces of ground beef, day food, and baby fishes. The only food they will accept is the dry food. Can you suggest a better food on which to condition them.

3. I bought a male paradise fish in a stere that sells tropical fishes. It had long, flowing fins, When I fed it meat a couple of days later, it looked as if it was carrying eggs. Is this normal in a male?

4. I have noticed from time to time that female bettas sometimes have long, flowing fins but retain a body depth like a female betta. Is this normal?

5. Recently it was my good fortune to acquire a nice pair of porthole catfish, Hoplastarnum species. What kind of food is best for them?

Please Mention T. F. H. When Writing to Advertisen

Tired of a Trunkful of Air Pumps That Won't Work? You Buy A WISA

Only Once...It Lasts a Lifetime!



SOLD BY QUALITY DEALERS ... TO DISCRIMINATING CUSTOMERS!



6. Will backswimmers hurt fish? Are they good food for them? Joseph Barry, Ft. Myers Beach, Fla.

Ft. Myers Beach, Fla.

A. I. I hate to cross words with my old friend Dr. Innes, but I would amend something he says. I quote part of a sentence: "... when delivered they are invariably females." I would say that the delivered they invariably appear to be females. Then, when they become mature, the males assume external male characteristics and become functional. Of course, it can happen that a female has a hormored imbalance and begins to take on the apperance of a male. In almost all cases such a fish becomes an apparent, but

not functional, male.

2. They would probably do very well on frazen live food, if you could not get them

frame live food, if you could not get them living foods.

3. Paradise fish are glustom, and it probably enjoyed the meat you were feed ing it to such an extent that its belly seedled with the amount it consumed.

4. If the body depth pariests long after the fish has eaten, it might be a male with denow.

the past reached for the state of the deeps,
5. Have you tried live tubifex worms? They love them.
6. My first experience with a backstwinner was when I twas very young. I caught one in my hard and when I tried to examine it, I get a wasplike sting I will never forget. Maybe they would never do



Please mention T.F.H. when writing to advertisers

this to a fish, but just the same I would

Variety of questions

Q. 1. I have six red devils that are 5 to 6 months old and haven't turned red.

Please Mention T. F. H. When Writing to Advertisers



(WHOLESALE ONLY)

IMPORT DIRECT FROM SOUTH EAST ASIA

TROPICAL FISH AQUARISTS

P. O. Box Goylang 51, Singapore 14
Cable Addiss. "TROPICTISH" 161, 81492

60

NOTICE TO AQUARIUM SUPPLY DEALERS, JOBBERS DISTRIBUTORS



ANNOUNCEMENT

EFFECTIVE immediately the deliveries to aquarium supply dealers, jobbers, distributors of

LIVE BRINE SHRIMP in the United States will be handled under the direction of San Francisco Fish Farms, Inc., 711 Hamilton Ave., Menlo Park, Cal.

Normal delivery schedules will be obs For information, please call or write:

SAN FRANCISCO FISH FARMS, INC.

Telephone: 415-323-2434



If you're not now stocking Live Brine Shirimp, you're missing a good profit maker in fish hobbyist sales. Cut out this announcement for a reminder to ask us about being a Live Brine Shrimp dealer.

61

Tropical Fish Hobbyist

TROPICAL FISH STORES Always The Best Quality

Featuring:

Extra Fancy Guppies by: Inile Para Libby Bellas by the Youngs

WETHERSFIELD, CONN.

67) Siles Denne Highway - Route 9

PROSPECT, CONN.

SPRINGFIELD, MASS.

SHOP PET TOWNE

Please mention T.F.H. when writing to advertisers

Is this normal? At what age do they

s this normal? At what age do they oler up?

2. I am trying to spawn emperor ctras, and after 6 months have only we fry. Can you use a rod trap with the breeders? Or marbles?



A pair of emperor tetros

A pair of empares tetron.

3. Where do hydra come from? How are they controlled?

4. My 55-gallon tank had brown algae forming. I was told, "Not enough light." I gave the tank 10 hours of light instead of its usual 7. Now hair algae has formed on the plants. What can I do to control these pests? Will mollies or Orocinchus eat it?

5. Will vallisneria and sigittaria grow in the same tank? If not, how about if they are planted in separate planters?

they are planted in separate planters?

6. What type of fluorescent tubes are best to use for good plant growth besides Gro-Lux?

North East, Md.
A. I. There is a great amount of vari-

Please Mention T.F.H. When Writing to Advertisers



Aquatic Plants-Grown Indoors in Greenhouse

Superior Quality— torr Pionts, Get our list.

Tropical Fish—We produce them like misnows, by the thousands. We import many rare varieties.

Our large superships of the product of the pro

Our large warehouse is full of aquariums and supplies at bargain

WHOLESALE RETAIL

Color Chart showing 90 fish in color 19" x 28" - \$3.00 Postpaid BELDT'S AQUARIUM, Inc. - Hazelwood 22, Mo. Since 1920

MAKES AUTOMATIC **OUTSIDE FILTERS!**



NO SIPHON TO START! STARTS INSTANTLY! (WHEN AIRLINE IS ATTACHED)

WORKS AT LOW WATER LEVELS! HIGH SPEED UP TO 30 GAL. PER HOUR

SIGNALS WHEN IT NEEDS

Easy-flo OUTSIDE FILTER

HIGH SPEED! WORKS AT LOW WATER LEVELS!



PRODUCTS CO., 4 Bruen St., Newark, N.J.

"WORLD'S FINEST AQUARIUM PRODUCTS"



MINERAL TRACE PLANT FOOD

rful Mineral Trace Elements plants thrive. Compensates squariem deficiencies. Result, full-facility plants that enjoyer aquariem and provide a environment for your fish, not make water alkaline and to excessive alkalinity.





ability in red devils, and some of them never turn red. At the age you claim yours are, they would be red in most cases if they were going to be.

Emperors spawn like the usual tetras
and must be taken out of the breeding tank
after they have faished spanning. I fall
to see what advantage a rod tray or
of marbles would be with this type of

to see what advantage a roa trap or out of marbles seedle be with this type of jupateurs.

3. Hydra, which look like plants but are actually unimals, are very easily introduced with live food or plants. Eradicating them is a real problem. The addition of 5 grains of amountum nitrate to each gallon of teater is supposed to 6 the rick.

4. If I had my cheice between trousn and hair algae, my choice would be hair algae every time. Mollies and Otoclisclus will nibble at it and keep it down to tome extent. Try using these fishes, and get a balance in year lighting somewher between T and 10 hours.

5. It has been stated for a long time by some that valilization and sugitaria will not grow in the same tunk. Others transit this as pure and utter monstree, I think that if you do as you suggest, that is use separate planters, you stand a fairly you de house of joining the ranks of the hobbyists who say that it can be done.

6. Before the advent of the Gro-Lucc tubes, the ones we advised at the most natural-leoting as well as the best plant growers were the so-called "warm withit" tubes.

growers were the so-called "warm white tubet.

Undergravel filter
Q. 1. I have s 10-gallon tank with an undergravel filter, which is supposed to

Please Mention T.F.H. When Writing to Advertisers

EVERGLADES

who supplies
QUALITY FISH and RARE PLANTS
to discriminating
PET SHOPS and AQUARIUMS

business letterhead or eard for iden NO FANCIER LIST AVAILABLE

Everglades Aquatic Nurseries, Inc. P. O. BOX 587 - 706 PLAZA PLACE, TAMPA, FLORIDA 33601

keep the gravel clean. It doesn't seem to be doing its job. There is still dirt and decay on my aquarium gravel. What should I do? 2. I have a fluorescent light hanging 6 inches show my aquarium. How long should I keep it on?

o menes above my aquarium. How long should I keep it on?

Rainer Mueller, Chicago, III.

A. I. Just because you may have soon the name "Miratel" on your undergraved filter, don't expect miratels to begin happening as soon as you put it to work. An undergravel filter will do its stork and even do it to well than it seems to be dong miratels, but there are a few basic and fundamental reds that you must observe. If you overfeed your fish or soverested your apparitum, don't expect your unitary of the coll correct your missibus, expecially if you hep an making them. Make it

Please mention T.F.H. when writing to advertisers



ULTRAVIOLET AQUARIUM STERILIZER RILLS BACTERIA & FUNGUS . ELIMINATES CLOUDINESS . DESTROYS ODDES . ARSOLUTE SAFELY . PRESHWATER OR SALTWATER



The Ster-Aq installs in minutes, Using your present inside, outside or subsand filter, water is circulated past the shielded ultraviolet germicidal tube. You will be amazed at the new color and vitality of your fish in crystal clear water parified nature's way—with untraviolet rays, 120V, 60 Cy, 4

STER-AQ GRANADA HILLS, CALIF. 91344

CONDE





Please mention T.F.H. when writing to advertisers

a rule never to croud more than 14 inches of total fish length to Such guillon of water, and never feed your fish to heavily that there is any food left after 10 minutes.

2. You do not give the waterage of the fluorescent tube, and I do not know what location your equarinin is in. If your equarining yet a good amount of smiletly, very little urificial lighting is needed. If on the other hand your rule kept little or no untilight, you may have to beap the light on for about 8 hours a day. Your plants will tell you'll conditions are right. If they are healthy unif grow toll, conditions are good. If they'are energyous with align, there is too much light. If they grow poorly, there is not much light. If they grow poorly, there is not much light. If they grow poorly, there is not much light.

Cichlids and notified.

Cichlids and goldfish

Q. My wife and I maintain several 20-to 26-gallon tanks. One tank contains 5 black-chinned cichlids, each about 4 to

Tropical Fish Hobbyist

Find your salt water fish problem here . .

Caused by | Fungus Growth on Meath or Body | Fin or Tail Rot | Open Wound or Sares

Solve it with ...



Marine Agua Remedy



Sea Cure

The fungus remover that works, fish is termful and contegious. To to keep your fish healthy and actuse. See Care. It goes to work stantity—gives fast help. 4 grams 98c





A black-chinned cichlid.

A block-triased cirblid.

4] inches long (all females), two oscars
11 to 11 inches long, and 9 plain and
fancy goldfish (initially 13). The breeder
of the cirblids usid these fishes were
compatible, and that the temperature
range for them is about 72 to 74° E.,
which doesn't seem to bother the goldfish. At higher temperatures (to 80°),
the tropicals pick on the goldfish. Two
moors died from being badly beaten and
chewed, and two others from wounds
and fungus. Presently, though, the goldfish are in appareatly good health, are
active, eat well, and seem to be content.
Each goldfish has lost at leas: 20% of
its scales. One of them has less than 20° 6.

its scales. One of them has less than 20% of his scales left. These fish spend of his scales left. I nese has spend summers in an outdoor pool. Barring illness, will they ever regain their scales? Is the temperature of the water or a little less OK for both types? The problem is now in its fourth menth. We rarely see the tropicals attack, except when a goldfish is nearly dead, yet they must be attacking.

must be attacking.

Jim Maier,
A. Your tank would be filled to capacity
even without the goldfish, Add to this rine
goldfish, and you have a tank that is budly
even-rounded. At the rather low temperature (for the tropicals) of 72-74 F., the
goldfish would be comfortable, but your
occurs and blach-chinuted clashids would be
cold and disturbed to get into any battles. But when the imperature is brought up to around 80 F., the story is recersed, and
the tropical regard the goldfish, which
would tend to become groggy at this point,
as something to tran up and eat. Keep

May, 1966

your fish at their proper tempercauses, and don't ever expect them to even pai up with temperatures. Mother Nature newer intended for them, Scales den't grow back very readily, and your damaged fish may not get them beats at all. The essent are so small that they are probably not contributing to the damage. Of course, like the black-chimac cichilis, they require temperatures of 74° to 78° F. - fick at their proper temperatures, and

Paint and the aquarium

Q. We are thinking of painting the room in which the fish tunks are; what precautions should I take with the fish?

Stanley J. Kaezynski,
Fall River, Mass.

A. Yes do not need to move the tanks.
Just seal them; take out the heaters and uir line: that go in, and remove cony filters that hang on the tank frame. Then put a thesi of Seram Wrop or the tank so that it overlaps the edge, and seal the grap down.

overlaps the edge, and seal the wrap down.

Get a FREE listing in our annual Directory. Form test free an insquart. Over 200 pages. Our excepting random agreement of the page of the

Livestock Wholesale

and Fresh Frozen Fish

Food Dealers . . .

Please mention T.F.H. when writing to advertises

When you have finished pointing, venti-late the room to remove the fumes. When you can on longer smell paint, take off the plastic covering, and put everything back as before.

Please Mention T.F.H. When Writing to Advertisers

"LAZY SUSAN "AUTOMATIC FISH FEEDER



1—Automotically feeds fish of all films, even during an entire 2-week vaccition.
2—Unique individuous control of the second of t

To order "Lasy Suspe" direct, send theck or money order for \$14.95 to address below.

ALLIED ENTERPRISES, P.O. Box 111 Dept. 1 Greenlawn, New York; 11740



By aul Hahnel

Bin-nipping female

Q. Recently I bought a pair of veiltail
guppies and put them in a 10-gallon
tank with two Corysferas catfish and two
dawn tetras, to separate them from my
other stock. At first the female guppy
would nip the tails of the two tetras,
and then she started aipping the male,
but I took this as just being playful.
Then about 3 days laster the male started
lying on the bottom. I took him out and
examined him and could find no signs
of any illness. He would eat all right
but hardly ever swam except to
approach the female. Every time he
approached her, the would thy away,
and he would go hack to the bottom.
Do you think the female is frigid and
this would cause his illness, or is she
lists nasty? I leon my market is heart or this would cause his illness, or is she just nasty? I keep my tank well planted and acrated, and the lighting is adequate. The temperature is a constant 78-80 F., and the water has a neutral

pH. I feed a diet of the better-grade dry foods, salmon egg meal, crab meal, molly feed (for a vegetable content), live tubifex worms, brine shrimp (adult and baby), and daphnia when available. I also feed chopped chicken liver, forzen daphnia, and mosquito larvae. I just can't find anything wrong; can you solve my problem?

John Loughran, Upper Darby, Pa. A. Females quite often show this houd of

A. Females quite often show this kind of behavior, especially if you move them into a tank teshich contains lifts they have never seen before. And now the behavior of the male: lying on the bottom could be caused by the change of water. Some-times, however, they get used to their

Please mention T.F.H. when writing to advertisers

FANCY GUPPIES

PANLT 16-LPPIES

Our Grayin on winning him richtons has their naved owness entropeater. Letters 301 on a mean few lates of feeding demant settling and the settle of feeding demant settling of the settle of feeding demant settling of the settle of feeding demants. All of use Couples on the settle of feeding demands of the settle of feeding demands of

Please Mention T. F. H. When Writing to Advertisers

FIRST PRIZE WINNER AT THE INTERNATIONAL 1960 GUPPY SHOW.

THE BRONZE DELIGHT

After more than 30 years of begoding exhibition groppin, Mr. Hortung more introduces his reserved addiscenses— the Boson Belget with its large Vell-tail Directs than the time system of grades and year period. The direct from those from Corees, Leapont, Blue, Verland State of Blue, green talk, Tall State (St. Olivatin for Corees, Leapont, Blue, Verland HARTUNG GUPPT SPECIALIST

Other miles coming seriation one rows theirs of feet, Blue, Bluet, Dark Blue, Varienated entry 10-20 o many. Attend Vari. 16 a part. Beauthul Genes Bods and Velic 16 a part. DUARANTEED lies: Delivery — Paytoid Sond Sond or maney ander to Wat. Haffund, Var. 13 in 18 and 19 an

new environment quickly. The behatier of your famale is normal. A fertilized famale will not that vary and, if possible, should be kept esthant a male. The con-ditions and food you offer seem fust per-fect to me.

Babies not up to par

Q. I have read your book ALL ARCHT
outperts plus your writings in the THI
column and the booklet PANCY outperts.
I have been working with finncy guppies
for the past 4 months, but my results
are unfavorable. I buy good stock, but
the fry don't come up to par with the
parents. Why is this? I bought a pair of
greens and got average tails (smaller
than the parents) and no greens but all
orange and blacks. Why?

I keep the water around pH 7.2,
temperature about 78° F., and a filter

Salt Water Fish!

Sea Horses, Angelfish, Gobies Butterflyfish: All Kinds



PAST DELIVERY! Little Waiting! Der be fischel by dealer who after changeries or marine fish. Der un't deliver end will only disappairt yes. See all 100 for See Hann leot and Marine Famplate Madama Distribution for Real Eath and Bed Cerban. Level price on Sulls and filter Medium. Desires worthed.

Baberi F. 1. Stroughen, Morine Collector.

CORAL REEF EXHIBITS

P. O. BOX 59-2214
MIAMI 59 (AMP SE.), FLA.
Pb. Niemi 271-3331
Seed for free pace (ii)
We deliver fish out premises.

THE DEGAULLE GUPPY

(Flag of France)

The most ensured bread of this are. A large, from hybrid with light form, jet black levely, thering red told, and white dersol fix. Prolific females are olive close with slack cast. They bread frue. \$12.50 perceiv. [\$4.50 pates for fix.]

rea.) Other varieties include Albina Veils, Red Peacecks, los Vegas Green, Lavender. \$7.50 perpair. (12.50 enter for tria.) Gueranteed Live Delivery. Postpaid, Airmail. Sand check or noney order to

MANHATTAN AQUARIUM SERVICE 224 - 21st St., Manhattas Bauch, Calif. #024 Phone: FE 2-5621

Please mention T.F.H. when writing to advertisers

and aeration going constantly. But 1 seem to lose the purchased pairs after about a month. At least once a month, I about a month. At least once a month, I replace one-third of the water with seasonful of aquarium salt per gallon. The fty live, but the parents die. Why does this happen? I try not to overfeed; I use a dry flake food and frozen daphraia. I have 10-gallon tanks planted with watersprite. Why aim I having trouble?

with watersprite. Why am I naving trouble?

A. Hogberg, Bridgeport, Couns. A. The reason that you get different colored bables from the fish you buy it that the females may be from a different towis and carry different colors. It is also well known that changing fish from one environment to another might prove fatal. The fish get a shock being put into new outer that probably has a different chemical makeup, thus fereing khon to change their bedy chemitary. The change might damage the liver, hidneys, etc., and if this occurs the guppy often dies. A new hobbyitt should not be discouraged after only 4 mooths; tree all vont through this in the beginning and learned by trial and error. Feeding only two types of fish food it the reason your young are so small; I use 25 different types.

68

May, 1966

Salts From The Seven Seas



By Alfred A. Schultz

Q. I have a 25-gallon marine aquarium with a hydrometer reading of 1,023. I have all plastic plants in it. I want to know:

1. Every 4 weeks a brown slime forms on the plastic plants. What cashes this?

2. What should I do to stop a salt growth forming on top of the glass cover on the aquarium?

3. For some unknown reason my dwarf sea horses live for only 4½ to 5 weeks. Why?

Chris J. Knodel,

weeks. Why?

Chris J. Knodel,
Belford, N.J.

A. I. This is an accumulation of fish

Please mention T.F.H. when writing to advertisers

Jeo Way Yong & Sons

Importers & Exporters of Fancy Tropical Fishes, Wild Birds & Animals Shipments to Any Part of the World

1063, Yio Chu Kang Road

Cable Address: "CATFISH" SINGAPORE

transe. It can be washed off in fresh water.

2. This is a result of evaporation. The sait may be scraped off and put back in the tanh.

3. Dwarf sea heries frequently starce. They normally eat kundreds of body brine shrimp daily.

Q. Will the following combinations of fishes be OK in an 8-gallon tank which is filtered and has a heater?

1. Clown fish, three-spot demoiselle and a blue demoiselle?

2. Clown fish, three-spot demoiselle and a butterfly fish?

3. Clown fish, three-spot demoiselle

and a rainbow wrase?

4. Clown fish, three-spot demoiselle and a three-spot dascyllus?

5. 3 Clown fish and a small sea anemone?


Please mention T.F.H. when writing to advertisers

"NEPTUNE SALTS" KEEP SALT WATER FISH ALIVE FOR YEARS & YEARS!



Weids #1 indied for motion fish que ser-house. Triefe, appeaued and used by appear of 19 public appearance are #2 feet of 19 public appearance, ser-#2 feet of 19 public appearance, ser-#2 feet of 19 public appearance, appearance, appearance, appearance, to public appearance, appea

WESTCHESTER AQUARIUM SUPPLY CO. INC. 184 Mamaroneck Avenue White Plains, N. Y. 10601 Tel. 914 WH 8-0011



With the revolutionary new Miracle Nylon Add-A-Valve, you get unlimited flexibility in creating custom-made gangs with exactly the number of air outlets you want. Only the specially made Miracle Nylon Add-A-Valve offers all these advantages:

Which is specially made Miracle Nylon Add-A-Valve offers all these davantages:

By the Miracle Nylon Add-A-Valve of the Add-A-Valve of the Add-A-Valve offers all these davantages:

Which is revolutionary new Miracle Nylon Add-A-Valve of the Job better than metal anyway, costs less, I Guaranteed Corresion-Proof. By the Miracle Nylon Add-A-Valve at The Addity To Custom-Create Gang your local pet shop.

Tropical Fish Hobbyist

6. Clown fish, three-spot demoiselle and a neon goby?



7. Any combination of the above, as long as there are never a pair?
8. Can a pair of dowarf seahorses be kept in a 1-gailon jar with the Little Mitracle Filter?
9. How many saltwater fishes can be kept in a 20-gallon tank?
10. Can a small moray cel be kept in a 5-gallon tank?
11. Would live brine shrimp caught directly from the Great Sult Lake be satisfactory food for all of the above?

If the above setup works I'll try to convert all four of my freshwater aquaria to salt water because I've had them only 2 years and find the fishes boring unless you breed them, and I don't have enough tanks. I enjoy your column very much and also the whole magazine. I think it is a good hobby for young people and teenagers (I'm 15), and about 20 other teenagers that I know think so too.

Fred Seeley, Tooele, Utah A. 1. OK.

A. I. OK.

3. OK.

3. OK.

4. No. They are very likely to fight among themselves.

5. OK.

6. OK.

7. Yes, excluding the three-spot das-colles.

7. Yes, excluding the three-spot uncyllus.
8. Yes.
9. 5.
10. No.
11. Yes, but wash them off theroughly
under the tap before you feed them.
One tank is all that it needed to breed
a pair of freshwater fish. It's fan, haven't
you ever tries it? Thank you for your
exclosine words of praise, but your views
are a bit too short-alphtal, the hobby of
fish-keeping seems like a fine thing to you
at 15 and under. However, a good many
of su toho were hobbyiets at 15 find later
that toe are "hooked" for life!

Please Mention T. F. H. When Writing to Advertisers



WHY RILA MARINE MIX?

mply because you'll be getting the finest synthetic see salt available — proven by years of consistent, dependable performance.

72



is. Photo by G.J.M. Timmerman

One of the favorite small cichlids ...

Pelmatochromis kribensis

BY RUDOLF ZUKAL. Brno. Czechoslovakia

This fish belongs to the smaller representatives of the huge family Cichlidae. In its home waters of tropical West Africa, in the Niger and Kribi Deltas it attains a length of 4 inches, but in our aquaria it seldom exceeds 31 inches. The species P. subceellatus and P. bribensis often get confused. They are

The species P, subcoellatus and P, bribensis often get confused. They are two separate species, even if their colors and body structure are very similar. According to Boulenger, the genus Pelmatochromis has 37 species. After being revised by T. Regan, the amount of species was reduced to 20-22 species. P, subcoellatus arrived in Europe about the year 1907, but was not been successfully and removed a present of the property of bred successfully and not imported again, soon disappearing from the tanks of hobbyists. In the year 1945 similar fish were imported to Europe and

Tropical Fish Hobbyist

Salt-Water Aquarium Fish



Dr. Herbert R. Axelrod

William Vorderwinkler

\$7.95

The most complete book on marine-fish keeping ever published in any language, this book has more color illustrations of marine fishes and marine invertebrates than all other books on the subject combined!

Its 352 pages contain 335 full color illustrations and 79 monochrome illustrations. Printed on the finest, non-glare, water-resistant, coated paper (never before used on an aquarium book), SALT-WATER AQUARIUM FISH is completely up-to-date. It contains fact-filled chapters on all the various kinds of marine fishes, from the popular Anemone Fish to the playful Batfishes.

Dr. Axelrod took four years to write this book with the assistance of Mr. Vorderwinkler. He journeyed 135,000 miles from Pakistan to Hawaii to Australia to the Fiji and Howaiian Islands, through Jopan and Ceylon, Singapore and Howaiian (Sang, as well as Europe, the West Indies and South America, not to mention Africa and the Madilerranean, to collect and photograph fishes which have never appeared on a printed page before

NOW AVAILABLE AT YOUR PETSHOP

Published by

T.F.H. PUBLICATIONS, INC.

245 Cornelison Avenue • Jersey City 2, N. J.



identified as P. kribensis, after the name of the river Kribi in Cameroon. Dieter Vogt thought the newcomer to be a subspecies of P. subscellatus, but this does not seem to be the case, because as far back as the year 1911 P. kribensis was known and described by Boulenger.




Hans Frey's ILLUSTRATED DICTIONARY OF TROPICAL FISH

\$7.95

Never before in the English language has a dictionary of tropical fish appeared. This huge volume, translated from the German by Dr. A.

Viggo W. Schultz, brother of Harald Schultz, covers every fish, plant and snail that has ever reached any popularity in the last 50 years! It is illustrated with more than 1,000 photographs and drawings in color and black and white. There is no book like it that compares in size, scope, or completeness. In German it sold 18,000 copies in less than two years, making it a national best-seller. This book is a must for every beginner and advanced hobbyist alike who wants to identify a rare fish, plant or snail, and who needs information on any aquatic subject. Besides the subjects already mentioned, there are entries on breeding, water, infusoria, diseases, heaters, filters, pumps, feeding, live foods, fish collecting, marine fish, goldfish, cold water fish and terrarium life. Available now at your petshop. Add 50c. for postage and handling if ordered from the publisher. Send cash, check or money order to

Published by T.F.H. PUBLICATIONS, INC. 245 Cornelison Avenue Jersey City, N. J. 07302





P. bribenis is one of the most popular of Cichlids because of its gorgeous coloring, modest size, and peaceful behavior. The fish can be kept in the community tank at a temperature of 74 to 78 F., and its only disadvantage is that it is fond of digging into the bottom. This can be limited somewhat

ale's pripositor tube can be seen quite clearly in this photo. Photo by R. Zukal





May. 1966



towerpot placed in their tank for them Photo by R. Zukol.

by the use of a coarse gravel bottom. It is also advisable to provide retreats in which the fish can hide. Keeping a number of pairs together in the same tank is not advised, because this would lead to battles with their own kind.

The male is more slender, bigger, and has a broader forehead than the female. On the edge of his dorsal fin there is a silvery, gold-gleaming stripe which ends in the point. In the upper part of the tail fin there are 1-5 round dark spots which are edged in light yellow. The fins are violet in color.

The female has a large wine-red patch on the sides of her body, is more deeply colored, and has red ventral fins. Younger specimens do not show this full coloration.

These fish require a good-sized, well-planted tank, with possibilities for hiding. The water should not be hard. They are peaceful, friendly, and very active fish. They take all sorts of live foods, as well as algae.

For spawning, I gave them a 10-gallon aquarium with a gravel bottom, planted with some *Echinodorus* species in the background. The highly valued flowerpot for spawning was also placed within. I used normal tap water, which in Bruo is 8-12 DH. The temperature was raised to 80 F and held there.

Much courting seemed to be going on, but no eggs were layed. The pair even visited the flowerpot together, but a spawning was not forthcoming.

The male moves in to fertilize the eggs. Same of the eggs have fallen to the bottom where they will probably not be fertilized. Photo by R. Zukol. Biting or other rough courting tactics indulged in by many cichlids was not observed. All I could notice was that the female tried to dig pits in several parts of the tank. Although this female was ready for spawning, I did not know what else to do and added another female. In a few seconds, all Hades In order to spray his sperms directly onto the eggs, the mole must tern upside down just as the female did. Photo by R. Zukol.

SUBSCRIBE TO

ICHTHYOLOGICA.

The Aquarium Journal

Whether you are an ichthyologist, professional breeder or scientifically oriented hobbyist, if you are interested in keeping abreast of the latest scientific developments in aquarium fishes and their care, you can do so in only one magazine in the entire world - Ichthyologica, the Aquarium Journal. Fill in the form below, and if you are a student, be sure to check the proper box and get your subscription at half price.

Ple	ase print. Detach and send	10:
T.F.H. PUBLICATI 245 Cornelison Av	ons, INC. enue, Jersey City, N. J. 073	02
Gentlemen		
	in subscribing to Ichthyolog please find check, money or	
Sample copy -	- \$1.00	
☐ 12 issues (one	year) — \$10.00	
☐ 12 issues at sp	ecial student price — \$5.00	0
School Attending		
		10)
Name		*
Street		
City	State	Zip

Tropical Fish Hobbyist



These two young kribensis grew up in the tank in which this photo was taken. They started as eggs on the flawerpot in the background! Phata by R. Zukat.

broke loose. With widespread fins and red bellies, the females attacked each other. They curved their bodies before each other with gleaming colors, especially the golden edge of the dorsal fin. While the females were thus especially the golden edge of the dorsal lin. While the temales were thus engaged, the male swam by as if not wanting to have any part of the argument. The female that was originally in the tank emerged victorious. The battle lasted about a half hour before I noticed that there might be serious consequences and fished out the defeated female. Then, sure enough, the male began very vigorous courtship at once, and both fish swam into the flowerpot. After some cleaning of the intended spawning site, the first Howerpot. After some cleaning of the intended spawning site, the first attempts to lay eggs were made by the female. The first eggs dropped to the bottom, but the subsequent eggs hung from the flowerpot's surface. The female turned on her back, pressed her belly to the flowerpot and, while the male waited, released her eggs. As soon as she had laid a few eggs, she left the flowerpot. Her breeding tube could be seen easily. And now it was the male's turn: he flipped over on his back exactly as the female had done, touched the spawning site with his mouth, then rubbed the flowerpot with his helly and ferrilized the eyes. his belly and fertilized the eggs.

Caring for the brown-colored eggs is a duty which the female usually regards as solely her own. Sometimes parental care is exercised by both the male and the female, but in most cases it is better to remove the male as soon as he has fertilized the eggs. The firy become freeswimming after 3 to May, 1966

our name should be on the cover of this magazine



If it isn't, mail the coupon.

bicribers receive every sue of TROPICAL FISH OBBYIST without fail, ubscribers are kept informed bout every important de-eignment in the aquarium

ROPIC	ΔL	FISH	HOBBYIST	

TROPICAL FISH HOBBYIST 245 Cornelison Avenue, Jersey City, N. J. 07302 Enclosed please find check, money order or cash for:

Sample copy - 35¢

- ☐ 12 issues of Tropical Fish Hobbyist, \$3.50
- 24 issues of Tropical Fish Hobbyist, \$6.25
- 00 issues of Tropical Fish Hobbyist, \$13.00

	Subscrib per yes ion.
,	Foreign S Add o0c subscripti
	L d z

Street

City



BIND YOUR COPIES OF TROPICAL FISH HOBBYIST

PRICE OF THE BINDER IS \$3.95.
Send year shack, each or meany order to
T.F.H. PUBLICATIONS, INC.
245 Cornelison Avenue
Jersey City, N. J. 07302

Please do not imprint binders

Name (please print clearly) to be imp

HAVE YOU A

COMPLETE FILE



Here is an apportunity to buy some of the issues of Trapical Fish Hobbyist you may have missed. But, we're sorry to say, some back issues are sold out and we have only a few hundred left of the others. We're offering them now at bargain prices, single copies 35¢, five copies for \$1.50. 10 copies for \$2.75. When ordering check the issues desired, choose an alternate issue if possible and enclose payment. Add 25¢ for postage.


TROPICAL	FISH	HOBBYIST
INOLICAL	Links	HODD (131

245-247 Cornelison Ave., Jersey City, N. J. 07302, USA

Please send me the following back lasses of T.F.H. 1 am enclosing \$ in full payment.

Sept Oct. '32	[7] Man. '50	Ner. 139	☐ Sept. '64	Oct. Y
June '58	El Apr. 30	Dec. '55	Oct. '64	Nov. "
Dec. 53	May '50] Jan. '60	Apr. 165	Dec. 7
Hept. 'IA	□ June 30	☐ F+b. '60	Mar '65	Jan. Y
Nov. '58	July '56	Mar. '60	June '65	Feh. '6
Den. Tit	Aug. '58	Apr. '60	July '65	Mar.'s
Jan. 50	Dept. '00	July '60	ARE. '65	Apr. 's
Feb. 108	[Oct. '55	Aug. '64	Sep 5.*65	

☐ Alternate Copy	(Choose three)	
Name	The state of the s	MILITARY THE
Address		
City	State	zip_
	Please Print	



Please Mention T. F. H. When Writing to Advertisers

near their mother.

Live Foods for Aquarium Fithes by Robert Gannon. Are any live foods dangerous? What are the best all-round live foods? How much live food should be fed? How do you maintain live foods? These and many other questions are fully answered in this remarkable booklet, which lists and describes all of the available live foods. It is a "must" addition to the reference library of anyone who thinks of himself as an aquarist, and who would like to speak knowledgeably on the subject of live foods. 36 pages.

Price, 35c. At your petshop or order direct from T.F.H.